

# PRODUCT GUIDE

## 2026 | MARINE



<b>Important Notes</b> .....	<b>4</b>	WLS 334 – 430/1 .....	114
<b>Marine Duty Profiles</b> .....	<b>5</b>	WLS 730/1 – 730/1L .....	116
<b>REINTJES Abbreviations</b> .....	<b>6</b>	WLS 930/1 – 930/1L .....	118
<b>Gearbox Characteristics</b> .....	<b>7</b>	WLS 1540 – 1930 .....	120
<b>Marine Propulsion Packages</b> .....	<b>22</b>	EF 350 – 580 .....	122
<b>Condition Monitoring System</b> .....	<b>26</b>	AF 264 – 863 .....	124
<b>Control System (RCS)</b> .....	<b>27</b>	AF 863 – 1563 .....	126
<b>Gearbox Automation</b> .....	<b>28</b>	AF 2365 – 2375 .....	128
<b>REINTJES Gearboxes</b> .....	<b>30 – 147</b>	EFS 234/1 – 930/1 .....	130
Gearboxes .....	30	EFS 930/1L – 730/1 .....	132
WF 350 – 580 .....	32	EFS 730/1L – 430/1 .....	134
LF 350 - 580 .....	34	EFS 730/1 – 1930 .....	136
WAF 164L – 244L .....	36	VA 2451 – 3541 .....	138
WAF 244 .....	38	VA 4851 – 4941 .....	140
WAF 264 - 264L .....	40	SVA 751B – 1001B .....	142
WAF 274L – 274 .....	44	SVA 1051A – 1251B .....	144
WAF 344L – 344 .....	46	SVAL 751A – 1001A .....	146
WAF 364L – 364 .....	48	SVAL 1001A – 1251B .....	148
WAF 374L – 374 .....	50	VLJ 430 – 730/1 .....	150
WAF 444L – 444 .....	52	VLJ 930/1 – 1540 .....	152
WAF 464L – 464 .....	54	VLJ 1930 – 2230 .....	154
WAF 474L – 474 .....	56	VLJ 4431 – 7541 .....	156
WAF 543L – 563 .....	58	ZSVAL 625-22 – 1250-110 .....	158
WAF 563L – 573 .....	60	DLG/DUG 1113 – 110131 .....	160
WAF 665 – 843 .....	62	RDG/RDGL .....	162
WAF 843L – 1563 .....	64	<b>Main Dimensions</b> .....	<b>164 – 223</b>
WAF 1563 – 1963 .....	66	WF/WAF/WVS/WVSA/WLS/LAF/EF/LF/EVS .....	164 – 193
WAF 2346 – 3475 .....	68	RDG/RDGL/DLG/DUG .....	192 – 197
WAF 4545 – 5675 .....	70	VA .....	198 – 199
WAF 6745 – 7760 .....	72	VLJ .....	200 – 203
LAF 543 – 573L .....	74	Hybrid System WAF .....	202 – 219
LAF 665 – 773L .....	76	Hybrid ready gearboxes .....	220
LAF 843 – 873L .....	78	Frequency Converter .....	222
LAF 1143 – 1963 .....	80	<b>Options</b> .....	<b>224</b>
LAF 2346 – 3475 .....	82	<b>Special Applications</b> .....	<b>226</b>
LAF 4545 – 5675 .....	84	<b>PTO</b> .....	<b>228</b>
LAF 6745 – 7760 .....	86	<b>Auxiliary Drives</b> .....	<b>232</b>
WGF 563 – 863 .....	88		
WGF 1563 – 4566 .....	90		
WVS 234/1 – 334 .....	92		
WVS 334 – 430/1 .....	94		
WVS 432 – 730/1 .....	96		
WVS 730/1L – 732 .....	98		
WVS 930/1 – 932 .....	100		
WVS 1540 – 1930 .....	102		
WVS 2230 – 2240 .....	102		
WVSA 1542 – 1942 .....	106		
WVSFA 442 – 742 .....	108		
WVSFA 942 .....	110		
WLS 234/1 – 334 .....	112		

This document and the technical data contained herein are subject to technical modifications and are non-binding. The data serve informational purposes and cannot be guaranteed in any way. In addition, our gearboxes will be assessed and determined individually for each project. This is necessary due to differing characteristics of each project like specific site and operational conditions. If this document is delivered in another language than English and in case of divergences of interpretation between the different language texts, the English text shall prevail.

Gearbox standard design dry. Following lists only show an extract of gearboxes available. Additional sizes, offset configurations and variations are available on request.

Dimensions and dry weights are approximate and may vary with housing or by input and ratio. Specifications are subject to change without notice. Please contact your REINTJES distributor for current information and binding data.

# Important Notes

## REINTJES Marine Gearboxes

### Warranty

The marine gearboxes are subject to the standard REINTJES warranty conditions. Modifications of the gearbox are only permissible in consultation with REINTJES.

### Torsional Responsibility

The torsional couplings are selected according to engine torque. In the event that different couplings are required as a result of the torsional vibration calculation, the costs for this change will be for the purchaser's account. Torsional vibration analysis can be made by the engine builders, independent consultants etc. The responsibility for ensuring torsional compatibility of the propulsion system rests with the assembler of the equipment. REINTJES cannot be held liable for damages due to inadmissible high alternating moments on the units supplied by us. These will disengage us from any warranty agreement.

### Ratings

Ratings are for diesel engines only, at the rated speeds. The models, ratings, texts, and data contained in this publication are subject to change without prior notice. REINTJES considers standard rotation engines to be counterclockwise (ccw) in rotation, when viewed onto the flywheel end. Please advise REINTJES of engine rotation prior to gearbox selection.

### Safety Information

The majority of accidents which occur during operation, maintenance, and repair are caused by failure to observe basic safety rules and accident-prevention precautions. Accidents can often be avoided by correct assessment of potentially hazardous situations. The operating personnel must, at all times, be alert to potential hazards. Furthermore, they must be fully trained, skilled operators provided with the necessary tools and equipment required to perform these functions correctly. Supplementary to the operating manual, all generally valid legal and other binding regulations for accident prevention and pollution control have to be observed and adhered to.

### Classification

Classification ratings are available on request.

### Options

Information regarding options such as trolling propulsion system, PTO, etc. are available on separate product sheets.

## Marine Duty Profiles



### Continuous Duty

Typical applications: commercial vessels  
Engine speed and power: continuous operation with little or no variations  
Average engine operating hours: unlimited  
Typical hull forms: displacement



### Medium Duty

Typical applications: private, charter, commercial craft, naval and governmental ships  
Engine speed and power: intermittent operation with some variations  
Average engine operating hours: 4000 hours/year  
Typical hull forms: planing, semi-planing, displacement, catamaran



### Light Duty

Typical applications: private, charter, sport and pleasure craft, naval and governmental ships  
Engine speed and power: intermittent operation with large variations  
Average engine operating hours: 2500 hours/year  
Typical hull forms: planing, semi-planing, displacement



### Pleasure Duty

Typical applications: private, noncommercial, noncharter, sport and leisure activities  
Engine speed and power: intermittent operation with very large variations  
Average engine operating hours: 500 hours/year  
Typical hull forms: planing, semi-planing



### Super Pleasure Duty

Typical applications: private, non-commercial, non-charter, sport and leisure activities  
Engine speed and power: intermittent operation with very large variations and very low full power share  
Average engine operating hours: <500 hours/year  
Typical hull forms: planing, semi-planing

## REINTJES Product Portfolio

### ■ WAF

Wendeuntersetzungsgetriebe  
(reverse reduction gearbox)

Achsversetzt  
(shafts offset)

Anflanschsführung  
(version with flange)

### ■ WGF

Wendeuntersetzungsgetriebe aus  
WAF (reverse reduction gearbox  
derived from WAF)

Vorsatzstufe angeflanscht  
(flange-connected housing for two-  
step gearbox)

### ■ WVS

Wendeuntersetzungsgetriebe  
(reverse reduction gearbox)

Achsversetzt  
(shafts offset)  
für Schnelle Schiffe  
(for fast vessels)

### ■ WWSA

WVS in Down-Angle-Ausführung  
(WVS in down angle design)

### ■ WWSFA

WVS in Down-Angle-V-Drive-Aus-  
führung  
Vorsatzstufe angeflanscht  
(flange-connected housing for two-  
step gearbox in down angle design,  
V-drive)

### ■ ZWAF

Zweigang-Wendeuntersetzungs-  
getriebe  
(two-speed reverse reduction  
gearbox)

Achsversetzt  
(shafts offset)

Anflanschsführung  
(version with flange)

### ■ ZWVS

Zweigang-Wendeuntersetzungsget-  
riebe aus WVS  
(two-speed reverse reduction gear-  
box derived from WVS)

### ■ ZWWSA

Zweigang-Wendeuntersetzungsget-  
riebe aus WWSA  
(two-speed reverse reduction gear-  
box derived from WWSA)

### ■ ZSVAL

Zweigang-Untersetzungsgetriebe  
(two-speed reduction gearbox)

Slide bearings  
(slide bearings)

Verstellpropeller  
(for controllable pitch propeller)

Achsversetzt  
(shafts offset)

mit Lamellenkupplung  
(with disc clutch)

### ■ AF

Achsversetzt  
(shafts offset)

Anflanschsführung  
(version with flange)

### ■ LAF

Untersetzungsgetriebe  
mit Lamellenkupplung  
(reduction gearbox with disc clutch)

Achsversetzt  
(shaft offset)

Anflanschsführung  
(version with flange)

### ■ LGF

Untersetzungsgetriebe mit  
Lamellenkupplung  
(reduction gearbox with disc clutch)

ähnlich WGF  
(like WGF)

Vorsatzstufe angeflanscht  
(flange-connected housing for two-  
step gearboxes)

### ■ WLS

Untersetzungsgetriebe aus WVS  
(reduction gearbox derived from  
WVS)

mit Lamellenkupplung (with disc  
clutch)

### ■ VLJ

Achsversetztes Untersetzungsget-  
riebe  
(reduction gearbox with offset  
shafts)

mit Lamellenkupplung  
(with disc clutch)

für WaterJet  
(for water-jet)

### ■ VA

Untersetzungsgetriebe für Verstell-  
propeller  
(reduction gearbox for controllable  
pitch propeller)

Achsversetzt (shafts offset)

### ■ SVA

Untersetzungsgetriebe mit  
„Slide bearings“  
(reduction gearbox with slide  
bearings)  
Verstellpropeller  
(for controllable pitch propeller)

Achsversetzt  
(shafts offset)

### ■ SVAL

Untersetzungsgetriebe mit  
„Slide bearings“  
(reduction gearbox with slide  
bearings)

Verstellpropeller  
(for controllable pitch propeller)

Achsversetzt  
(shafts offset)

mit Lamellenkupplung  
(with disc clutch)

### ■ SVLJ

Untersetzungsgetriebe mit  
„Slide bearings“  
(reduction gearbox with slide  
bearings)

Achsversetzt  
(with offset shafts)  
mit Lamellenkupplung  
(with disc clutch)  
für WaterJet  
(for water-jet)

### ■ DLG

Doppeluntersetzungsgetriebe  
(twin input/single output reduction  
gearbox)

mit Lamellenkupplung  
(with disc clutch)

Gleiche Höhe  
(same height of the input shafts)

### ■ DUG

Doppeluntersetzungsgetriebe  
(twin input/single output reduction  
gearbox)

Horizontal, gleiche Höhe  
(horizontal, equal height)

### ■ RDG

REINTJES Dredging Gearbox  
(REINTJES Dredging Gearbox)

### ■ RDGL

REINTJES Dredging Gearbox  
(REINTJES Dredging Gearbox)  
mit Lamellenkupplung  
(with disc clutch)

## Abbreviations used after the Type designation

### ■ L

Limited torque version of gearbox  
type

### ■ DL

Diagonal Left offset of input shaft in  
view of output shaft

### ■ DR

Diagonal Right offset of input shaft in  
view of output shaft

### ■ HL

Horizontal Left offset of input shaft  
in view of output shaft

### ■ HR

Horizontal Right offset of input shaft  
in view of output shaft

### ■ U

U - Drive, input and output on the  
same side

### ■ HSnn

Hybrid System, gearbox with  
electrical motor of 10 x nn ekW



## Gearbox Characteristics

### WF

Gearbox type:	Small reverse reduction gearbox
Main application:	Workboats
Driven component:	Fixed Pitch Propeller
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings (standard)
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing / close-coupled with SAE housings (small sizes)
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

### WAF

Gearbox type:	Reverse reduction gearbox
Main application:	Workboats
Driven component:	Fixed Pitch Propeller
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings (standard)
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing / close-coupled with SAE housings (small sizes)
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

### WGF

Gearbox type:	Reverse reduction gearbox with attached gear step
Main application:	Workboats
Driven component:	Fixed Pitch Propeller
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

### WGV

Gearbox type:	Reverse reduction gearbox
Main application:	Workboats
Driven component:	Fixed Pitch Propeller
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Co-axial, intermediate shafts offset
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)



# Gearbox Characteristics

## WVS

Gearbox type:	Reverse reduction gearbox
Main application:	Fast vessels
Driven component:	Fixed Pitch Propeller or Waterjet
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts, U-drive or opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Aluminium alloy, weight optimized design
Mounting:	Free-standing / close-coupled / U-drive SAE housings (small sizes)
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

## WVSA

Gearbox type:	Reverse reduction gearbox
Main application:	Fast vessels
Driven component:	Fixed Pitch Propeller
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	Down angle, shafts on opposite sides, vertically offset
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Aluminium alloy, weight optimized design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

## WVSFA

Gearbox type:	Reverse reduction gearbox
Main application:	Fast vessels
Driven component:	Fixed Pitch Propeller
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	Down angle, V-drive, vertically offset
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Aluminium alloy, weight optimized design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

## ZWAF

Gearbox type:	Two-speed reverse reduction gearbox
Main application:	Workboats
Driven component:	Fixed Pitch Propeller
Shaft rotation:	Ahead: co-rotating shafts Astern: counter-rotating shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)



# Gearbox Characteristics

## ZWVS

Gearbox type:	Two-speed reverse reduction gearbox
Main application:	Fast vessels
Driven component:	Fixed Pitch Propeller
Shaft rotation:	Ahead: co-rotating shafts Astern: counter-rotating shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Aluminium alloy, weight optimized design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

## ZWVSA

Gearbox type:	Two-speed reverse reduction gearbox
Main application:	Fast vessels
Driven component:	Fixed Pitch Propeller
Shaft rotation:	Ahead: counter-rotating shafts Astern: co-rotating shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	Down angle, V-drive, vertically offset
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Aluminium alloy, weight optimized design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

## ZSVAl

Gearbox type:	Two-speed reduction gearbox
Main application:	Workboats
Driven component:	Controllable Pitch Propeller
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Slide bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

## EF

Gearbox type:	Reduction gearbox
Main application:	Workboats, ideal for electric drive
Driven component:	Controllable or Fixed Pitch Propeller
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	None
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)



## Gearbox Characteristics

### EVS

Gearbox type:	Reverse reduction gearbox
Main application:	Fast vessels, ideal for electric drive
Driven component:	Fixed Pitch Propeller or Waterjet
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts, U-drive or opposite sides, vertically offset (standard)
Clutch(es):	None
Bearing type:	Roller bearings
Gearbox housing:	Aluminium alloy, weight optimized design
Mounting:	Free-standing / close-coupled / U-drive SAE housings (small sizes)
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

### AF

Gearbox type:	Reduction gearbox
Main application:	Workboats, ideal for electric drive
Driven component:	Controllable or Fixed Pitch Propeller
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	None
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

### LF

Gearbox type:	Reduction gearbox
Main application:	Workboats
Driven component:	Controllable Pitch Propeller
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing / close-coupled with SAE housings (small sizes)
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

### LAF

Gearbox type:	Reduction gearbox
Main application:	Workboats
Driven component:	Controllable Pitch Propeller
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing / close-coupled with SAE housings (small sizes)
Propulsion system:	Diesel-mechanic, hybrid ready (optional)



# Gearbox Characteristics

## LGF

Gearbox type:	Reduction gearbox with two stage gear input
Main application:	Workboats
Driven component:	Controllable Pitch Propeller
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

## WLS

Gearbox type:	Reduction gearbox
Main application:	Fast vessels
Driven component:	Controllable Pitch Propeller
Shaft rotation:	Co- or Counter-rotating shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts, U-drive or opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Aluminium alloy, weight optimized design
Mounting:	Free-standing / close-coupled / U-drive SAE housings (small sizes)
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

## VLJ

Gearbox type:	Reduction gearbox
Main application:	Waterjets
Driven component:	Jet Propulsion
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Standard and custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings (standard) or Slide bearings (large sizes, on request)
Gearbox housing:	Aluminium alloy
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

## VA

Gearbox type:	Reduction gearbox
Main application:	Workboats
Driven component:	Controllable Pitch Propeller
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	None
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)



## Gearbox Characteristics

### SVA

Gearbox type:	Reduction gearbox
Main application:	Workboats
Driven component:	Controllable Pitch Propeller
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	None
Bearing type:	Slide bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

### SVAL

Gearbox type:	Reduction gearbox
Main application:	Workboats
Driven component:	Controllable Pitch Propeller
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Custom (on request), two-speed versions available
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Slide bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

### DLG

Gearbox type:	Twin input / single output reduction gearbox
Main application:	Workboats, Ferries, Naval and Governmental
Driven component:	Controllable Pitch Propeller
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	2 parallel input and 1 output shaft, horizontally offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Rolling or slide bearings (size dependent)
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

### DLGF

Gearbox type:	Twin input shafts with attached gear step
Main application:	Workboats
Driven component:	Controllable Pitch Propeller
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	2 parallel input and 1 output shaft, horizontally offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Rolling or slide bearings (size dependent)
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)



## Gearbox Characteristics

### DUG

Gearbox type:	Twin input / single output reduction gearbox
Main application:	Workboats, Ferries with electric drive
Driven component:	Controllable or Fixed Pitch Propeller
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	2 parallel input and 1 output shaft, horizontally offset (standard)
Clutch(es):	None
Bearing type:	Rolling or slide bearings (size dependent)
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Electric propulsion

### DVLJ

Gearbox type:	Twin input / single output reduction gearbox
Main application:	Waterjets
Driven component:	Jet Propulsion
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	2 parallel input and 1 output shaft, horizontally offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Aluminium alloy
Mounting:	Free-standing
Propulsion system:	Diesel-mechanic, hybrid ready (optional)

### RDG

Gearbox type:	Reduction gearbox
Main application:	Dredgers
Driven component:	Dredger pump
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	None
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Electric propulsion

### RDGL

Gearbox type:	Reduction gearbox
Main application:	Dredgers
Driven component:	Dredger pump
Shaft rotation:	Counter-rotating input and output shafts
Reduction ratios:	Custom (on request)
Shaft arrangement:	Parallel input and output shafts on opposite sides, vertically offset (standard)
Clutch(es):	Hydraulically operated clutch(es)
Bearing type:	Roller bearings
Gearbox housing:	Steel / Cast iron design
Mounting:	Free-standing
Propulsion system:	Electric propulsion

# Marine Propulsion Packages

## Based on REINTJES Gearboxes

can consist of multiple features like

- Propeller and nozzle packages
- Shafts (incl. tail shaft and intermediate shaft)
- Shafting arrangement and calculations
- Couplings
- PTI / PTO
- Hybrid package  
(incl. electric motor and frequency converter)
- Control system
- Monitoring system
- Powertrain consultancy
- And more

REINTJES offers various packages independently from other suppliers. The expertise developed by REINTJES in more than 100 years of experience in marine Powertrain Solutions and the strong network within marine industry enable REINTJES to find the best package solution for your demand. Please contact our sales team for your customised marine package.

## CPP



# Marine Propulsion Packages


## Based on REINTJES Gearboxes

can consist of multiple features like


- Propeller packages
- Shafts (incl. tail shaft and intermediate shaft)
- Shafting arrangement and calculations
- Couplings
- PTI / PTO
- Hybrid package  
(incl. electric motor and frequency converter)
- Control system
- Monitoring system
- Powertrain consultancy
- And more

REINTJES offers various packages independently from other suppliers. The expertise developed by REINTJES in more than 100 years of experience in marine Powertrain Solutions and the strong network within marine industry enable REINTJES to find the best package solution for your demand. Please contact our sales team for your customised marine package.

FPP



## Condition Monitoring System



- Continuous monitoring of highly dynamic vibrations and process values
- Automatic trend monitoring of frequency-selective characteristic values for early wear detection
- Supporting customers with preventive measures and machine diagnostics
- Support for condition-based maintenance and increasing machine availability

## REINTJES Control System



- Modular system architecture for standard and customized applications
- Engine control, speed curves and engine stall protection
- Gear operation, reversing maneuver curves
- Control of PTO and PTI, Trolling
- Wide range of hybrid propulsion solutions
- Internal software PLC to add special functions
- Designed to meet all requirements of classification societies
- Connected to all common marine engines and transmissions
- Interfaces to DP systems, autopilot or VDR can be provided
- Wide range of parameters to adapt the system to the requirements

Functions	GBX-A	GBX-C
Ahead	X	X
Astern	X	X
ADS	X	X
Shaft Brake	X	
PTI /PTO	X	
2nd Gear	X	
Visualisation via HMI	X	

GBX-A available for:		
Down Angle	WVSA	Standard
	WVSFA	Standard
Small Gears	WF 350-580	Option
Medium Gears	WAF/LAF 665-1973	Option
	WGF/LGF 665-1963	Option
Light Gears	WVS / WLS small 234-430	Option
	WVS / WLS mid 730-2240	Option
	VLJ mid 430-2230	Option



WGF 863 with GBX-A

		Gearbox Type																						
		WF	WAF	WGF	WVS	WVSA	WVSFA	ZWAF	ZWVS		ZWVSA	ZSVAL	AF	LAF	LGf	WLS	VlJ	VA	SVA	SVAL	DLG	DUG	RDG	RDGL
Application Driven component	Workboats	x	x										x											
	Fishing vessels	x	x	x				x				x		x	x				x	x				
	Inland waterway vessels	x	x																					
	Tug boats	x	x																					
	Cargo vessels	x	x											x					x	x	x			
	Patrol vessels				x	x			x		x					x						x		
	Crew transfer vessels				x																			
	Fast yachts				x																			
	Yachts					x	x																	
	Wind farm maintenance and supply vessels						x				x													
	Full electric vessels												x											
	Fast ferries																	x						
	Ro Ro ferries																						x	
	Corvettes																						x	
	Frigates																						x	
	Electric drive vessels																							x
Dredgers																							x	x
Driven component	FPP	x	x	x	x	x	x	x	x		x		x											
	CPP												x	x	x	x			x	x	x	x	x	
	Waterjet																							
	Dredger pump																							x
Gearbox Characteristics	Reverse reduction	x	x	x	x	x	x	x	x		x													
	clutchable	x	x	x	x	x	x	x	x		x	x		x	x	x	x			x	x			x
	Two speed								x	x		x	x											
	Down Angle								x	x		x												
	Twin in - single out																						x	x
	Cast iron / steel housing	x	x	x	x				x				x	x	x	x				x	x	x	x	x
Aluminium housing				x	x	x										x	x							

This table provides a general overview. It is not strictly binding and may vary from project to project.



# WF Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WF 350</b>	<b>Continuous Duty</b>			695	1600 rpm		1950 rpm		2300 rpm *	
<b>4.190</b>	<b>4.737</b>	<b>5.056</b>	0.34		544	(730)	663	(889)	782	(1049)
<b>WF 370</b>	<b>Continuous Duty</b>			730	1600 rpm		1950 rpm		2300 rpm *	
<b>5.381</b>	<b>6.053</b>	<b>6.444</b>	0.34		544	(730)	663	(889)	782	(1049)
<b>WF 380</b>	<b>Continuous Duty</b>			1205	1600 rpm		1950 rpm		2300 rpm *	
<b>7.050</b>	<b>7.526</b>	<b>8.000</b>	0.34		544	(730)	663	(889)	782	(1049)
<b>WF 450</b>	<b>Continuous Duty</b>			875	1600 rpm		1950 rpm		2300 rpm *	
<b>4.190</b>	<b>4.737</b>	<b>5.056</b>	0.48		768	(1030)	936	(1255)	1104	(1480)
<b>WF 470</b>	<b>Continuous Duty</b>			1145	1600 rpm		1950 rpm		2300 rpm *	
<b>5.381</b>	<b>6.053</b>	<b>6.444</b>	0.48		768	(1030)	936	(1255)	1104	(1480)
<b>WF 480</b>	<b>Continuous Duty</b>			1565	1600 rpm		1950 rpm		2300 rpm *	
<b>7.050</b>	<b>7.526</b>	<b>8.000</b>	0.48		768	(1030)	936	(1255)	1104	(1480)
<b>WF 550</b>	<b>Continuous Duty</b>			1200	1400 rpm		1800 rpm		2300 rpm *	
<b>4.190</b>	<b>4.737</b>	<b>5.056</b>	0.63		882	(1183)	1134	(1521)	1449	(1943)
<b>WF 570</b>	<b>Continuous Duty</b>			1425	1400 rpm		1800 rpm		2300 rpm *	
<b>5.381</b>	<b>6.053</b>	<b>6.444</b>	0.63		882	(1183)	1134	(1521)	1449	(1943)
<b>WF 580</b>	<b>Continuous Duty</b>			1850	1400 rpm		1800 rpm		2300 rpm *	
<b>7.050</b>	<b>7.526</b>	<b>8.000</b>	0.63		882	(1183)	1134	(1521)	1449	(1943)



# LF Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LF 350</b>	<b>Continuous Duty</b>				695	1600 rpm		1950 rpm		2300 rpm *	
<b>4.190</b>	<b>4.737</b>	<b>5.056</b>		0.34		544	(730)	663	(889)	782	(1049)
<b>LF 370</b>	<b>Continuous Duty</b>				730	1600 rpm		1950 rpm		2300 rpm *	
<b>5.381</b>	<b>6.053</b>	<b>6.444</b>		0.34		544	(730)	663	(889)	782	(1049)
<b>LF 380</b>	<b>Continuous Duty</b>				1205	1600 rpm		1950 rpm		2300 rpm *	
<b>6.714</b>	<b>7.526</b>	<b>8.000</b>		0.34		544	(730)	663	(889)	782	(1049)
<b>LF 450</b>	<b>Continuous Duty</b>				875	1600 rpm		1950 rpm		2300 rpm *	
<b>4.190</b>	<b>4.737</b>	<b>5.056</b>		0.48		768	(1030)	936	(1255)	1104	(1480)
<b>LF 470</b>	<b>Continuous Duty</b>				1145	1600 rpm		1950 rpm		2300 rpm *	
<b>5.381</b>	<b>6.053</b>	<b>6.444</b>		0.48		768	(1030)	936	(1255)	1104	(1480)
<b>LF 480</b>	<b>Continuous Duty</b>				1565	1600 rpm		1950 rpm		2300 rpm *	
<b>6.714</b>	<b>7.526</b>	<b>8.000</b>		0.48		768	(1030)	936	(1255)	1104	(1480)
<b>LF 550</b>	<b>Continuous Duty</b>				1200	1600 rpm		1950 rpm		2300 rpm *	
<b>4.190</b>	<b>4.737</b>	<b>5.056</b>		0.63		1008	(1352)	1228	(1647)	1449	(1943)
<b>LF 570</b>	<b>Continuous Duty</b>				1425	1600 rpm		1950 rpm		2300 rpm *	
<b>5.381</b>	<b>6.053</b>	<b>6.444</b>		0.63		1008	(1352)	1228	(1647)	1449	(1943)
<b>LF 580</b>	<b>Continuous Duty</b>				1850	1600 rpm		1950 rpm		2300 rpm *	
<b>6.714</b>	<b>7.526</b>	<b>8.000</b>		0.63		1008	(1352)	1228	(1647)	1449	(1943)



## WAF 164 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 164</b>	<b>Continuous Duty</b>			525	1600 rpm		1800 rpm		2100 rpm *	
<b>3.964</b>	<b>4.560</b>	<b>5.043</b>	0.22		352	(472)	396	(531)	462	(620)
<b>5.950</b>			0.21		336	(451)	378	(507)	441	(591)
<b>WAF 164</b>	<b>Medium Duty</b>			525	1600 rpm		1800 rpm		2100 rpm *	
<b>3.964</b>	<b>4.560</b>	<b>5.043</b>	0.23		368	(493)	414	(555)	483	(648)
<b>5.950</b>			0.21		336	(451)	378	(507)	441	(591)
<b>WAF 164</b>	<b>Light Duty</b>			525	1600 rpm		1800 rpm		2100 rpm *	
<b>3.964</b>	<b>4.560</b>	<b>5.043</b>	0.24		384	(515)	432	(579)	504	(676)
<b>5.950</b>			0.22		352	(472)	396	(531)	462	(620)
<b>WAF 164</b>	<b>Pleasure Duty</b>			525	1900 rpm		2100 rpm		2300 rpm *	
<b>3.964</b>	<b>4.560</b>	<b>5.043</b>	0.25		475	(637)	525	(704)	575	(771)
<b>5.950</b>			0.23		437	(586)	483	(648)	529	(709)



## WAF 244 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 244</b>	<b>Continuous Duty</b>			455	1600 rpm		1800 rpm		2100 rpm *	
<b>2.037</b>	<b>2.538</b>		0.29		464	(622)	522	(700)	609	(817)
<b>2.957</b>			0.27		432	(579)	486	(652)	567	(760)
<b>3.478</b>	<b>3.522</b>		0.24		384	(515)	432	(579)	504	(676)
<b>3.952</b>			0.23		368	(493)	414	(555)	483	(648)
<b>WAF 244L</b>	<b>Continuous Duty</b>			455	1600 rpm		1800 rpm		2100 rpm *	
<b>2.037</b>	<b>2.538</b>		0.25		400	(536)	450	(603)	525	(704)
<b>2.957</b>			0.24		389	(521)	437	(587)	510	(684)
<b>3.522</b>			0.21		346	(463)	389	(521)	454	(608)
<b>3.952</b>			0.20		331	(444)	373	(500)	435	(583)
<b>WAF 244</b>	<b>Medium Duty</b>			455	1600 rpm		1800 rpm		2100 rpm *	
<b>2.037</b>	<b>2.538</b>		0.29		464	(622)	522	(700)	609	(817)
<b>2.957</b>			0.27		432	(579)	486	(652)	567	(760)
<b>3.478</b>	<b>3.522</b>		0.25		400	(536)	450	(603)	525	(704)



# WAF 244 Series

			kW/rpm	kg	kW (BHP)	kW (BHP)	kW (BHP)	
<b>WAF 244</b>	<b>Medium Duty</b>			455	<b>1600 rpm</b>	<b>1800 rpm</b>	<b>2100 rpm *</b>	
<b>3.952</b>			0.23		368 (493)	414 (555)	483 (648)	
<b>WAF 244L</b>	<b>Medium Duty</b>			455	<b>1600 rpm</b>	<b>1800 rpm</b>	<b>2100 rpm *</b>	
<b>2.037</b>	<b>2.538</b>		0.26		418 (560)	470 (630)	548 (735)	
<b>2.957</b>			0.24		389 (521)	437 (587)	510 (684)	
<b>3.522</b>			0.22		360 (483)	405 (543)	472 (634)	
<b>3.952</b>			0.20		331 (444)	373 (500)	435 (583)	
<b>WAF 244</b>	<b>Light Duty</b>			455	<b>1600 rpm</b>	<b>1800 rpm</b>	<b>2100 rpm *</b>	
<b>2.037</b>	<b>2.538</b>		0.29		469 (629)	527 (707)	615 (825)	
<b>2.957</b>			0.28		448 (601)	504 (676)	588 (789)	
<b>3.522</b>			0.26		416 (558)	468 (628)	546 (732)	
<b>3.478</b>			0.25		411 (551)	463 (620)	540 (724)	
<b>3.952</b>			0.24		384 (515)	432 (579)	504 (676)	
<b>WAF 244L</b>	<b>Light Duty</b>			455	<b>1600 rpm</b>	<b>1800 rpm</b>	<b>2100 rpm *</b>	
<b>2.037</b>	<b>2.538</b>		0.26		422 (566)	475 (637)	554 (743)	
<b>2.957</b>			0.25		403 (541)	454 (608)	529 (710)	
<b>3.522</b>			0.23		374 (502)	421 (565)	491 (659)	
<b>3.952</b>			0.21		346 (463)	389 (521)	454 (608)	
<b>WAF 244</b>	<b>Pleasure Duty</b>			455	<b>1900 rpm</b>	<b>2100 rpm</b>	<b>2300 rpm *</b>	
<b>2.037</b>	<b>2.538</b>	<b>2.957</b>	0.29		557 (747)	615 (825)	674 (904)	
<b>2.037</b>	<b>2.538</b>	<b>2.957</b>	0.29		551 (739)	609 (817)	667 (894)	
<b>3.522</b>			0.27		513 (688)	567 (760)	621 (833)	
<b>3.478</b>	<b>3.952</b>		0.25		488 (655)	540 (724)	591 (793)	
<b>3.478</b>	<b>3.952</b>		0.25		475 (637)	525 (704)	575 (771)	
<b>WAF 244L</b>	<b>Pleasure Duty</b>			455	<b>1900 rpm</b>	<b>2100 rpm</b>	<b>2300 rpm *</b>	
<b>2.037</b>	<b>2.538</b>	<b>2.957</b>	0.26		501 (672)	554 (743)	607 (813)	
<b>2.037</b>	<b>2.538</b>	<b>2.957</b>	0.26		496 (665)	548 (735)	600 (805)	
<b>3.522</b>			0.24		462 (619)	510 (684)	559 (749)	
<b>3.952</b>			0.22		428 (573)	472 (634)	518 (694)	



# WAF 264 Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 264 Continuous Duty</b>				700		1600 rpm		1800 rpm		2100 rpm *	
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>	<b>4.762</b>	0.29		464	(622)	522	(700)	609	(817)
<b>WAF 264 Continuous Duty</b>				700		1600 rpm		1800 rpm		2100 rpm *	
<b>5.050</b>				0.27		432	(579)	486	(652)	567	(760)
<b>5.476</b>				0.26		416	(558)	468	(628)	546	(732)
<b>5.800</b>				0.24		384	(515)	432	(579)	504	(676)
<b>WAF 264L Continuous Duty</b>				700		1600 rpm		1800 rpm		2100 rpm *	
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>		0.25		400	(536)	450	(603)	525	(704)
<b>5.050</b>				0.24		389	(521)	437	(587)	510	(684)
<b>5.476</b>				0.23		374	(502)	421	(565)	491	(659)
<b>5.800</b>				0.21		346	(463)	389	(521)	454	(608)
<b>WAF 264 Medium Duty</b>				700		1600 rpm		1800 rpm		2100 rpm *	
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>	<b>4.762</b>	0.29		464	(622)	522	(700)	609	(817)
<b>5.050</b>				0.27		432	(579)	486	(652)	567	(760)
<b>5.476</b>				0.26		416	(558)	468	(628)	546	(732)
<b>5.800</b>				0.24		384	(515)	432	(579)	504	(676)
<b>WAF 264L Medium Duty</b>				700		1600 rpm		1800 rpm		2100 rpm *	
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>		0.26		418	(560)	470	(630)	548	(735)
<b>5.050</b>				0.24		389	(521)	437	(587)	510	(684)
<b>5.476</b>				0.23		374	(502)	421	(565)	491	(659)
<b>5.800</b>				0.21		346	(463)	389	(521)	454	(608)
<b>WAF 264 Light Duty</b>				700		1600 rpm		1800 rpm		2100 rpm *	
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>	<b>4.762</b>	0.29		469	(629)	527	(707)	615	(825)
<b>5.050</b>				0.28		448	(601)	504	(676)	588	(789)
<b>5.476</b>				0.27		432	(579)	486	(652)	567	(760)
<b>5.800</b>				0.25		400	(536)	450	(603)	525	(704)
<b>WAF 264L Light Duty</b>				700		1600 rpm		1800 rpm		2100 rpm *	
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>		0.26		422	(566)	475	(637)	554	(743)
<b>5.050</b>				0.25		403	(541)	454	(608)	529	(710)
<b>5.476</b>				0.24		389	(521)	437	(587)	510	(684)
<b>5.800</b>				0.22		360	(483)	405	(543)	472	(634)



# WAF 264 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
WAF 264	Pleasure Duty					700	1900 rpm		2100 rpm		2300 rpm *	
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>	<b>4.762</b>	<b>5.050</b>	0.29		557	(747)	615	(825)	674	(904)
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>	<b>4.762</b>	<b>5.050</b>	0.29		551	(739)	609	(817)	667	(894)
<b>5.476</b>					0.28		532	(713)	588	(789)	644	(864)
<b>5.800</b>					0.26		494	(662)	546	(732)	598	(802)
WAF 264L	Pleasure Duty					700	1900 rpm		2100 rpm		2300 rpm *	
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>	<b>5.050</b>		0.26		501	(672)	554	(743)	607	(813)
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>	<b>5.050</b>		0.26		496	(665)	548	(735)	600	(805)
<b>5.476</b>					0.25		479	(642)	529	(710)	580	(777)
<b>5.800</b>					0.23		445	(596)	491	(659)	538	(722)



# WAF 274 Series

			kW/rpm	kg	kW (BHP)	kW (BHP)	kW (BHP)	kW (BHP)
<b>WAF 274 Continuous Duty</b>				725	1600 rpm	1800 rpm	2100 rpm *	
<b>6.115</b>	<b>6.400</b>		0.29		464 (622)	522 (700)	609 (817)	
<b>7.043</b>			0.27		432 (579)	486 (652)	567 (760)	
<b>7.409</b>			0.25		400 (536)	450 (603)	525 (704)	
<b>WAF 274L Continuous Duty</b>				725	1600 rpm	1800 rpm	2100 rpm *	
<b>6.400</b>			0.26		416 (558)	468 (628)	546 (732)	
<b>6.115</b>			0.25		400 (536)	450 (603)	525 (704)	
<b>7.043</b>			0.24		389 (521)	437 (587)	510 (684)	
<b>7.409</b>			0.22		360 (483)	405 (543)	472 (634)	
<b>WAF 274 Medium Duty</b>				725	1600 rpm	1800 rpm	2100 rpm *	
<b>6.115</b>	<b>6.400</b>		0.29		464 (622)	522 (700)	609 (817)	
<b>7.043</b>			0.27		432 (579)	486 (652)	567 (760)	
<b>7.409</b>			0.25		400 (536)	450 (603)	525 (704)	
<b>WAF 274L Medium Duty</b>				725	1600 rpm	1800 rpm	2100 rpm *	
<b>6.115</b>	<b>6.400</b>		0.26		418 (560)	470 (630)	548 (735)	
<b>7.043</b>			0.24		389 (521)	437 (587)	510 (684)	
<b>7.409</b>			0.22		360 (483)	405 (543)	472 (634)	
<b>WAF 274 Light Duty</b>				725	1600 rpm	1800 rpm	2100 rpm *	
<b>6.115</b>	<b>6.400</b>		0.29		469 (629)	527 (707)	615 (825)	
<b>7.043</b>			0.28		448 (601)	504 (676)	588 (789)	
<b>7.409</b>			0.26		416 (558)	468 (628)	546 (732)	
<b>WAF 274L Light Duty</b>				725	1600 rpm	1800 rpm	2100 rpm *	
<b>6.115</b>	<b>6.400</b>		0.26		422 (566)	475 (637)	554 (743)	
<b>7.043</b>			0.25		403 (541)	454 (608)	529 (710)	
<b>7.409</b>			0.23		374 (502)	421 (565)	491 (659)	
<b>WAF 274 Pleasure Duty</b>				725	1900 rpm	2100 rpm	2300 rpm *	
<b>6.115</b>	<b>6.400</b>	<b>7.043</b>	0.29		557 (747)	615 (825)	674 (904)	
<b>7.409</b>			0.27		513 (688)	567 (760)	621 (833)	
<b>WAF 274L Pleasure Duty</b>				725	1900 rpm	2100 rpm	2300 rpm *	
<b>6.115</b>	<b>6.400</b>	<b>7.043</b>	0.26		501 (672)	554 (743)	607 (813)	
<b>7.409</b>			0.24		462 (619)	510 (684)	559 (749)	



# WAF 344 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 344 Continuous Duty</b>				730	1600 rpm		1800 rpm		2100 rpm *	
<b>1.972</b>	<b>2.452</b>	<b>2.963</b>	0.36		576	(772)	648	(869)	756	(1014)
<b>3.280</b>	<b>3.571</b>		0.33		528	(708)	594	(797)	693	(929)
<b>4.053</b>			0.31		496	(665)	558	(748)	651	(873)
<b>WAF 344L Continuous Duty</b>				730	1600 rpm		1800 rpm		2100 rpm *	
<b>1.972</b>	<b>2.452</b>	<b>2.963</b>	0.32		518	(695)	583	(782)	680	(912)
<b>3.571</b>			0.29		464	(622)	522	(700)	609	(817)
<b>4.053</b>			0.27		446	(599)	502	(673)	586	(786)
<b>WAF 344 Medium Duty</b>				730	1600 rpm		1800 rpm		2100 rpm *	
<b>1.972</b>	<b>2.452</b>	<b>2.963</b>	0.36		576	(772)	648	(869)	756	(1014)
<b>3.280</b>	<b>3.571</b>		0.33		528	(708)	594	(797)	693	(929)
<b>4.053</b>			0.31		496	(665)	558	(748)	651	(873)
<b>WAF 344L Medium Duty</b>				730	1600 rpm		1800 rpm		2100 rpm *	
<b>1.972</b>	<b>2.452</b>	<b>2.963</b>	0.32		518	(695)	583	(782)	680	(912)
<b>3.571</b>			0.29		475	(637)	535	(717)	624	(836)
<b>4.053</b>			0.27		446	(599)	502	(673)	586	(786)
<b>WAF 344 Light Duty</b>				730	1600 rpm		1800 rpm		2100 rpm *	
<b>1.972</b>	<b>2.452</b>	<b>2.963</b>	0.37		592	(794)	666	(893)	777	(1042)
<b>3.280</b>	<b>3.571</b>		0.34		544	(730)	612	(821)	714	(957)
<b>4.053</b>			0.32		512	(687)	576	(772)	672	(901)
<b>WAF 344L Light Duty</b>				730	1600 rpm		1800 rpm		2100 rpm *	
<b>1.972</b>	<b>2.452</b>	<b>2.963</b>	0.33		533	(714)	599	(804)	699	(938)
<b>3.571</b>			0.30		490	(657)	551	(739)	643	(862)
<b>4.053</b>			0.28		461	(618)	518	(695)	605	(811)
<b>WAF 344 Pleasure Duty</b>				730	1900 rpm		2100 rpm		2300 rpm *	
<b>1.972</b>	<b>2.452</b>	<b>2.963</b>	0.38		722	(968)	798	(1070)	874	(1172)
<b>3.280</b>	<b>3.571</b>		0.35		665	(892)	735	(986)	805	(1080)
<b>4.053</b>			0.33		627	(841)	693	(929)	759	(1018)
<b>WAF 344L Pleasure Duty</b>				730	1900 rpm		2100 rpm		2300 rpm *	
<b>1.972</b>	<b>2.452</b>	<b>2.963</b>	0.34		650	(871)	718	(963)	787	(1055)
<b>3.571</b>			0.32		598	(803)	662	(887)	724	(972)
<b>4.053</b>			0.29		564	(757)	624	(836)	683	(916)



# WAF 364 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 364 Continuous Duty</b>					810		1600 rpm		1800 rpm		2100 rpm *	
<b>3.485</b>	<b>3.933</b>	<b>4.481</b>	<b>4.920</b>	<b>5.435</b>	0.36		576	(772)	648	(869)	756	(1014)
<b>6.048</b>					0.34		544	(730)	612	(821)	714	(957)
<b>WAF 364L Continuous Duty</b>					810		1600 rpm		1800 rpm		2100 rpm *	
<b>3.485</b>	<b>3.933</b>	<b>4.481</b>	<b>4.920</b>	<b>5.435</b>	0.32		518	(695)	583	(782)	680	(912)
<b>6.048</b>					0.30		480	(644)	540	(724)	630	(845)
<b>WAF 364 Medium Duty</b>					810		1600 rpm		1800 rpm		2100 rpm *	
<b>3.485</b>	<b>3.933</b>	<b>4.481</b>	<b>4.920</b>	<b>5.435</b>	0.36		576	(772)	648	(869)	756	(1014)
<b>6.048</b>					0.35		560	(751)	630	(845)	735	(986)
<b>WAF 364L Medium Duty</b>					810		1600 rpm		1800 rpm		2100 rpm *	
<b>3.485</b>	<b>3.933</b>	<b>4.481</b>	<b>4.920</b>	<b>5.435</b>	0.32		518	(695)	583	(782)	680	(912)
<b>6.048</b>												
<b>3.485</b>	<b>3.933</b>	<b>4.481</b>	<b>4.920</b>	<b>5.435</b>	0.32		504	(676)	567	(760)	662	(887)
<b>6.048</b>												
<b>WAF 364 Light Duty</b>					810		1600 rpm		1800 rpm		2100 rpm *	
<b>3.485</b>	<b>3.933</b>	<b>4.481</b>	<b>4.920</b>	<b>5.435</b>	0.37		592	(794)	666	(893)	777	(1042)
<b>6.048</b>					0.36		576	(772)	648	(869)	756	(1014)
<b>WAF 364L Light Duty</b>					810		1600 rpm		1800 rpm		2100 rpm *	
<b>3.485</b>	<b>3.933</b>	<b>4.481</b>	<b>4.920</b>	<b>5.435</b>	0.33		533	(714)	599	(804)	699	(938)
<b>6.048</b>					0.32		518	(695)	583	(782)	680	(912)
<b>WAF 364 Pleasure Duty</b>					810		1900 rpm		2100 rpm		2300 rpm *	
<b>3.485</b>	<b>3.933</b>	<b>4.481</b>	<b>4.920</b>	<b>5.435</b>	0.38		722	(968)	798	(1070)	874	(1172)
<b>WAF 374 Pleasure Duty</b>					1200		1900 rpm		2100 rpm		2300 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>6.739</b>	<b>7.091</b>		0.38		722	(968)	798	(1070)	874	(1172)
<b>7.476</b>					0.35		665	(892)	735	(986)	805	(1080)
<b>WAF 374L Pleasure Duty</b>					1200		1900 rpm		2100 rpm		2300 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>			0.34		650	(871)	718	(963)	787	(1055)
<b>7.476</b>					0.32		598	(803)	662	(887)	724	(972)



# WAF 374 Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 374 Continuous Duty</b>				1200		1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>6.739</b>	<b>7.091</b>	0.36		576	(772)	648	(869)	756	(1014)
<b>7.476</b>				0.33		528	(708)	594	(797)	693	(929)
<b>WAF 374L Continuous Duty</b>				1200		1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>		0.32		512	(687)	576	(772)	672	(901)
<b>7.476</b>				0.29		464	(622)	522	(700)	609	(817)
<b>WAF 374 Medium Duty</b>				1200		1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>6.739</b>	<b>7.091</b>	0.36		576	(772)	648	(869)	756	(1014)
<b>7.476</b>				0.33		528	(708)	594	(797)	693	(929)
<b>WAF 374L Medium Duty</b>				1200		1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>		0.32		518	(695)	583	(782)	680	(912)
<b>7.476</b>				0.29		475	(637)	535	(717)	624	(836)
<b>WAF 374 Light Duty</b>				1200		1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>6.739</b>	<b>7.091</b>	0.37		592	(794)	666	(893)	777	(1042)
<b>7.476</b>				0.34		544	(730)	612	(821)	714	(957)
<b>WAF 374L Light Duty</b>				1200		1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>		0.33		533	(714)	599	(804)	699	(938)
<b>7.476</b>				0.30		490	(657)	551	(739)	643	(862)
<b>WAF 374 Pleasure Duty</b>				1200		1900 rpm		2100 rpm		2300 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>6.739</b>	<b>7.091</b>	0.38		722	(968)	798	(1070)	874	(1172)
<b>7.476</b>				0.35		665	(892)	735	(986)	805	(1080)
<b>WAF 374L Pleasure Duty</b>				1200		1900 rpm		2100 rpm		2300 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>		0.34		650	(871)	718	(963)	787	(1055)
<b>7.476</b>				0.32		598	(803)	662	(887)	724	(972)



# WAF 444 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 444</b>	<b>Continuous Duty</b>		760	1600 rpm		1800 rpm		2100 rpm *	
<b>2.962</b>		0.44		704	(944)	792	(1062)	924	(1239)
<b>3.522</b>		0.42		672	(901)	756	(1014)	882	(1183)
<b>3.952</b>		0.40		640	(858)	720	(966)	840	(1126)
<b>WAF 444L</b>	<b>Continuous Duty</b>		760	1600 rpm		1800 rpm		2100 rpm *	
<b>2.962</b>		0.39		634	(850)	713	(956)	832	(1115)
<b>3.522</b>		0.37		605	(811)	680	(912)	794	(1064)
<b>3.952</b>		0.35		560	(751)	630	(845)	735	(986)
<b>WAF 444</b>	<b>Medium Duty</b>		760	1600 rpm		1800 rpm		2100 rpm *	
<b>2.962</b>		0.46		736	(987)	828	(1110)	966	(1295)
<b>3.522</b>		0.42		672	(901)	756	(1014)	882	(1183)
<b>3.952</b>		0.40		640	(858)	720	(966)	840	(1126)
<b>WAF 444L</b>	<b>Medium Duty</b>		760	1600 rpm		1800 rpm		2100 rpm *	
<b>2.962</b>		0.41		662	(888)	745	(999)	869	(1166)
<b>3.522</b>		0.37		605	(811)	680	(912)	794	(1064)
<b>3.952</b>		0.36		576	(772)	648	(869)	756	(1014)
<b>WAF 444</b>	<b>Light Duty</b>		760	1600 rpm		1800 rpm		2100 rpm *	
<b>2.962</b>		0.47		752	(1008)	846	(1134)	987	(1324)
<b>3.522</b>		0.44		704	(944)	792	(1062)	924	(1239)
<b>3.952</b>		0.41		656	(880)	738	(990)	861	(1155)
<b>WAF 444L</b>	<b>Light Duty</b>		760	1600 rpm		1800 rpm		2100 rpm *	
<b>2.962</b>		0.42		677	(908)	761	(1021)	888	(1191)
<b>3.522</b>		0.39		634	(850)	713	(956)	832	(1115)
<b>3.952</b>		0.36		590	(792)	664	(891)	775	(1039)
<b>WAF 444</b>	<b>Pleasure Duty</b>		760	1900 rpm		2100 rpm		2300 rpm *	
<b>2.962</b>	<b>3.522</b>	0.48		912	(1223)	1008	(1352)	1104	(1480)
<b>3.952</b>		0.42		798	(1070)	882	(1183)	966	(1295)
<b>WAF 444L</b>	<b>Pleasure Duty</b>		760	1900 rpm		2100 rpm		2300 rpm *	
<b>2.962</b>	<b>3.522</b>	0.43		821	(1101)	907	(1217)	994	(1332)
<b>3.952</b>		0.37		718	(963)	794	(1064)	869	(1166)



# WAF 464 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 464 Continuous Duty</b>					1260		1600 rpm		1800 rpm		2100 rpm *	
<b>4.000</b>	<b>4.577</b>	<b>5.042</b>	<b>5.591</b>		0.46		736	(987)	828	(1110)	966	(1295)
<b>5.905</b>					0.45		720	(966)	810	(1086)	945	(1267)
<b>WAF 464L Continuous Duty</b>					1260		1600 rpm		1800 rpm		2100 rpm *	
<b>4.000</b>	<b>4.577</b>	<b>5.042</b>	<b>5.591</b>	<b>5.905</b>	0.40		640	(858)	720	(966)	840	(1126)
<b>WAF 464 Medium Duty</b>					1260		1600 rpm		1800 rpm		2100 rpm *	
<b>4.000</b>	<b>4.577</b>	<b>5.042</b>	<b>5.591</b>		0.46		736	(987)	828	(1110)	966	(1295)
<b>5.905</b>					0.45		720	(966)	810	(1086)	945	(1267)
<b>WAF 464L Medium Duty</b>					1260		1600 rpm		1800 rpm		2100 rpm *	
<b>4.000</b>	<b>4.577</b>	<b>5.042</b>	<b>5.591</b>		0.41		662	(888)	745	(999)	869	(1166)
<b>5.905</b>					0.40		648	(869)	729	(978)	850	(1141)
<b>WAF 464 Light Duty</b>					1260		1600 rpm		1800 rpm		2100 rpm *	
<b>4.000</b>	<b>4.577</b>	<b>5.042</b>	<b>5.591</b>		0.47		752	(1008)	846	(1134)	987	(1324)
<b>5.905</b>					0.46		736	(987)	828	(1110)	966	(1295)
<b>WAF 464L Light Duty</b>					1260		1600 rpm		1800 rpm		2100 rpm *	
<b>4.000</b>	<b>4.577</b>	<b>5.042</b>	<b>5.591</b>		0.42		677	(908)	761	(1021)	888	(1191)
<b>5.905</b>					0.41		662	(888)	745	(999)	869	(1166)
<b>WAF 464 Pleasure Duty</b>					1260		1900 rpm		2100 rpm		2300 rpm *	
<b>4.000</b>	<b>4.577</b>	<b>5.042</b>	<b>5.591</b>		0.48		912	(1223)	1008	(1352)	1104	(1480)
<b>5.905</b>					0.47		893	(1198)	987	(1324)	1081	(1450)
<b>WAF 464L Pleasure Duty</b>					1260		1900 rpm		2100 rpm		2300 rpm *	
<b>4.000</b>	<b>4.577</b>	<b>5.042</b>	<b>5.591</b>		0.43		821	(1101)	907	(1217)	994	(1332)
<b>5.905</b>					0.42		804	(1078)	888	(1191)	973	(1305)



# WAF 474 Series

			kg	kW (BHP)		kW (BHP)			
			kg	kW (BHP)		kW (BHP)			
<b>WAF 474 Continuous Duty</b>			1830	1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>		0.46	736	(987)	828	(1110)	966	(1295)
<b>7.091</b>			0.45	720	(966)	810	(1086)	945	(1267)
<b>WAF 474 Continuous Duty</b>			1830	1600 rpm		1800 rpm		2100 rpm *	
<b>7.476</b>			0.41	656	(880)	738	(990)	861	(1155)
<b>WAF 474L Continuous Duty</b>			1830	1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>	0.40	640	(858)	720	(966)	840	(1126)
<b>7.476</b>			0.36	576	(772)	648	(869)	756	(1014)
<b>WAF 474 Medium Duty</b>			1830	1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>	0.46	736	(987)	828	(1110)	966	(1295)
<b>7.476</b>			0.45	720	(966)	810	(1086)	945	(1267)
<b>WAF 474L Medium Duty</b>			1830	1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>	0.41	662	(888)	745	(999)	869	(1166)
<b>7.476</b>			0.40	648	(869)	729	(978)	850	(1141)
<b>WAF 474 Light Duty</b>			1830	1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>	0.47	752	(1008)	846	(1134)	987	(1324)
<b>7.476</b>			0.46	736	(987)	828	(1110)	966	(1295)
<b>WAF 474L Light Duty</b>			1830	1600 rpm		1800 rpm		2100 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>	0.42	677	(908)	761	(1021)	888	(1191)
<b>7.476</b>			0.41	662	(888)	745	(999)	869	(1166)
<b>WAF 474 Pleasure Duty</b>			1830	1900 rpm		2100 rpm		2300 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>	0.48	912	(1223)	1008	(1352)	1104	(1480)
<b>7.476</b>			0.47	893	(1198)	987	(1324)	1081	(1450)
<b>WAF 474L Pleasure Duty</b>			1830	1900 rpm		2100 rpm		2300 rpm *	
<b>6.120</b>	<b>6.417</b>	<b>7.091</b>	0.43	821	(1101)	907	(1217)	994	(1332)
<b>7.476</b>			0.42	804	(1078)	888	(1191)	973	(1305)



## WAF 543 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 543</b>	<b>Continuous Duty</b>			1035	1600 rpm		1800 rpm		2100 rpm *	
<b>2.542</b>	<b>2.960</b>	<b>3.542</b>	0.57		912	(1223)	1026	(1376)	1197	(1605)
<b>3.955</b>			0.55		880	(1180)	990	(1328)	1155	(1549)
<b>4.450</b>			0.49		784	(1051)	882	(1183)	1029	(1380)
<b>WAF 543L</b>	<b>Continuous Duty</b>			1035	1600 rpm		1800 rpm		2100 rpm *	
<b>2.542</b>	<b>2.960</b>	<b>3.542</b>	0.51		821	(1101)	923	(1238)	1077	(1445)
<b>3.955</b>			0.49		792	(1062)	891	(1195)	1040	(1394)
<b>WAF 543L</b>	<b>Continuous Duty</b>			1035	1600 rpm		1800 rpm		2100 rpm *	
<b>4.450</b>			0.44		706	(946)	794	(1064)	926	(1242)



## WAF 563 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 563</b>	<b>Continuous Duty</b>			1445	1600 rpm		1800 rpm		2100 rpm *	
<b>4.545</b>	<b>5.050</b>	<b>5.421</b>	0.59		944	(1266)	1062	(1424)	1239	(1661)
<b>5.947</b>			0.55		880	(1180)	990	(1328)	1155	(1549)
<b>WAF 563L</b>	<b>Continuous Duty</b>			1445	1600 rpm		1800 rpm		2100 rpm *	
<b>4.545</b>	<b>5.050</b>	<b>5.421</b>	0.53		850	(1139)	956	(1282)	1115	(1495)
<b>5.947</b>			0.49		792	(1062)	891	(1195)	1040	(1394)
<b>WAF 563</b>	<b>Medium Duty</b>			1445	1600 rpm		1800 rpm		2100 rpm *	
<b>4.545</b>	<b>5.050</b>	<b>5.421</b>	0.59		944	(1266)	1062	(1424)	1239	(1661)
<b>5.947</b>			0.55		880	(1180)	990	(1328)	1155	(1549)
<b>WAF 563L</b>	<b>Medium Duty</b>			1445	1600 rpm		1800 rpm		2100 rpm *	
<b>4.545</b>	<b>5.050</b>	<b>5.421</b>	0.53		850	(1139)	956	(1282)	1115	(1495)
<b>5.947</b>			0.49		792	(1062)	891	(1195)	1040	(1394)
<b>WAF 563</b>	<b>Light Duty</b>			1445	1600 rpm		1800 rpm		2100 rpm *	
<b>4.545</b>	<b>5.050</b>	<b>5.421</b>	0.59		944	(1266)	1062	(1424)	1239	(1661)
<b>5.947</b>			0.58		928	(1244)	1044	(1400)	1218	(1633)
<b>WAF 563L</b>	<b>Light Duty</b>			1445	1600 rpm		1800 rpm		2100 rpm *	
<b>4.545</b>	<b>5.050</b>	<b>5.421</b>	0.53		850	(1139)	956	(1282)	1115	(1495)
<b>5.947</b>			0.52		835	(1120)	940	(1260)	1096	(1470)



## WAF 563 Series

				0.52		835	(1120)	940	(1260)	1096	(1470)
<b>WAF 563</b>	<b>Pleasure Duty</b>				1445	<b>1900 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>4.545</b>	<b>5.050</b>	<b>5.421</b>	<b>5.947</b>	0.64		1216	(1631)	1344	(1802)	1472	(1974)
<b>WAF 563L</b>	<b>Pleasure Duty</b>				1445	<b>1900 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>4.545</b>	<b>5.050</b>	<b>5.421</b>	<b>5.947</b>	0.57		1083	(1452)	1197	(1605)	1311	(1758)



## WAF 573 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 573</b>	<b>Continuous Duty</b>				2360	<b>1200 rpm</b>		<b>1600 rpm</b>		<b>1800 rpm *</b>		
<b>5.708</b>	<b>6.417</b>			0.59		708	(949)	944	(1266)	1062	(1424)	
<b>WAF 573</b>	<b>Continuous Duty</b>				2360	<b>1200 rpm</b>		<b>1600 rpm</b>		<b>1800 rpm *</b>		
<b>7.091</b>				0.57		684	(917)	912	(1223)	1026	(1376)	
<b>7.474</b>				0.56		672	(901)	896	(1202)	1008	(1352)	



# WAF 600 – 800 Series

					kg/rpm	kg	kW (BHP)		kW (BHP)		kW (BHP)	
<b>WAF 665</b>	<b>Continuous Duty</b>					1950	1200 rpm		1600 rpm		1800 rpm *	
<b>2.969</b>	<b>3.536</b>	<i>4.080</i>	<i>4.560</i>	<b>5.043</b>	0.77		924	(1239)	1232	(1652)	1386	(1859)
<i>5.571</i>	<b>5.950</b>											
<b>WAF 665L</b>	<b>Continuous Duty</b>					1950	1200 rpm		1600 rpm		1800 rpm *	
<b>2.969</b>	<b>3.536</b>	<i>4.080</i>	<i>4.560</i>	<b>5.043</b>	0.70		840	(1126)	1120	(1502)	1260	(1690)
<i>5.571</i>	<b>5.950</b>											
<b>WAF 675</b>	<b>Continuous Duty</b>					2600	1200 rpm		1600 rpm		1800 rpm *	
<b>6.417</b>	<b>6.739</b>	<b>7.091</b>	<b>7.476</b>		0.77		924	(1239)	1232	(1652)	1386	(1859)
<b>WAF 675L</b>	<b>Continuous Duty</b>					2600	1200 rpm		1600 rpm		1800 rpm *	
<b>6.417</b>	<b>6.739</b>	<b>7.091</b>	<b>7.476</b>		0.69		832	(1115)	1109	(1487)	1247	(1673)
<b>WAF 743</b>	<b>Continuous Duty</b>					1800	1200 rpm		1600 rpm		1800 rpm *	
<i>2.714</i>	<i>2.889</i>	<b>3.038</b>	<b>3.333</b>	<b>3.550</b>	0.98		1176	(1577)	1568	(2103)	1764	(2366)
<b>3.952</b>												
<b>WAF 743L</b>	<b>Continuous Duty</b>					1800	1200 rpm		1600 rpm		1800 rpm *	
<b>3.038</b>	<b>3.333</b>	<b>3.550</b>	<b>3.952</b>		0.88		1056	(1416)	1408	(1888)	1584	(2124)
<b>WAF 763</b>	<b>Continuous Duty</b>					2300	1200 rpm		1600 rpm		1800 rpm *	
<b>4.037</b>	<b>4.625</b>	<b>5.136</b>	<b>5.429</b>	<b>5.750</b>	0.98		1176	(1577)	1568	(2103)	1764	(2366)
<b>5.913</b>												
<b>WAF 763L</b>	<b>Continuous Duty</b>					2300	1200 rpm		1600 rpm		1800 rpm *	
<b>4.625</b>	<b>5.136</b>	<b>5.429</b>	<b>5.750</b>	<b>5.913</b>	0.88		1056	(1416)	1408	(1888)	1584	(2124)
<b>WAF 773</b>	<b>Continuous Duty</b>					3200	1200 rpm		1600 rpm		1800 rpm *	
<b>6.154</b>	<b>6.440</b>	<b>7.087</b>	<b>7.454</b>		0.98		1176	(1577)	1568	(2103)	1764	(2366)
<b>WAF 773L</b>	<b>Continuous Duty</b>					3200	1200 rpm		1600 rpm		1800 rpm *	
<b>6.154</b>	<b>6.440</b>	<b>7.087</b>	<b>7.454</b>		0.88		1056	(1416)	1408	(1888)	1584	(2124)
<b>WAF 843</b>	<b>Continuous Duty</b>					2300	1200 rpm		1600 rpm		1800 rpm *	
<b>3.080</b>	<b>3.435</b>	<b>3.500</b>			1.38		1656	(2221)	2208	(2961)	2484	(3331)
<b>3.905</b>					1.37		1654	(2217)	2205	(2957)	2480	(3326)
<b>WAF 843</b>	<b>Continuous Duty</b>					2300	1200 rpm		1600 rpm		1800 rpm *	
<b>4.087</b>					1.30		1571	(2106)	2094	(2809)	2356	(3160)
<b>4.318</b>					1.26		1516	(2032)	2021	(2710)	2273	(3049)



## WAF 800 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 843L</b> Continuous Duty			2300	1200 rpm		1600 rpm		1800 rpm *	
<b>3.080</b>	<b>3.500</b>	1.24		1490	(1999)	1987	(2665)	2236	(2998)
<b>3.905</b>		1.15		1380	(1851)	1840	(2467)	2070	(2776)
<b>4.318</b>		1.13		1364	(1829)	1819	(2439)	2046	(2744)
<b>WAF 863</b> Continuous Duty			3100	1200 rpm		1600 rpm		1800 rpm *	
<b>4.038</b>	<b>4.458</b>	<b>4.955</b>	<b>5.500</b>	<b>5.842</b>	1.38	1656	(2221)	2208	(2961)
						2484	(3331)		
<b>WAF 863L</b> Continuous Duty			3100	1200 rpm		1600 rpm		1800 rpm *	
<b>4.038</b>	<b>4.458</b>	<b>4.955</b>			1.24	1490	(1999)	1987	(2665)
<b>5.500</b>	<b>5.842</b>				1.15	1380	(1851)	1840	(2467)
						2070	(2776)		
<b>WAF 873</b> Continuous Duty			4100	1200 rpm		1600 rpm		1800 rpm *	
<b>6.440</b>	<b>6.750</b>	<b>7.087</b>	<b>7.454</b>	<b>7.526</b>	1.38	1656	(2221)	2208	(2961)
						2484	(3331)		
<b>WAF 873L</b> Continuous Duty			4100	1200 rpm		1600 rpm		1800 rpm *	
<b>6.440</b>	<b>6.750</b>	<b>7.087</b>			1.24	1490	(1999)	1987	(2665)
<b>7.454</b>	<b>7.526</b>				1.15	1380	(1851)	1840	(2467)
						2070	(2776)		



## WAF 1100 - 1500 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 1143</b> Continuous Duty			2750	1200 rpm		1600 rpm		1800 rpm *	
<i>1.966</i>	<i>2.429</i>	<i>3.037</i>	<b>3.500</b>	<i>3.909</i>	1.63	1956	(2623)	2608	(3497)
						2934	(3934)		
<b>WAF 1163</b> Continuous Duty			3600	1200 rpm		1600 rpm		1800 rpm *	
<i>4.296</i>	<i>4.500</i>	<i>4.720</i>	<i>4.958</i>	<b>5.500</b>	1.63	1956	(2623)	2608	(3497)
<i>5.810</i>						2934	(3934)		
<b>WAF 1173</b> Continuous Duty			5000	1200 rpm		1600 rpm		1800 rpm *	
<b>6.080</b>	<i>6.696</i>	<i>6.850</i>	<i>7.045</i>	<b>7.429</b>	1.63	1956	(2623)	2608	(3497)
						2934	(3934)		
<b>WAF 1543</b> Continuous Duty			3400	1200 rpm		1300 rpm		1600 rpm *	
<i>2.032</i>	<i>2.467</i>	<i>3.038</i>	<i>3.522</i>	<b>3.857</b>	2.04	2448	(3283)	2652	(3556)
						3264	(4377)		
<b>WAF 1563</b> Continuous Duty			4460	1200 rpm		1300 rpm		1600 rpm *	
<i>3.903</i>	<i>4.429</i>	<i>4.846</i>	<i>5.375</i>	<i>5.954</i>	2.04	2448	(3283)	2652	(3556)
<b>5.444</b>					1.98	2376	(3186)	2574	(3452)
						3168	(4248)		



## WAF 1500 – 1900 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 1563</b>					<b>Continuous Duty</b>							
					4460		1200 rpm		1300 rpm		1600 rpm *	
6.286					1.95		2341	(3140)	2536	(3401)	3122	(4186)
<b>WAF 1943</b>					<b>Continuous Duty</b>							
					4460		1200 rpm		1300 rpm		1600 rpm *	
2.059	2.467	2.962	<b>3.522</b>	3.952	2.20		2640	(3540)	2860	(3835)	3520	(4720)
4.087												
<b>WAF 1963</b>					<b>Continuous Duty</b>							
					5540		1200 rpm		1300 rpm		1600 rpm *	
4.467	4.857	5.560	5.952	6.130	2.20		2640	(3540)	2860	(3835)	3520	(4720)
<b>6.300</b>	6.409											



## WAF 2300 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 2346</b>	<b>Continuous Duty</b>		6000	750 rpm		1000 rpm		1100 rpm *	
<i>2.077</i>	<i>4.454</i>	2.45		1838	(2464)	2450	(3285)	2695	(3614)
<b>WAF 2355</b>	<b>Continuous Duty</b>		7000	750 rpm		1000 rpm		1100 rpm *	
<i>3.536</i>	<i>5.762</i>	2.45		1838	(2464)	2450	(3285)	2695	(3614)
<b>WAF 2365</b>	<b>Continuous Duty</b>		8000	750 rpm		1000 rpm		1100 rpm *	
<i>5.074</i>	<i>6.455</i>	2.45		1838	(2464)	2450	(3285)	2695	(3614)
<b>WAF 2375</b>	<b>Continuous Duty</b>		10000	750 rpm		1000 rpm		1100 rpm *	
<i>5.958</i>	<i>7.454</i>	2.45		1838	(2464)	2450	(3285)	2695	(3614)



## WAF 3400 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 3445</b>	<b>Continuous Duty</b>		7100	600 rpm		900 rpm		1200 rpm *	
<i>2.053</i>	<i>4.524</i>	3.25		1950	(2615)	2925	(3922)	3900	(5230)
<b>WAF 3455</b>	<b>Continuous Duty</b>		8500	600 rpm		900 rpm		1200 rpm *	
<i>4.074</i>		3.25		1950	(2615)	2925	(3922)	3900	(5230)
<i>5.954</i>		3.15		1894	(2539)	2840	(3809)	3787	(5079)
<b>WAF 3465</b>	<b>Continuous Duty</b>		10400	600 rpm		900 rpm		1200 rpm *	
<i>5.077</i>		3.25		1950	(2615)	2925	(3922)	3900	(5230)
<i>6.954</i>		2.96		1779	(2386)	2668	(3578)	3558	(4771)
<b>WAF 3475</b>	<b>Continuous Duty</b>		11500	600 rpm		900 rpm		1200 rpm *	
<i>6.087</i>	<i>7.524</i>	3.25		1950	(2615)	2925	(3922)	3900	(5230)



## WAF 4500 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 4545</b>	<b>Continuous Duty</b>		8900	600 rpm		900 rpm		1150 rpm *	
<i>1.591</i>	<i>4.429</i>	3.80		2280	(3057)	3420	(4586)	4370	(5860)
<b>WAF 4555</b>	<b>Continuous Duty</b>		10500	600 rpm		900 rpm		1150 rpm *	
<i>3.960</i>	<i>5.773</i>	3.80		2280	(3057)	3420	(4586)	4370	(5860)
<b>WAF 4566</b>	<b>Continuous Duty</b>		12600	600 rpm		900 rpm		1150 rpm *	
<i>4.955</i>	<i>6.818</i>	3.80		2280	(3057)	3420	(4586)	4370	(5860)
<b>WAF 4575</b>	<b>Continuous Duty</b>		14100	600 rpm		900 rpm		1150 rpm *	
<i>6.120</i>	<i>7.476</i>	3.80		2280	(3057)	3420	(4586)	4370	(5860)



## WAF 5600 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 5645</b>	<b>Continuous Duty</b>		11600	600 rpm		900 rpm		1100 rpm *	
<i>1.973</i>	<i>4.550</i>	5.00		3000	(4023)	4500	(6034)	5500	(7376)
<b>WAF 5655</b>	<b>Continuous Duty</b>		13200	600 rpm		900 rpm		1100 rpm *	
<i>4.042</i>		5.00		3000	(4023)	4500	(6034)	5500	(7376)
<i>5.810</i>		4.89		2937	(3939)	4406	(5908)	5384	(7221)
<b>WAF 5666</b>	<b>Continuous Duty</b>		14800	600 rpm		900 rpm		1100 rpm *	
<i>5.044</i>		5.00		3000	(4023)	4500	(6034)	5500	(7376)
<i>6.857</i>		4.79		2875	(3855)	4312	(5782)	5270	(7067)
<b>WAF 5675</b>	<b>Continuous Duty</b>		18000	600 rpm		900 rpm		1100 rpm *	
<i>6.125</i>	<i>7.550</i>	5.00		3000	(4023)	4500	(6034)	5500	(7376)



## WAF 6700 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 6745</b>	<b>Continuous Duty</b>		15000	600 rpm		900 rpm		950 rpm *	
<i>2.028</i>	<i>4.450</i>	6.00		3600	(4828)	5400	(7241)	5700	(7644)
<b>WAF 6755</b>	<b>Continuous Duty</b>		17000	600 rpm		900 rpm		950 rpm *	
<i>4.042</i>	<i>5.762</i>	6.00		3600	(4828)	5400	(7241)	5700	(7644)
<b>WAF 6766</b>	<b>Continuous Duty</b>		18000	600 rpm		900 rpm		950 rpm *	
<i>4.960</i>	<i>6.450</i>	6.00		3600	(4828)	5400	(7241)	5700	(7644)



## WAF 7700 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WAF 7740</b>	<b>Continuous Duty</b>		17000	600 rpm		750 rpm		900 rpm *	
<i>2.929</i>	<i>4.409</i>	7.87		4722	(6332)	5902	(7915)	7083	(9498)
<b>WAF 7750</b>	<b>Continuous Duty</b>		18000	600 rpm		750 rpm		900 rpm *	
<i>3.107</i>	<i>5.304</i>	7.87		4722	(6332)	5902	(7915)	7083	(9498)
<b>WAF 7760</b>	<b>Continuous Duty</b>		25000	600 rpm		750 rpm		900 rpm *	
<i>5.136</i>	<i>6.476</i>	7.87		4722	(6332)	5902	(7915)	7083	(9498)



## LAF 543 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 543</b>	<b>Continuous Duty</b>			925	1600 rpm		1800 rpm		2100 rpm *	
<b>2.542</b>	<b>2.960</b>	<b>3.542</b>	0.57		912	(1223)	1026	(1376)	1197	(1605)
<b>3.955</b>			0.55		880	(1180)	990	(1328)	1155	(1549)
<b>4.450</b>			0.49		784	(1051)	882	(1183)	1029	(1380)
<b>LAF 543L</b>	<b>Continuous Duty</b>			925	1600 rpm		1800 rpm		2100 rpm *	
<b>2.542</b>	<b>2.960</b>	<b>3.542</b>	0.51		821	(1101)	923	(1238)	1077	(1445)
<b>3.955</b>			0.49		792	(1062)	891	(1195)	1040	(1394)
<b>4.450</b>			0.44		706	(946)	794	(1064)	926	(1242)



## LAF 563 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 563</b>	<b>Continuous Duty</b>			1325	1600 rpm		1800 rpm		2100 rpm *	
<b>4.545</b>	<b>5.050</b>	<b>5.421</b>	0.59		944	(1266)	1062	(1424)	1239	(1661)
<b>5.947</b>			0.55		880	(1180)	990	(1328)	1155	(1549)
<b>LAF 563L</b>	<b>Continuous Duty</b>			1325	1600 rpm		1800 rpm		2100 rpm *	
<b>4.545</b>	<b>5.050</b>	<b>5.421</b>	0.53		850	(1139)	956	(1282)	1115	(1495)
<b>5.947</b>			0.49		792	(1062)	891	(1195)	1040	(1394)



## LAF 573 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 573</b>	<b>Continuous Duty</b>			2190	1200 rpm		1600 rpm		1800 rpm *	
<b>6.417</b>	<b>7.091</b>		0.57		684	(917)	912	(1223)	1026	(1376)
<b>7.474</b>			0.56		672	(901)	896	(1202)	1008	(1352)
<b>LAF 573L</b>	<b>Continuous Duty</b>			2190	1200 rpm		1600 rpm		1800 rpm *	
<b>6.417</b>	<b>7.091</b>		0.51		616	(826)	821	(1101)	923	(1238)
<b>7.474</b>			0.50		605	(811)	806	(1081)	907	(1217)



# LAF 600 – 700 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 665</b>	<b>Continuous Duty</b>					1800	1200 rpm		1600 rpm		1800 rpm *	
<b>2.969</b>	<b>3.536</b>	<i>4.080</i>	<i>4.560</i>	<b>5.043</b>	0.77		924	(1239)	1232	(1652)	1386	(1859)
<i>5.571</i>	<b>5.950</b>											
<b>LAF 665L</b>	<b>Continuous Duty</b>					1800	1200 rpm		1600 rpm		1800 rpm *	
<b>2.969</b>	<b>3.536</b>	<i>4.080</i>	<i>4.560</i>	<b>5.043</b>	0.69		832	(1115)	1109	(1487)	1247	(1673)
<i>5.571</i>	<b>5.950</b>											
<b>LAF 675</b>	<b>Continuous Duty</b>					2450	1200 rpm		1600 rpm		1800 rpm *	
<b>6.417</b>	<b>6.739</b>	<b>7.091</b>	<b>7.476</b>		0.77		924	(1239)	1232	(1652)	1386	(1859)
<b>LAF 675L</b>	<b>Continuous Duty</b>					2450	1200 rpm		1600 rpm		1800 rpm *	
<b>6.417</b>	<b>6.739</b>	<b>7.091</b>	<b>7.476</b>		0.69		832	(1115)	1109	(1487)	1247	(1673)
<b>LAF 743</b>	<b>Continuous Duty</b>					1600	1200 rpm		1600 rpm		1800 rpm *	
<i>2.714</i>	<i>2.889</i>	<b>3.038</b>	<b>3.333</b>	<b>3.550</b>	1.15		1380	(1851)	1840	(2467)	2070	(2776)
<b>3.952</b>					1.10		1320	(1770)	1760	(2360)	1980	(2655)
<b>LAF 743L</b>	<b>Continuous Duty</b>					1600	1200 rpm		1600 rpm		1800 rpm *	
<b>3.038</b>	<b>3.333</b>	<b>3.550</b>	<b>3.952</b>		0.88		1056	(1416)	1408	(1888)	1584	(2124)
<b>LAF 763</b>	<b>Continuous Duty</b>					2100	1200 rpm		1600 rpm		1800 rpm *	
<b>4.625</b>					1.15		1380	(1851)	1840	(2467)	2070	(2776)
<b>4.037</b>					1.14		1378	(1847)	1837	(2463)	2066	(2771)
<b>5.136</b>					1.12		1355	(1817)	1806	(2422)	2032	(2725)
<b>5.429</b>					1.08		1296	(1738)	1728	(2317)	1944	(2607)
<b>5.913</b>					1.03		1236	(1657)	1648	(2210)	1854	(2486)
<b>5.750</b>					1.01		1219	(1635)	1626	(2180)	1829	(2452)
<b>LAF 763L</b>	<b>Continuous Duty</b>					2100	1200 rpm		1600 rpm		1800 rpm *	
<b>4.625</b>	<b>5.136</b>	<b>5.429</b>	<b>5.750</b>	<b>5.913</b>	0.88		1056	(1416)	1408	(1888)	1584	(2124)
<b>LAF 773</b>	<b>Continuous Duty</b>					3000	1200 rpm		1600 rpm		1800 rpm *	
<b>6.154</b>	<b>6.440</b>	<b>7.087</b>			1.15		1380	(1851)	1840	(2467)	2070	(2776)
<b>7.454</b>					1.12		1345	(1804)	1794	(2405)	2018	(2706)
<b>LAF 773L</b>	<b>Continuous Duty</b>					3000	1200 rpm		1600 rpm		1800 rpm *	
<b>6.154</b>	<b>6.440</b>	<b>7.087</b>	<b>7.454</b>		0.88		1056	(1416)	1408	(1888)	1584	(2124)



# LAF 800 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 843</b> <b>Continuous Duty</b>			2640	1200 rpm		1600 rpm		1800 rpm *	
<b>3.080</b>	<b>3.435</b>	1.45		1740	(2333)	2320	(3111)	2610	(3500)
<b>3.500</b>		1.42		1714	(2298)	2285	(3064)	2570	(3447)
<b>3.905</b>		1.37		1654	(2217)	2205	(2957)	2480	(3326)
<b>4.087</b>		1.30		1571	(2106)	2094	(2809)	2356	(3160)
<b>4.318</b>		1.26		1516	(2032)	2021	(2710)	2273	(3049)
<b>LAF 843L</b> <b>Continuous Duty</b>			2640	1200 rpm		1600 rpm		1800 rpm *	
<b>3.080</b>	<b>3.500</b>	1.25		1500	(2012)	2000	(2682)	2250	(3017)
<b>3.905</b>		1.15		1380	(1851)	1840	(2467)	2070	(2776)
<b>4.318</b>		1.13		1364	(1829)	1819	(2439)	2046	(2744)
<b>LAF 863</b> <b>Continuous Duty</b>			2850	1200 rpm		1600 rpm		1800 rpm *	
<b>4.038</b>	<b>4.458</b>	1.45		1740	(2333)	2320	(3111)	2610	(3500)
<b>4.955</b>	<b>5.500</b>	1.43		1723	(2311)	2298	(3081)	2585	(3466)
<b>5.842</b>									
<b>LAF 863L</b> <b>Continuous Duty</b>			2850	1200 rpm		1600 rpm		1800 rpm *	
<b>4.038</b>	<b>4.458</b>	1.25		1500	(2012)	2000	(2682)	2250	(3017)
<b>4.955</b>	<b>5.500</b>	1.15		1380	(1851)	1840	(2467)	2070	(2776)
<b>5.842</b>									
<b>LAF 873</b> <b>Continuous Duty</b>			3850	1200 rpm		1600 rpm		1800 rpm *	
<b>6.440</b>	<b>6.750</b>	1.45		1740	(2333)	2320	(3111)	2610	(3500)
<b>7.087</b>		1.40		1674	(2245)	2232	(2993)	2511	(3367)
<b>7.454</b>		1.38		1658	(2224)	2211	(2965)	2488	(3336)
<b>7.526</b>									
<b>LAF 873L</b> <b>Continuous Duty</b>			3850	1200 rpm		1600 rpm		1800 rpm *	
<b>6.440</b>	<b>6.750</b>	1.25		1500	(2012)	2000	(2682)	2250	(3017)
<b>7.087</b>		1.15		1380	(1851)	1840	(2467)	2070	(2776)
<b>7.454</b>	<b>7.526</b>								



# LAF 1100 – 1900 Series

					kW/rpm	kg	kW (BHP)		kW (BHP)		kW (BHP)	
<b>LAF 1143</b>	<b>Continuous Duty</b>					2450	1200 rpm		1600 rpm		1800 rpm *	
1.966	2.429	3.037	<b>3.500</b>		1.85	2220	(2977)	2960	(3969)	3330	(4466)	
3.909					1.72	2068	(2773)	2757	(3697)	3101	(4159)	
<b>LAF 1163</b>	<b>Continuous Duty</b>					3300	1200 rpm		1600 rpm		1800 rpm *	
4.296	4.500	4.958	5.500		1.85	2220	(2977)	2960	(3969)	3330	(4466)	
5.810					1.79	2148	(2880)	2864	(3841)	3222	(4321)	
<b>LAF 1173</b>	<b>Continuous Duty</b>					4600	1200 rpm		1600 rpm		1800 rpm *	
<b>6.080</b>	6.696	7.045			1.85	2220	(2977)	2960	(3969)	3330	(4466)	
<b>7.429</b>					1.80	2171	(2911)	2894	(3881)	3256	(4367)	
<b>LAF 1543</b>	<b>Continuous Duty</b>					3000	1200 rpm		1500 rpm		1600 rpm *	
2.032	2.467	3.038	3.522		2.10	2520	(3379)	3150	(4224)	3360	(4506)	
<b>3.857</b>					2.09	2514	(3371)	3143	(4214)	3352	(4495)	
<b>LAF 1563</b>	<b>Continuous Duty</b>					4000	1200 rpm		1500 rpm		1600 rpm *	
3.903	4.429	4.846	5.375		2.10	2520	(3379)	3150	(4224)	3360	(4506)	
5.954					2.04	2455	(3292)	3069	(4116)	3274	(4390)	
<b>5.444</b>					1.98	2376	(3186)	2970	(3983)	3168	(4248)	
6.286					1.95	2341	(3140)	2926	(3924)	3122	(4186)	
<b>LAF 1943</b>	<b>Continuous Duty</b>					4060	1200 rpm		1500 rpm		1600 rpm *	
2.059	2.467	2.962	<b>3.522</b>	3.952	2.60	3120	(4184)	3900	(5230)	4160	(5579)	
4.087												
<b>LAF 1963</b>	<b>Continuous Duty</b>					4940	1200 rpm		1500 rpm		1600 rpm *	
4.467	4.857	5.560	5.952	6.130	2.60	3120	(4184)	3900	(5230)	4160	(5579)	
<b>6.300</b>												
6.409					2.55	3068	(4115)	3836	(5143)	4091	(5486)	



## LAF 2300 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 2346</b>	<b>Continuous Duty</b>		5300	750 rpm		1000 rpm		1100 rpm *	
2.077		3.40		2550	(3420)	3400	(4559)	3740	(5015)
4.454		2.94		2212	(2966)	2949	(3955)	3244	(4350)
<b>LAF 2355</b>	<b>Continuous Duty</b>		6300	750 rpm		1000 rpm		1100 rpm *	
3.536		3.40		2550	(3420)	3400	(4559)	3740	(5015)
5.762		2.68		2010	(2695)	2680	(3594)	2948	(3953)
<b>LAF 2365</b>	<b>Continuous Duty</b>		7200	750 rpm		1000 rpm		1100 rpm *	
5.074		3.40		2550	(3420)	3400	(4559)	3740	(5015)
6.455		2.94		2206	(2959)	2942	(3945)	3236	(4340)
<b>LAF 2375</b>	<b>Continuous Duty</b>		9200	750 rpm		1000 rpm		1100 rpm *	
5.958		3.40		2550	(3420)	3400	(4559)	3740	(5015)
<b>LAF 2375</b>	<b>Continuous Duty</b>		9200	750 rpm		1000 rpm		1100 rpm *	
7.454		2.89		2168	(2908)	2891	(3877)	3180	(4265)



## LAF 3400 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 3445</b>	<b>Continuous Duty</b>		6400	600 rpm		900 rpm		1200 rpm *	
2.053		4.35		2610	(3500)	3915	(5250)	5220	(7000)
4.524		3.76		2257	(3027)	3386	(4540)	4514	(6054)
<b>LAF 3455</b>	<b>Continuous Duty</b>		7800	600 rpm		900 rpm		1200 rpm *	
4.074		4.35		2610	(3500)	3915	(5250)	5220	(7000)
5.954		3.15		1894	(2539)	2840	(3809)	3787	(5079)
<b>LAF 3465</b>	<b>Continuous Duty</b>		9700	600 rpm		900 rpm		1200 rpm *	
5.077		4.35		2610	(3500)	3915	(5250)	5220	(7000)
6.954		2.96		1779	(2386)	2668	(3578)	3558	(4771)
<b>LAF 3475</b>	<b>Continuous Duty</b>		10800	600 rpm		900 rpm		1200 rpm *	
6.087		4.35		2610	(3500)	3915	(5250)	5220	(7000)
7.524		3.59		2159	(2895)	3238	(4342)	4318	(5790)



## LAF 4500 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 4545</b>	<b>Continuous Duty</b>		8000	600 rpm		900 rpm		1200 rpm *	
1.591		5.50		3300	(4425)	4950	(6638)	6600	(8851)
4.429		4.42		2653	(3558)	3980	(5337)	5306	(7116)
<b>LAF 4555</b>	<b>Continuous Duty</b>		9500	600 rpm		900 rpm		1200 rpm *	
3.960		5.50		3300	(4425)	4950	(6638)	6600	(8851)
5.773		4.04		2426	(3254)	3640	(4881)	4853	(6508)
<b>LAF 4566</b>	<b>Continuous Duty</b>		11100	600 rpm		900 rpm		1200 rpm *	
6.818		3.86		2321	(3112)	3481	(4668)	4642	(6224)
<b>LAF 4575</b>	<b>Continuous Duty</b>		13100	600 rpm		900 rpm		1200 rpm *	
6.120		5.21		3128	(4195)	4693	(6293)	6257	(8390)
7.476		4.32		2593	(3477)	3890	(5216)	5186	(6955)



## LAF 5600 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 5645</b>	<b>Continuous Duty</b>		10600	600 rpm		900 rpm		1200 rpm *	
1.973		7.00		4200	(5632)	6300	(8448)	8400	(11264)
4.550		5.59		3359	(4505)	5039	(6757)	6719	(9010)
<b>LAF 5655</b>	<b>Continuous Duty</b>		12200	600 rpm		900 rpm		1200 rpm *	
4.042		7.00		4200	(5632)	6300	(8448)	8400	(11264)
5.810		4.89		2937	(3939)	4406	(5908)	5874	(7877)
<b>LAF 5666</b>	<b>Continuous Duty</b>		13800	600 rpm		900 rpm		1200 rpm *	
5.044		6.99		4198	(5629)	6296	(8443)	8395	(11258)
6.857		4.79		2875	(3855)	4312	(5782)	5749	(7710)
<b>LAF 5675</b>	<b>Continuous Duty</b>		17000	600 rpm		900 rpm		1200 rpm *	
6.125		6.71		4026	(5399)	6039	(8098)	8052	(10798)
7.550		5.58		3353	(4496)	5029	(6744)	6706	(8992)



## LAF 6700 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 6745</b>	<b>Continuous Duty</b>		14000	600 rpm		900 rpm		1150 rpm *	
2.028		8.40		5040	(6759)	7560	(10138)	9660	(12954)
4.450		6.56		3940	(5284)	5910	(7926)	7552	(10127)
<b>LAF 6755</b>	<b>Continuous Duty</b>		16000	600 rpm		900 rpm		1150 rpm *	
4.042		8.40		5040	(6759)	7560	(10138)	9660	(12954)
5.762		6.17		3703	(4965)	5554	(7448)	7097	(9517)
<b>LAF 6766</b>	<b>Continuous Duty</b>		17000	600 rpm		900 rpm		1150 rpm *	
4.960		8.18		4910	(6585)	7366	(9877)	9412	(12621)
6.450		6.54		3927	(5266)	5890	(7899)	7527	(10093)



## LAF 7700 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>LAF 7740</b>	<b>Continuous Duty</b>		16000	600 rpm		900 rpm		1150 rpm *	
2.929		11.00		6600	(8851)	9900	(13276)	12650	(16964)
4.409		8.77		5267	(7064)	7901	(10595)	10096	(13539)
<b>LAF 7750</b>	<b>Continuous Duty</b>		17000	600 rpm		900 rpm		1150 rpm *	
3.107		11.00		6600	(8851)	9900	(13276)	12650	(16964)
5.304		7.91		4746	(6364)	7119	(9547)	9096	(12198)
<b>LAF 7760</b>	<b>Continuous Duty</b>		23500	600 rpm		900 rpm		1150 rpm *	
5.136		10.84		6508	(8727)	9761	(13090)	12473	(16726)
6.476		7.97		4787	(6419)	7180	(9629)	9175	(12303)



## WGF 563 Series

Reduction ratio	kW/rpm	rpm	kW	(BHP)	rpm	kW	(BHP)	max. rpm	max. kW	(BHP)	
<b>WGF 563</b>						<b>Continuous Duty</b>					<b>1035 kg</b>
3.965	0.88	900	796	(1068)	1100	974	(1305)	1400	1239	(1661)	
11.674	0.30	1600	482	(646)	2000	602	(807)	2450	737	(989)	



## WGF 665 Series

Reduction ratio	kW/rpm	rpm	kW	(BHP)	rpm	kW	(BHP)	max. rpm	max. kW	(BHP)	
<b>WGF 665</b>						<b>Continuous Duty</b>					<b>2360 kg</b>
4.042	1.06	900	955	(1281)	1100	1167	(1565)	1300	1379	(1850)	
11.334	0.37	1600	605	(811)	2000	756	(1014)	2450	926	(1242)	



## WGF 763 Series

Reduction ratio	kW/rpm	rpm	kW	(BHP)	rpm	kW	(BHP)	max. rpm	max. kW	(BHP)	
<b>WGF 763</b>						<b>Continuous Duty</b>					<b>2800 kg</b>
3.093	1.34	600	805	(1080)	800	1074	(1440)	900	1208	(1620)	
11.304	0.43	1600	702	(942)	2000	878	(1177)	2450	1076	(1442)	



## WGF 863 Series

Reduction ratio	kW/rpm	rpm	kW	(BHP)	rpm	kW	(BHP)	max. rpm	max. kW	(BHP)	
<b>WGF 863</b>						<b>Continuous Duty</b>					<b>3720 kg</b>
4.080	1.97	800	1581	(2120)	1000	1976	(2650)	1250	2470	(3312)	
11.052	0.72	1600	1166	(1564)	2000	1458	(1955)	2450	1786	(2395)	

## WGF 1563 Series

Reduction ratio	kW/rpm	rpm	kW	(BHP)	rpm	kW	(BHP)	max. rpm	max. kW	(BHP)	
<b>WGF 1563</b>					<b>Continuous Duty</b>						<b>5960 kg</b>
3.503	2.50	600	1502	(2015)	800	2003	(2686)	950	2379	(3190)	
10.123	1.05	1600	1694	(2272)	2000	2118	(2840)	2400	2542	(3408)	

## WGF 1963 Series

Reduction ratio	kW/rpm	rpm	kW	(BHP)	rpm	kW	(BHP)	max. rpm	max. kW	(BHP)	
<b>WGF 1963</b>					<b>Continuous Duty</b>						<b>7400 kg</b>
3.501	2.50	600	1502	(2015)	800	2003	(2686)	950	2379	(3190)	
10.119	1.29	1600	2070	(2776)	2000	2588	(3471)	2400	3106	(4165)	

## WGF 3455 Series

Reduction ratio	kW/rpm	rpm	kW	(BHP)	rpm	kW	(BHP)	max. rpm	max. kW	(BHP)	
<b>WGF 3455</b>					<b>Continuous Duty</b>						<b>10000 kg</b>
4.069	4.37	600	2627	(3523)	800	3503	(4698)	900	3941	(5285)	
8.713	2.22	1600	3554	(4765)	1800	3998	(5361)	1950	4331	(5808)	

## WGF 4566 Series

Reduction ratio	kW/rpm	rpm	kW	(BHP)	rpm	kW	(BHP)	max. rpm	max. kW	(BHP)	
<b>WGF 4566</b>					<b>Continuous Duty</b>						<b>15000 kg</b>
4.154	4.20	500	2100	(2816)	600	2520	(3379)	650	2730	(3661)	
9.205	2.65	1000	2654	(3559)	1200	3185	(4271)	1400	3716	(4983)	



## WVS 234 Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVS 234/1</b>	<b>Medium Duty</b>				295	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<i>1.179</i>	<i>1.500</i>	<b>2.036</b>		0.26		468	(628)	546	(732)	598	(802)
<i>2.542</i>				0.25		450	(603)	525	(704)	575	(771)
<i>2.864</i>				0.24		432	(579)	504	(676)	552	(740)
<b>WVS 234/1</b>	<b>Light Duty</b>				295	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<i>1.179</i>	<i>1.500</i>	<b>2.036</b>	<i>2.542</i>	0.29		522	(700)	609	(817)	667	(894)
<i>2.864</i>				0.25		466	(625)	544	(729)	596	(799)
<b>WVS 234/1</b>	<b>Pleasure Duty</b>				295	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<i>1.179</i>	<i>1.500</i>	<b>2.036</b>	<i>2.542</i>	0.29		615	(825)	645	(864)	674	(904)
<i>2.864</i>				0.25		544	(729)	570	(764)	596	(799)



## WVS 334 Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVS 334</b>	<b>Medium Duty</b>				340	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.122</b>	<b>1.485</b>			0.30		540	(724)	630	(845)	690	(925)
<b>2.037</b>				0.29		522	(700)	609	(817)	667	(894)
<b>2.407</b>	<b>2.538</b>			0.28		504	(676)	588	(789)	644	(864)
<b>2.956</b>				0.27		486	(652)	567	(760)	621	(833)
<b>3.522</b>				0.26		468	(628)	546	(732)	598	(802)
<b>WVS 334</b>	<b>Light Duty</b>				340	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.122</b>	<b>1.485</b>			0.36		648	(869)	756	(1014)	828	(1110)
<b>2.037</b>				0.35		630	(845)	735	(986)	805	(1080)
<b>2.407</b>	<b>2.538</b>			0.34		612	(821)	714	(957)	782	(1049)
<b>2.956</b>				0.33		594	(797)	693	(929)	759	(1018)
<b>3.522</b>				0.31		558	(748)	651	(873)	713	(956)
<b>WVS 334</b>	<b>Pleasure Duty</b>				340	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<b>1.122</b>				0.47		987	(1324)	1034	(1387)	1081	(1450)
<b>1.485</b>	<b>2.037</b>			0.46		966	(1295)	1012	(1357)	1058	(1419)
<b>2.407</b>	<b>2.538</b>			0.45		945	(1267)	990	(1328)	1035	(1388)

\* max. input speed



## WVS 334 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
WVS 334	Pleasure Duty		340	2100 rpm		2200 rpm		2300 rpm *	
<b>2.956</b>		0.38		802	(1076)	840	(1127)	879	(1178)
<b>3.522</b>		0.32		676	(907)	708	(950)	741	(993)



## WVS 430 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
WVS 430/1	Medium Duty		490	1800 rpm		2100 rpm		2300 rpm *	
<b>1.485</b>		0.51		918	(1231)	1071	(1436)	1173	(1573)
<b>2.037</b>		0.50		900	(1207)	1050	(1408)	1150	(1542)
<b>2.458</b>		0.49		882	(1183)	1029	(1380)	1127	(1511)
<b>2.773</b>		0.48		864	(1159)	1008	(1352)	1104	(1480)
<b>2.905</b>		0.47		846	(1134)	987	(1324)	1081	(1450)
<b>3.286</b>	<b>3.316</b>	0.46		828	(1110)	966	(1295)	1058	(1419)
3.550		0.43		774	(1038)	903	(1211)	989	(1326)

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
WVS 430/1	Light Duty		490	1800 rpm		2100 rpm		2300 rpm *	
<b>1.485</b>	<b>2.037</b> <b>2.458</b>	0.58		1044	(1400)	1218	(1633)	1334	(1789)
<b>2.773</b>		0.57		1026	(1376)	1197	(1605)	1311	(1758)
<b>2.905</b>		0.56		1008	(1352)	1176	(1577)	1288	(1727)
<b>3.286</b>		0.48		880	(1180)	1027	(1377)	1125	(1508)
<b>3.316</b>		0.46		842	(1130)	983	(1318)	1076	(1443)
3.550		0.43		774	(1038)	903	(1211)	989	(1326)

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
WVS 430/1	Pleasure Duty		490	2100 rpm		2200 rpm		2300 rpm *	
<b>1.485</b>	<b>2.037</b> <b>2.458</b> <b>2.773</b>	0.60		1260	(1690)	1320	(1770)	1380	(1851)
<b>2.905</b>		0.56		1176	(1577)	1232	(1652)	1288	(1727)
<b>3.286</b>		0.48		1027	(1377)	1076	(1443)	1125	(1508)
<b>3.316</b>		0.46		983	(1318)	1030	(1381)	1076	(1443)
3.550		0.43		903	(1211)	946	(1269)	989	(1326)



## WVS 432 Series

					kW/rpm	kg	kW (BHP)		kW (BHP)		
<b>WVS 432 Super Pleasure Duty</b>					490		2100 rpm		2200 rpm		2300 rpm *
<b>2.037</b>	<b>2.280</b>	<b>2.565</b>	<b>2.727</b>	<b>2.952</b>	0.62		1302	(1746)	1364	(1829)	1426 (1912)



## WVS 730 Series

					kW/rpm	kg	kW (BHP)		kW (BHP)		kW (BHP)	
<b>WVS 730/1 Medium Duty</b>					725		1800 rpm		2100 rpm		2300 rpm *	
<b>2.036</b>	<b>2.269</b>	<b>2.542</b>	<b>2.864</b>	<b>3.048</b>	0.85		1530	(2052)	1785	(2394)	1955 (2622)	
<b>3.542</b>					0.82		1476	(1979)	1722	(2309)	1886 (2529)	
<b>3.954</b>					0.76		1373	(1842)	1602	(2149)	1755 (2353)	
<b>WVS 730/1L Medium Duty</b>					725		1800 rpm		2100 rpm		2300 rpm *	
<b>2.864</b>					0.75		1350	(1810)	1575	(2112)	1725 (2313)	
<b>2.036</b>	<b>2.542</b>	<b>3.048</b>			0.70		1260	(1690)	1470	(1971)	1610 (2159)	
<b>3.542</b>					0.60		1080	(1448)	1260	(1690)	1380 (1851)	
<b>3.954</b>					0.55		990	(1328)	1155	(1549)	1265 (1696)	
<b>WVS 730/1 Light Duty</b>					725		1800 rpm		2100 rpm		2300 rpm *	
<b>2.036</b>	<b>2.269</b>	<b>2.542</b>	<b>2.864</b>	<b>3.048</b>	0.92		1656	(2221)	1932	(2591)	2116 (2838)	
<b>3.542</b>					0.83		1510	(2025)	1762	(2363)	1930 (2588)	
<b>3.954</b>					0.76		1373	(1842)	1602	(2149)	1755 (2353)	
<b>WVS 730/1L Light Duty</b>					725		1800 rpm		2100 rpm		2300 rpm *	
<b>2.864</b>					0.82		1476	(1979)	1722	(2309)	1886 (2529)	
<b>2.036</b>	<b>2.542</b>	<b>3.048</b>			0.70		1260	(1690)	1470	(1971)	1610 (2159)	
<b>3.542</b>					0.65		1170	(1569)	1365	(1830)	1495 (2005)	
<b>3.954</b>					0.55		990	(1328)	1155	(1549)	1265 (1696)	
<b>WVS 730/1 Pleasure Duty</b>					725		2100 rpm		2200 rpm		2300 rpm *	
<b>2.036</b>	<b>2.269</b>	<b>2.542</b>	<b>2.864</b>	<b>3.048</b>	0.95		1995	(2675)	2090	(2803)	2185 (2930)	
<b>3.542</b>					0.83		1762	(2363)	1846	(2475)	1930 (2588)	
<b>3.954</b>					0.76		1602	(2149)	1679	(2251)	1755 (2353)	



## WVS 730 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVS 730/1L</b>					<b>Pleasure Duty</b>							
						<b>725</b>	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<b>2.864</b>					0.85		1785	(2394)	1870	(2508)	1955	(2622)
<b>2.036</b>	<b>2.542</b>	<b>3.048</b>			0.70		1470	(1971)	1540	(2065)	1610	(2159)
<b>3.542</b>					0.65		1365	(1830)	1430	(1918)	1495	(2005)
<b>3.954</b>					0.55		1155	(1549)	1210	(1623)	1265	(1696)



## WVS 732 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVS 732</b>					<b>Super Pleasure Duty</b>							
						<b>725</b>	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<b>2.036</b>	<b>2.269</b>	<b>2.542</b>	<b>2.864</b>	<b>3.048</b>	1.03		2163	(2901)	2266	(3039)	2369	(3177)



## WVS 930 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVS 930/1 Medium Duty</b>					950		<b>1800 rpm</b>	<b>2100 rpm</b>	<b>2300 rpm *</b>			
<b>1.525</b>	<b>1.730</b>	<i>2.032</i>			1.20		2160	(2897)	2520	(3379)	2760	(3701)
<b>2.482</b>					1.18		2124	(2848)	2478	(3323)	2714	(3639)
<b>3.044</b>					1.13		2034	(2728)	2373	(3182)	2599	(3485)
<b>3.954</b>					1.00		1802	(2416)	2102	(2819)	2302	(3087)
<b>WVS 930/1L Medium Duty</b>					950		<b>1800 rpm</b>	<b>2100 rpm</b>	<b>2300 rpm *</b>			
<i>1.525</i>	<i>2.032</i>	<i>2.482</i>			1.00		1800	(2414)	2100	(2816)	2300	(3084)
<i>3.044</i>					0.98		1764	(2366)	2058	(2760)	2254	(3023)
<i>3.954</i>					0.75		1350	(1810)	1575	(2112)	1725	(2313)
<b>WVS 930/1 Light Duty</b>					950		<b>1800 rpm</b>	<b>2100 rpm</b>	<b>2300 rpm *</b>			
<b>1.525</b>	<b>1.730</b>	<i>2.032</i>	<b>2.482</b>	<b>3.044</b>	1.28		2304	(3090)	2688	(3605)	2944	(3948)
<b>3.954</b>					1.00		1802	(2416)	2102	(2819)	2302	(3087)
<b>WVS 930/1L Light Duty</b>					950		<b>1800 rpm</b>	<b>2100 rpm</b>	<b>2300 rpm *</b>			
<i>1.525</i>	<i>2.032</i>	<i>2.482</i>	<i>3.044</i>		1.00		1800	(2414)	2100	(2816)	2300	(3084)
<i>3.954</i>					0.80		1440	(1931)	1680	(2253)	1840	(2467)
<b>WVS 930/1 Pleasure Duty</b>					950		<b>2100 rpm</b>	<b>2200 rpm</b>	<b>2300 rpm *</b>			
<b>1.525</b>	<b>1.730</b>	<i>2.032</i>	<b>2.482</b>		1.34		2814	(3774)	2948	(3953)	3082	(4133)
<b>3.044</b>					1.32		2772	(3717)	2904	(3894)	3036	(4071)
<b>3.954</b>					1.00		2102	(2819)	2202	(2953)	2302	(3087)
<b>WVS 930/1L Pleasure Duty</b>					950		<b>2100 rpm</b>	<b>2200 rpm</b>	<b>2300 rpm *</b>			
<i>1.525</i>	<i>2.032</i>	<i>2.482</i>	<i>3.044</i>		1.00		2100	(2816)	2200	(2950)	2300	(3084)
<i>3.954</i>					0.80		1680	(2253)	1760	(2360)	1840	(2467)



## WVS 932 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVS 932 Super Pleasure Duty</b>					950		<b>2100 rpm</b>	<b>2200 rpm</b>	<b>2300 rpm *</b>			
<b>1.525</b>	<b>1.730</b>	<b>2.482</b>	<b>3.044</b>		1.41		2961	(3971)	3102	(4160)	3243	(4349)
<b>3.954</b>					1.17		2457	(3295)	2574	(3452)	2691	(3609)



## WVS 1540 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVS 1540 Medium Duty</b>					1450	1600 rpm	1800 rpm	2100 rpm *				
<b>2.952</b>	<b>3.368</b>	<b>3.947</b>	<b>4.350</b>		1.50	2400	(3218)	2700	(3621)	3150	(4224)	
4.632					1.46	2338	(3135)	2630	(3527)	3068	(4114)	
<b>WVS 1540 Light Duty</b>					1450	1800 rpm	1950 rpm	2100 rpm *				
<b>2.952</b>	<b>3.368</b>	<b>3.947</b>	<b>4.350</b>		1.50	2700	(3621)	2925	(3922)	3150	(4224)	
4.632					1.46	2630	(3527)	2849	(3820)	3068	(4114)	
<b>WVS 1540 Pleasure Duty</b>					1450	1800 rpm	1950 rpm	2100 rpm *				
<b>2.952</b>	<b>3.368</b>	<b>3.947</b>	<b>4.350</b>		1.50	2700	(3621)	2925	(3922)	3150	(4224)	
4.632					1.46	2630	(3527)	2849	(3820)	3068	(4114)	



## WVS 1930 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVS 1930 Medium Duty</b>					1550	1600 rpm	1800 rpm	2100 rpm *				
<i>1.410</i>	<i>2.032</i>	<i>2.458</i>	<i>2.952</i>	<i>3.368</i>	1.85	2960	(3969)	3330	(4466)	3885	(5210)	
3.864					1.48	2374	(3184)	2671	(3582)	3116	(4179)	
<b>WVS 1930 Light Duty</b>					1550	1800 rpm	1950 rpm	2100 rpm *				
<i>1.410</i>	<i>2.032</i>	<i>2.458</i>	<i>2.952</i>	<i>3.368</i>	1.85	3330	(4466)	3608	(4838)	3885	(5210)	
3.864					1.48	2671	(3582)	2894	(3881)	3116	(4179)	
<b>WVS 1930 Pleasure Duty</b>					1550	1800 rpm	1950 rpm	2100 rpm *				
<i>1.410</i>	<i>2.032</i>	<i>2.458</i>	<i>2.952</i>	<i>3.368</i>	1.85	3330	(4466)	3608	(4838)	3885	(5210)	
3.864					1.48	2671	(3582)	2894	(3881)	3116	(4179)	



## WVS 2230 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVS 2230</b>	<b>Medium Duty</b>					2150	<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2100 rpm *</b>	
1.513	2.025	2.414	2.630	2.920	2.35		3760	(5042)	4230	(5672)	4935	(6618)
<b>WVS 2230</b>	<b>Light Duty</b>					2150	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2100 rpm *</b>	
1.513	2.025	2.414	2.630	2.920	2.45		4410	(5914)	4778	(6407)	5145	(6899)
<b>WVS 2230</b>	<b>Pleasure Duty</b>					2150	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2100 rpm *</b>	
1.513	2.025	2.414	2.630	2.920	2.51		4518	(6059)	4894	(6564)	5271	(7068)



## WVS 2240 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVS 2240</b>	<b>Medium Duty</b>					2185	<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2100 rpm *</b>	
3.039					2.35		3760	(5042)	4230	(5672)	4935	(6618)
4.130					2.34		3744	(5021)	4212	(5648)	4914	(6590)
<b>WVS 2240</b>	<b>Light Duty</b>					2185	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2100 rpm *</b>	
3.039	4.130				2.45		4410	(5914)	4778	(6407)	5145	(6899)
<b>WVS 2240</b>	<b>Pleasure Duty</b>					2185	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2100 rpm *</b>	
3.039	4.130				2.51		4518	(6059)	4894	(6564)	5271	(7068)



## WVSA 1542 Series

8° between input and output shaft

					kW/rpm	kg	kW (BHP)		kW (BHP)		kW (BHP)	
WVSA 1542	Medium Duty					1700	1600 rpm		1800 rpm		2100 rpm *	
<i>2.094</i>	<i>2.194</i>	<i>2.414</i>	<i>2.536</i>	<i>2.808</i>	1.50		2400	(3218)	2700	(3621)	3150	(4224)
<i>2.960</i>												
<i>3.304</i>					1.46		2347	(3148)	2641	(3541)	3081	(4131)
<i>3.762</i>					1.19		1915	(2568)	2155	(2889)	2514	(3371)
<i>3.950</i>					1.06		1699	(2279)	1912	(2563)	2230	(2991)
<i>4.211</i>					0.94		1496	(2006)	1683	(2257)	1964	(2633)



## WVSA 1942 Series

8° between input and output shaft

					kW/rpm	kg	kW (BHP)		kW (BHP)		kW (BHP)	
WVSA 1942	Medium Duty					2050	1600 rpm		1800 rpm		2100 rpm *	
<i>2.031</i>	<i>2.129</i>	<i>2.233</i>	<i>2.345</i>	<i>2.464</i>	1.79		2864	(3841)	3222	(4321)	3759	(5041)
<i>2.593</i>	<i>2.731</i>	<i>2.880</i>	<i>3.042</i>	<i>3.217</i>								
<i>3.619</i>					1.70		2720	(3648)	3060	(4103)	3570	(4787)
<i>3.850</i>					1.51		2430	(3259)	2734	(3667)	3190	(4278)
<i>4.105</i>					1.34		2144	(2875)	2412	(3234)	2814	(3774)
<i>4.389</i>					1.17		1882	(2523)	2117	(2839)	2470	(3312)



## WVSFA 442 Series

10° between input and output shaft

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVSFA 442 Medium Duty</b>					900	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<i>2.514</i>	<i>2.743</i>			0.50		913	(1224)	1065	(1428)	1166	(1564)
<i>3.003</i>				0.48		877	(1176)	1023	(1371)	1120	(1502)
<i>3.647</i>				0.44		792	(1062)	924	(1239)	1012	(1357)
<i>4.053</i>				0.42		756	(1014)	882	(1183)	966	(1295)
<i>4.537</i>				0.40		711	(953)	830	(1112)	908	(1218)
<i>4.815</i>				0.38		688	(922)	802	(1076)	879	(1178)
<b>WVSFA 442 Light Duty</b>					900	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<i>2.514</i>	<i>2.743</i>	<i>3.003</i>	<i>3.647</i>	0.56		1019	(1366)	1189	(1594)	1302	(1746)
<i>4.053</i>				0.50		900	(1207)	1050	(1408)	1150	(1542)
<i>4.537</i>				0.42		765	(1026)	892	(1197)	978	(1311)
<i>4.815</i>				0.38		697	(934)	813	(1090)	890	(1194)
<b>WVSFA 442 Pleasure Duty</b>					900	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<i>2.514</i>	<i>2.743</i>	<i>3.003</i>	<i>3.647</i>	0.58		1053	(1412)	1228	(1647)	1346	(1804)
<i>4.053</i>				0.50		900	(1207)	1050	(1408)	1150	(1542)
<i>4.537</i>				0.42		765	(1026)	892	(1197)	978	(1311)
<i>4.815</i>				0.38		697	(934)	813	(1090)	890	(1194)



## WVSFA 742 Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVSFA 742 Medium Duty</b>					1100	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2350 rpm *</b>	
<i>2.083</i>	<i>2.465</i>	<i>2.614</i>	<i>3.152</i>	0.87		1840	(2467)	1927	(2584)	2059	(2761)
<i>3.834</i>				0.78		1651	(2213)	1729	(2319)	1847	(2477)
<i>4.078</i>				0.73		1552	(2081)	1626	(2180)	1737	(2329)
<i>4.337</i>				0.70		1460	(1957)	1529	(2050)	1633	(2190)
<b>WVSFA 742 Pleasure Duty</b>					1100	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2350 rpm *</b>	
<i>2.083</i>	<i>2.465</i>	<i>2.614</i>	<i>3.152</i>	0.97		2056	(2757)	2154	(2888)	2301	(3085)
<i>3.834</i>				0.78		1651	(2213)	1729	(2319)	1847	(2477)
<i>4.078</i>				0.73		1552	(2081)	1626	(2180)	1737	(2329)
<i>4.337</i>				0.70		1460	(1957)	1529	(2050)	1633	(2190)



# WVSFA 942 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WVSFA 942</b>	<b>Medium Duty</b>			1350	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2350 rpm *</b>	
<i>2.311</i>			1.15		2421	(3247)	2537	(3402)	2710	(3634)
<i>2.560</i>			1.14		2402	(3222)	2517	(3375)	2688	(3605)
<i>2.846</i>			1.12		2360	(3165)	2473	(3316)	2641	(3542)
<i>3.328</i>			1.08		2281	(3058)	2389	(3204)	2552	(3422)
<i>3.856</i>			1.01		2129	(2856)	2231	(2992)	2383	(3195)
<i>4.078</i>			0.97		2037	(2732)	2134	(2862)	2280	(3057)
<i>4.337</i>			0.91		1915	(2568)	2006	(2691)	2143	(2874)
<b>WVSFA 942</b>	<b>Pleasure Duty</b>			1350	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2350 rpm *</b>	
<i>2.311</i>	<i>2.560</i>	<i>2.846</i>	1.29		2728	(3658)	2858	(3832)	3053	(4094)
<i>3.328</i>			1.22		2575	(3453)	2697	(3617)	2881	(3864)
<i>3.856</i>			1.01		2129	(2856)	2231	(2992)	2383	(3195)
<i>4.078</i>			0.97		2037	(2732)	2134	(2862)	2280	(3057)
<i>4.337</i>			0.91		1915	(2568)	2006	(2691)	2143	(2874)



## WLS 234 Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WLS 234/1 Medium Duty</b>					295	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
1.179	1.500	<b>2.036</b>		0.26		468	(628)	546	(732)	598	(802)
2.542				0.25		450	(603)	525	(704)	575	(771)
2.864				0.24		432	(579)	504	(676)	552	(740)
<b>WLS 234/1 Light Duty</b>					295	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
1.179	1.500	<b>2.036</b>	2.542	0.29		522	(700)	609	(817)	667	(894)
2.864				0.25		466	(625)	544	(729)	596	(799)
<b>WLS 234/1 Pleasure Duty</b>					295	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
1.179	1.500	<b>2.036</b>	2.542	0.29		615	(825)	645	(864)	674	(904)
2.864				0.25		544	(729)	570	(764)	596	(799)



## WLS 334 Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WLS 334 Medium Duty</b>					340	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
1.122	<b>1.485</b>			0.30		540	(724)	630	(845)	690	(925)
2.037				0.29		522	(700)	609	(817)	667	(894)
2.407	2.538			0.28		504	(676)	588	(789)	644	(864)
2.956				0.27		486	(652)	567	(760)	621	(833)
3.522				0.26		468	(628)	546	(732)	598	(802)
<b>WLS 334 Light Duty</b>					340	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
1.122	<b>1.485</b>			0.36		648	(869)	756	(1014)	828	(1110)
2.037				0.35		630	(845)	735	(986)	805	(1080)
2.407	2.538			0.34		612	(821)	714	(957)	782	(1049)
2.956				0.33		594	(797)	693	(929)	759	(1018)
3.522				0.31		558	(748)	651	(873)	713	(956)
<b>WLS 334 Pleasure Duty</b>					340	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
1.122				0.47		987	(1324)	1034	(1387)	1081	(1450)
<b>1.485</b>	2.037			0.46		966	(1295)	1012	(1357)	1058	(1419)
2.407	2.538			0.45		945	(1267)	990	(1328)	1035	(1388)



## WLS 334 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WLS 334</b>	<b>Pleasure Duty</b>		340	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
2.956		0.38		802	(1076)	840	(1127)	879	(1178)
3.522		0.32		676	(907)	708	(950)	741	(993)



## WLS 430 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WLS 430/1</b>	<b>Medium Duty</b>		490	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.485</b>		0.51		918	(1231)	1071	(1436)	1173	(1573)
<b>2.037</b>		0.50		900	(1207)	1050	(1408)	1150	(1542)
<b>2.458</b>		0.49		882	(1183)	1029	(1380)	1127	(1511)
2.773		0.48		864	(1159)	1008	(1352)	1104	(1480)
2.905		0.47		846	(1134)	987	(1324)	1081	(1450)
3.286	3.316	0.46		828	(1110)	966	(1295)	1058	(1419)
3.550		0.43		774	(1038)	903	(1211)	989	(1326)

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WLS 430/1</b>	<b>Light Duty</b>		490	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.485</b>	<b>2.037</b> <b>2.458</b>	0.58		1044	(1400)	1218	(1633)	1334	(1789)
2.773		0.57		1026	(1376)	1197	(1605)	1311	(1758)
2.905		0.56		1008	(1352)	1176	(1577)	1288	(1727)
3.286		0.48		880	(1180)	1027	(1377)	1125	(1508)
3.316		0.46		842	(1130)	983	(1318)	1076	(1443)
3.550		0.43		774	(1038)	903	(1211)	989	(1326)

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WLS 430/1</b>	<b>Pleasure Duty</b>		490	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<b>1.485</b>	<b>2.037</b> <b>2.458</b> 2.773	0.60		1260	(1690)	1320	(1770)	1380	(1851)
2.905		0.56		1176	(1577)	1232	(1652)	1288	(1727)
3.286		0.48		1027	(1377)	1076	(1443)	1125	(1508)
3.316		0.46		983	(1318)	1030	(1381)	1076	(1443)
3.550		0.43		903	(1211)	946	(1269)	989	(1326)



# WLS 730 Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WLS 730/1 Medium Duty</b>				725		<b>1800 rpm</b>	<b>2100 rpm</b>	<b>2300 rpm *</b>			
<b>2.036</b>	<b>2.269</b>	<b>2.542</b>	<i>3.048</i>	0.85		1530	(2052)	1785	(2394)	1955	(2622)
<b>3.542</b>				0.82		1476	(1979)	1722	(2309)	1886	(2529)
<b>3.954</b>				0.76		1373	(1842)	1602	(2149)	1755	(2353)
<b>WLS 730/1L Medium Duty</b>				725		<b>1800 rpm</b>	<b>2100 rpm</b>	<b>2300 rpm *</b>			
<b>2.036</b>	<b>2.542</b>	<b>3.048</b>		0.70		1260	(1690)	1470	(1971)	1610	(2159)
<b>3.542</b>				0.60		1080	(1448)	1260	(1690)	1380	(1851)
<b>3.954</b>				0.55		990	(1328)	1155	(1549)	1265	(1696)
<b>WLS 730/1 Light Duty</b>				725		<b>1800 rpm</b>	<b>2100 rpm</b>	<b>2300 rpm *</b>			
<b>2.036</b>	<b>2.269</b>	<b>2.542</b>	<i>3.048</i>	0.92		1656	(2221)	1932	(2591)	2116	(2838)
<b>3.542</b>				0.83		1510	(2025)	1762	(2363)	1930	(2588)
<b>3.954</b>				0.76		1373	(1842)	1602	(2149)	1755	(2353)
<b>WLS 730/1L Light Duty</b>				725		<b>1800 rpm</b>	<b>2100 rpm</b>	<b>2300 rpm *</b>			
<b>2.036</b>	<b>2.542</b>	<b>3.048</b>		0.70		1260	(1690)	1470	(1971)	1610	(2159)
<b>3.542</b>				0.65		1170	(1569)	1365	(1830)	1495	(2005)
<b>3.954</b>				0.55		990	(1328)	1155	(1549)	1265	(1696)
<b>WLS 730/1 Pleasure Duty</b>				725		<b>2100 rpm</b>	<b>2200 rpm</b>	<b>2300 rpm *</b>			
<b>2.036</b>	<b>2.269</b>	<b>2.542</b>	<i>3.048</i>	0.95		1995	(2675)	2090	(2803)	2185	(2930)
<b>3.542</b>				0.83		1762	(2363)	1846	(2475)	1930	(2588)
<b>3.954</b>				0.76		1602	(2149)	1679	(2251)	1755	(2353)
<b>WLS 730/1L Pleasure Duty</b>				725		<b>2100 rpm</b>	<b>2200 rpm</b>	<b>2300 rpm *</b>			
<b>2.036</b>	<b>2.542</b>	<b>3.048</b>		0.70		1470	(1971)	1540	(2065)	1610	(2159)
<b>3.542</b>				0.65		1365	(1830)	1430	(1918)	1495	(2005)
<b>3.954</b>				0.55		1155	(1549)	1210	(1623)	1265	(1696)



# WLS 930 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WLS 930/1 Medium Duty</b>					950		<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
1.525	<b>1.730</b>	2.032			1.20		2160	(2897)	2520	(3379)	2760	(3701)
2.482					1.18		2124	(2848)	2478	(3323)	2714	(3639)
3.044					1.13		2034	(2728)	2373	(3182)	2599	(3485)
3.954					1.00		1802	(2416)	2102	(2819)	2302	(3087)
<b>WLS 930/1L Medium Duty</b>					950		<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
1.525	2.032	2.482			1.00		1800	(2414)	2100	(2816)	2300	(3084)
3.044					0.98		1764	(2366)	2058	(2760)	2254	(3023)
<b>WLS 930/1L Medium Duty</b>					950		<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
3.954					0.75		1350	(1810)	1575	(2112)	1725	(2313)
<b>WLS 930/1 Light Duty</b>					950		<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
1.525	<b>1.730</b>	2.032	2.482	3.044	1.28		2304	(3090)	2688	(3605)	2944	(3948)
3.954					1.00		1802	(2416)	2102	(2819)	2302	(3087)
<b>WLS 930/1L Light Duty</b>					950		<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
1.525	2.032	2.482	3.044		1.00		1800	(2414)	2100	(2816)	2300	(3084)
3.954					0.80		1440	(1931)	1680	(2253)	1840	(2467)
<b>WLS 930/1 Pleasure Duty</b>					950		<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
1.525	<b>1.730</b>	2.032	2.482		1.34		2814	(3774)	2948	(3953)	3082	(4133)
3.044					1.32		2772	(3717)	2904	(3894)	3036	(4071)
3.954					1.00		2102	(2819)	2202	(2953)	2302	(3087)
<b>WLS 930/1L Pleasure Duty</b>					950		<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
1.525	2.032	2.482	3.044		1.00		2100	(2816)	2200	(2950)	2300	(3084)
3.954					0.80		1680	(2253)	1760	(2360)	1840	(2467)



## WLS 1540 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WLS 1540</b>	<b>Medium Duty</b>					1450	<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2300 rpm *</b>	
2.952	3.368	3.947	4.350		1.50	2400	(3218)	2700	(3621)	3450	(4626)	
4.632					1.46	2338	(3135)	2630	(3527)	3360	(4506)	
<b>WLS 1540</b>	<b>Light Duty</b>					1450	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2300 rpm *</b>	
2.952	3.368	3.947	4.350		1.50	2700	(3621)	2925	(3922)	3450	(4626)	
4.632					1.46	2630	(3527)	2849	(3820)	3360	(4506)	



## WLS 1930 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>WLS 1930</b>	<b>Medium Duty</b>					1550	<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2300 rpm *</b>	
1.410	2.032	2.458	2.952	3.368	1.85	2960	(3969)	3330	(4466)	4255	(5706)	
3.864					1.48	2374	(3184)	2671	(3582)	3413	(4577)	
<b>WLS 1930</b>	<b>Light Duty</b>					1550	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2300 rpm *</b>	
1.410	2.032	2.458	2.952	3.368	1.85	3330	(4466)	3608	(4838)	4255	(5706)	
3.864					1.48	2671	(3582)	2894	(3881)	3413	(4577)	

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>EF 350</b>	<b>Continuous Duty</b>			695	1600 rpm		1950 rpm		2300 rpm *	
<b>4.190</b>	<b>4.737</b>	<b>5.056</b>	0.34		544	(730)	663	(889)	782	(1049)
<b>EF 370</b>	<b>Continuous Duty</b>			730	1600 rpm		1950 rpm		2300 rpm *	
<b>5.381</b>	<b>6.053</b>	<b>6.444</b>	0.34		544	(730)	663	(889)	782	(1049)
<b>EF 380</b>	<b>Continuous Duty</b>			1205	1600 rpm		1950 rpm		2300 rpm *	
<b>6.714</b>	<b>7.526</b>	<b>8.000</b>	0.34		544	(730)	663	(889)	782	(1049)
<b>EF 450</b>	<b>Continuous Duty</b>			875	1600 rpm		1950 rpm		2300 rpm *	
<b>4.190</b>	<b>4.737</b>	<b>5.056</b>	0.48		768	(1030)	936	(1255)	1104	(1480)
<b>EF 470</b>	<b>Continuous Duty</b>			1145	1600 rpm		1950 rpm		2300 rpm *	
<b>5.381</b>	<b>6.053</b>	<b>6.444</b>	0.48		768	(1030)	936	(1255)	1104	(1480)
<b>EF 480</b>	<b>Continuous Duty</b>			1565	1600 rpm		1950 rpm		2300 rpm *	
<b>6.714</b>	<b>7.526</b>	<b>8.000</b>	0.48		768	(1030)	936	(1255)	1104	(1480)
<b>EF 550</b>	<b>Continuous Duty</b>			1200	1600 rpm		1950 rpm		2300 rpm *	
<b>4.190</b>	<b>4.737</b>	<b>5.056</b>	0.63		1008	(1352)	1228	(1647)	1449	(1943)
<b>EF 570</b>	<b>Continuous Duty</b>			1425	1600 rpm		1950 rpm		2300 rpm *	
<b>5.381</b>	<b>6.053</b>	<b>6.444</b>	0.63		1008	(1352)	1228	(1647)	1449	(1943)
<b>EF 580</b>	<b>Continuous Duty</b>			1850	1600 rpm		1950 rpm		2300 rpm *	
<b>6.714</b>	<b>7.526</b>	<b>8.000</b>	0.63		1008	(1352)	1228	(1647)	1449	(1943)



# AF 200 – 800 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>AF 264</b>	<b>Continuous Duty</b>					670	1600 rpm		1800 rpm		2100 rpm *	
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>	<b>4.762</b>		0.29	469	(629)	527	(707)	615	(825)	
<b>3.519</b>	<b>4.083</b>	<b>4.500</b>	<b>4.762</b>		0.29	464	(622)	522	(700)	609	(817)	
<b>5.050</b>					0.27	432	(579)	486	(652)	567	(760)	
<b>5.476</b>					0.26	416	(558)	468	(628)	546	(732)	
<b>5.800</b>					0.24	384	(515)	432	(579)	504	(676)	
<b>AF 344</b>	<b>Continuous Duty</b>					700	1600 rpm		1800 rpm		2100 rpm *	
<b>1.972</b>	<b>2.452</b>	<b>2.963</b>			0.36	576	(772)	648	(869)	756	(1014)	
<b>3.280</b>	<b>3.571</b>				0.33	528	(708)	594	(797)	693	(929)	
<b>4.053</b>					0.31	496	(665)	558	(748)	651	(873)	
<b>AF 364</b>	<b>Continuous Duty</b>					770	1600 rpm		1800 rpm		2100 rpm *	
<b>3.485</b>	<b>3.933</b>	<b>4.481</b>	<b>4.920</b>	<b>5.435</b>	0.36	576	(772)	648	(869)	756	(1014)	
<b>6.048</b>					0.34	544	(730)	612	(821)	714	(957)	
<b>AF 665</b>	<b>Continuous Duty</b>					1700	1200 rpm		1600 rpm		1800 rpm *	
<b>2.969</b>					0.94	1132	(1517)	1509	(2023)	1697	(2276)	
<b>3.536</b>	<i>4.080</i>	<i>4.560</i>	<b>5.043</b>	<i>5.571</i>	0.77	924	(1239)	1232	(1652)	1386	(1859)	
<b>5.950</b>												
<b>AF 743</b>	<b>Continuous Duty</b>					1600	1200 rpm		1600 rpm		1800 rpm *	
<i>2.714</i>	<i>2.889</i>	<b>3.038</b>	<b>3.333</b>	<b>3.550</b>	1.00	1200	(1609)	1600	(2146)	1800	(2414)	
<b>3.952</b>					0.97	1164	(1561)	1552	(2081)	1746	(2341)	
<b>AF 763</b>	<b>Continuous Duty</b>					2100	1200 rpm		1600 rpm		1800 rpm *	
<b>4.037</b>	<b>4.625</b>	<b>5.136</b>	<b>5.429</b>	<b>5.750</b>	1.00	1200	(1609)	1600	(2146)	1800	(2414)	
<b>5.913</b>					0.97	1164	(1561)	1552	(2081)	1746	(2341)	
<b>AF 843</b>	<b>Continuous Duty</b>					2200	1200 rpm		1600 rpm		1800 rpm *	
<b>3.080</b>	<b>3.435</b>	<b>3.500</b>			1.45	1740	(2333)	2320	(3111)	2610	(3500)	
<b>3.905</b>					1.38	1656	(2221)	2208	(2961)	2484	(3331)	
<b>4.087</b>	<b>4.318</b>				1.27	1524	(2044)	2032	(2725)	2286	(3066)	
<b>AF 863</b>	<b>Continuous Duty</b>					2900	1200 rpm		1600 rpm		1800 rpm *	
<b>4.038</b>	<b>4.458</b>	<b>4.955</b>			1.45	1740	(2333)	2320	(3111)	2610	(3500)	



## AF 800 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>AF 863</b>	<b>Continuous Duty</b>			2900	1200 rpm		1600 rpm		1800 rpm *	
<b>5.500</b>	<b>5.842</b>		1.38		1656	(2221)	2208	(2961)	2484	(3331)
<b>AF 873</b>	<b>Continuous Duty</b>			3800	1200 rpm		1600 rpm		1800 rpm *	
<b>6.440</b>	<b>6.750</b>	<b>7.087</b>	1.45		1740	(2333)	2320	(3111)	2610	(3500)
<b>7.454</b>	<b>7.526</b>		1.38		1656	(2221)	2208	(2961)	2484	(3331)



## AF 1000 Series

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>AF 1143</b>	<b>Continuous Duty</b>			2200	1200 rpm		1600 rpm		1800 rpm *	
<i>1.966</i>	<i>2.429</i>	<i>3.037</i>	1.70		2040	(2736)	2720	(3648)	3060	(4103)
<b>3.500</b>			1.60		1920	(2575)	2560	(3433)	2880	(3862)
<i>3.909</i>			1.48		1776	(2382)	2368	(3175)	2664	(3572)
<b>AF 1163</b>	<b>Continuous Duty</b>			3150	1200 rpm		1600 rpm		1800 rpm *	
<i>4.500</i>	<i>4.720</i>	<i>4.958</i>	1.70		2040	(2736)	2720	(3648)	3060	(4103)
<b>5.500</b>			1.53		1836	(2462)	2448	(3283)	2754	(3693)
<i>5.810</i>			1.45		1740	(2333)	2320	(3111)	2610	(3500)
<b>AF 1173</b>	<b>Continuous Duty</b>			3300	1200 rpm		1600 rpm		1800 rpm *	
<b>6.080</b>			1.70		2040	(2736)	2720	(3648)	3060	(4103)
<i>6.696</i>			1.63		1956	(2623)	2608	(3497)	2934	(3934)
<i>6.850</i>	<i>7.045</i>	<b>7.429</b>	1.50		1800	(2414)	2400	(3218)	2700	(3621)
<b>AF 1543</b>	<b>Continuous Duty</b>			3200	1200 rpm		1300 rpm		1600 rpm *	
<i>2.032</i>	<i>2.467</i>	<i>3.038</i>	2.10		2520	(3379)	2730	(3661)	3360	(4506)
<i>3.522</i>	<b>3.857</b>		1.90		2280	(3057)	2470	(3312)	3040	(4077)
<b>AF 1563</b>	<b>Continuous Duty</b>			4300	1200 rpm		1300 rpm		1600 rpm *	
<i>4.429</i>	<i>4.846</i>		2.10		2520	(3379)	2730	(3661)	3360	(4506)
<i>5.375</i>	<b>5.444</b>	<i>5.954</i>	1.80		2160	(2897)	2340	(3138)	2880	(3862)



# AF 2000 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>AF 2365</b>	<b>Continuous Duty</b>		7800	750 rpm		1000 rpm		1100 rpm *	
<i>5.074</i>		3.45		2588	(3470)	3450	(4626)	3795	(5089)
<b>AF 2365</b>	<b>Continuous Duty</b>		7800	750 rpm		1000 rpm		1100 rpm *	
<i>6.455</i>		2.81		2108	(2826)	2810	(3768)	3091	(4145)
<b>AF 2375</b>	<b>Continuous Duty</b>		8500	750 rpm		1000 rpm		1100 rpm *	
<i>5.958</i>		3.32		2490	(3339)	3320	(4452)	3652	(4897)
<i>7.454</i>		2.81		2108	(2826)	2810	(3768)	3091	(4145)

			kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>EVS 234/1</b>	<b>Medium Duty</b>			295	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<i>1.179</i>	<i>1.500</i>	<b>2.036</b>	0.26		468	(628)	546	(732)	598	(802)
<i>2.542</i>			0.25		450	(603)	525	(704)	575	(771)
<i>2.864</i>			0.24		432	(579)	504	(676)	552	(740)
<b>EVS 334</b>	<b>Medium Duty</b>			340	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.122</b>	<b>1.485</b>		0.30		540	(724)	630	(845)	690	(925)
<b>2.037</b>			0.29		522	(700)	609	(817)	667	(894)
<b>2.407</b>	<b>2.538</b>		0.28		504	(676)	588	(789)	644	(864)
<b>2.956</b>			0.27		486	(652)	567	(760)	621	(833)
<b>3.522</b>			0.26		468	(628)	546	(732)	598	(802)
<b>EVS 430/1</b>	<b>Medium Duty</b>			490	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.485</b>			0.51		918	(1231)	1071	(1436)	1173	(1573)
<b>2.037</b>			0.50		900	(1207)	1050	(1408)	1150	(1542)
<b>2.458</b>			0.49		882	(1183)	1029	(1380)	1127	(1511)
<b>2.773</b>			0.48		864	(1159)	1008	(1352)	1104	(1480)
<b>2.905</b>			0.47		846	(1134)	987	(1324)	1081	(1450)
<b>3.286</b>	<b>3.316</b>		0.46		828	(1110)	966	(1295)	1058	(1419)
<i>3.550</i>			0.43		774	(1038)	903	(1211)	989	(1326)
<b>EVS 730/1</b>	<b>Medium Duty</b>			725	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>2.036</b>	<b>2.269</b>	<b>2.542</b>	<b>2.864</b>	<b>3.048</b>	0.85		1530	(2052)	1785	(2394)
<b>3.542</b>					0.82		1476	(1979)	1722	(2309)
<b>3.954</b>					0.76		1373	(1842)	1602	(2149)
<b>EVS 730/1L</b>	<b>Medium Duty</b>			725	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>2.864</b>					0.75		1350	(1810)	1575	(2112)
<b>2.036</b>	<b>2.542</b>	<b>3.048</b>			0.70		1260	(1690)	1470	(1971)
<b>3.542</b>					0.60		1080	(1448)	1260	(1690)
<b>3.954</b>					0.55		990	(1328)	1155	(1549)
<b>EVS 930/1</b>	<b>Medium Duty</b>			950	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.525</b>	<i>2.032</i>				1.20		2160	(2897)	2520	(3379)
<b>2.482</b>					1.18		2124	(2848)	2478	(3323)
<b>3.044</b>					1.13		2034	(2728)	2373	(3182)
<b>3.954</b>					1.00		1802	(2416)	2102	(2819)

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>EVS 930/1L Medium Duty</b>					950		<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
1.525	2.032	2.482			1.00		1800	(2414)	2100	(2816)	2300	(3084)
3.044					0.98		1764	(2366)	2058	(2760)	2254	(3023)
3.954					0.75		1350	(1810)	1575	(2112)	1725	(2313)
<b>EVS 1540 Medium Duty</b>					1450		<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2100 rpm *</b>	
<b>2.952</b>	<b>3.368</b>	<b>3.947</b>	<b>4.350</b>			1.50	2400	(3218)	2700	(3621)	3150	(4224)
4.632					1.46		2338	(3135)	2630	(3527)	3068	(4114)
<b>EVS 1930 Medium Duty</b>					1550		<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2100 rpm *</b>	
1.410	2.032	2.458	2.952	3.368	1.85		2960	(3969)	3330	(4466)	3885	(5210)
3.864					1.48		2374	(3184)	2671	(3582)	3116	(4179)
<b>EVS 234/1 Light Duty</b>					295		<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
1.179	1.500	<b>2.036</b>	2.542			0.29	522	(700)	609	(817)	667	(894)
2.864					0.25		466	(625)	544	(729)	596	(799)
<b>EVS 334 Light Duty</b>					340		<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.122</b>	<b>1.485</b>				0.36		648	(869)	756	(1014)	828	(1110)
<b>2.037</b>					0.35		630	(845)	735	(986)	805	(1080)
<b>2.407</b>	<b>2.538</b>				0.34		612	(821)	714	(957)	782	(1049)
<b>2.956</b>					0.33		594	(797)	693	(929)	759	(1018)
<b>3.522</b>					0.31		558	(748)	651	(873)	713	(956)
<b>EVS 430/1 Light Duty</b>					490		<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.485</b>	<b>2.037</b>	<b>2.458</b>			0.58		1044	(1400)	1218	(1633)	1334	(1789)
<b>2.773</b>					0.57		1026	(1376)	1197	(1605)	1311	(1758)
<b>2.905</b>					0.56		1008	(1352)	1176	(1577)	1288	(1727)
<b>3.286</b>					0.48		880	(1180)	1027	(1377)	1125	(1508)
<b>3.316</b>					0.46		842	(1130)	983	(1318)	1076	(1443)
3.550					0.43		774	(1038)	903	(1211)	989	(1326)
<b>EVS 730/1 Light Duty</b>					725		<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>2.036</b>	<b>2.269</b>	<b>2.542</b>	<b>2.864</b>	<b>3.048</b>	0.92		1656	(2221)	1932	(2591)	2116	(2838)
<b>3.542</b>					0.83		1510	(2025)	1762	(2363)	1930	(2588)
<b>3.954</b>					0.76		1373	(1842)	1602	(2149)	1755	(2353)

		kW/rpm		kg	kW (BHP)		kW (BHP)		kW (BHP)	
<b>EVS 730/1L Light Duty</b>				725	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>2.864</b>		0.82			1476	(1979)	1722	(2309)	1886	(2529)
<b>2.036</b>	<b>2.542</b> <b>3.048</b>	0.70			1260	(1690)	1470	(1971)	1610	(2159)
<b>3.542</b>		0.65			1170	(1569)	1365	(1830)	1495	(2005)
<b>3.954</b>		0.55			990	(1328)	1155	(1549)	1265	(1696)
<b>EVS 930/1 Light Duty</b>				950	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.525</b>	<i>2.032</i> <b>2.482</b> <b>3.044</b>	1.28			2304	(3090)	2688	(3605)	2944	(3948)
<b>3.954</b>		1.00			1802	(2416)	2102	(2819)	2302	(3087)
<b>EVS 930/1L Light Duty</b>				950	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<i>1.525</i>	<i>2.032</i> <i>2.482</i> <i>3.044</i>	1.00			1800	(2414)	2100	(2816)	2300	(3084)
<i>3.954</i>		0.80			1440	(1931)	1680	(2253)	1840	(2467)
<b>EVS 1540 Light Duty</b>				1450	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2100 rpm *</b>	
<b>2.952</b>	<b>3.368</b> <b>3.947</b> <b>4.350</b>	1.50			2700	(3621)	2925	(3922)	3150	(4224)
<i>4.632</i>		1.46			2630	(3527)	2849	(3820)	3068	(4114)
<b>EVS 1930 Light Duty</b>				1550	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2100 rpm *</b>	
<i>1.410</i>	<i>2.032</i> <i>2.458</i> <i>2.952</i> <i>3.368</i>	1.85			3330	(4466)	3608	(4838)	3885	(5210)
<i>3.864</i>		1.48			2671	(3582)	2894	(3881)	3116	(4179)
<b>EVS 234/1 Pleasure Duty</b>				295	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<i>1.179</i>	<i>1.500</i> <b>2.036</b> <i>2.542</i>	0.29			615	(825)	645	(864)	674	(904)
<i>2.864</i>		0.25			544	(729)	570	(764)	596	(799)
<b>EVS 334 Pleasure Duty</b>				340	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<b>1.122</b>		0.47			987	(1324)	1034	(1387)	1081	(1450)
<b>1.485</b>	<b>2.037</b>	0.46			966	(1295)	1012	(1357)	1058	(1419)
<b>2.407</b>	<b>2.538</b>	0.45			945	(1267)	990	(1328)	1035	(1388)
<b>2.956</b>		0.38			802	(1076)	840	(1127)	879	(1178)
<b>3.522</b>		0.32			676	(907)	708	(950)	741	(993)
<b>EVS 430/1 Pleasure Duty</b>				490	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<b>1.485</b>	<b>2.037</b> <b>2.458</b> <b>2.773</b>	0.60			1260	(1690)	1320	(1770)	1380	(1851)
<b>2.905</b>		0.56			1176	(1577)	1232	(1652)	1288	(1727)
<b>3.286</b>		0.48			1027	(1377)	1076	(1443)	1125	(1508)
<b>3.316</b>		0.46			983	(1318)	1030	(1381)	1076	(1443)
<i>3.550</i>		0.43			903	(1211)	946	(1269)	989	(1326)

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>EVS 730/1</b>	<b>Pleasure Duty</b>					<b>725</b>	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<b>2.036</b>	<b>2.269</b>	<b>2.542</b>	<b>2.864</b>	<b>3.048</b>	0.95		1995	(2675)	2090	(2803)	2185	(2930)
<b>3.542</b>					0.83		1762	(2363)	1846	(2475)	1930	(2588)
<b>3.954</b>					0.76		1602	(2149)	1679	(2251)	1755	(2353)
<b>EVS 730/1L</b>	<b>Pleasure Duty</b>					<b>725</b>	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<b>2.864</b>					0.85		1785	(2394)	1870	(2508)	1955	(2622)
<b>2.036</b>	<b>2.542</b>	<b>3.048</b>			0.70		1470	(1971)	1540	(2065)	1610	(2159)
<b>3.542</b>					0.65		1365	(1830)	1430	(1918)	1495	(2005)
<b>3.954</b>					0.55		1155	(1549)	1210	(1623)	1265	(1696)
<b>EVS 930/1</b>	<b>Pleasure Duty</b>					<b>950</b>	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<b>1.525</b>	<i>2.032</i>	<b>2.482</b>			1.34		2814	(3774)	2948	(3953)	3082	(4133)
<b>3.044</b>					1.32		2772	(3717)	2904	(3894)	3036	(4071)
<b>3.954</b>					1.00		2102	(2819)	2202	(2953)	2302	(3087)
<b>EVS 930/1L</b>	<b>Pleasure Duty</b>					<b>950</b>	<b>2100 rpm</b>		<b>2200 rpm</b>		<b>2300 rpm *</b>	
<i>1.525</i>	<i>2.032</i>	<i>2.482</i>	<i>3.044</i>		1.00		2100	(2816)	2200	(2950)	2300	(3084)
<b>3.954</b>					0.80		1680	(2253)	1760	(2360)	1840	(2467)
<b>EVS 1540</b>	<b>Pleasure Duty</b>					<b>1450</b>	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2100 rpm *</b>	
<b>2.952</b>	<b>3.368</b>	<b>3.947</b>	<b>4.350</b>		1.50		2700	(3621)	2925	(3922)	3150	(4224)
<b>4.632</b>					1.46		2630	(3527)	2849	(3820)	3068	(4114)
<b>EVS 1930</b>	<b>Pleasure Duty</b>					<b>1550</b>	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2100 rpm *</b>	
<i>1.410</i>	<i>2.032</i>	<i>2.458</i>	<i>2.952</i>	<i>3.368</i>	1.85		3330	(4466)	3608	(4838)	3885	(5210)
<b>3.864</b>					1.48		2671	(3582)	2894	(3881)	3116	(4179)



## VA 2400 – 2700 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>VA 2451</b>	<b>Continuous Duty</b>		5100	750 rpm		900 rpm		1200 rpm *	
3.179		4.14		3105	(4164)	3726	(4997)	4968	(6662)
5.450		2.44		1830	(2454)	2196	(2945)	2928	(3926)
<b>VA 2741</b>	<b>Continuous Duty</b>		5500	750 rpm		900 rpm		1200 rpm *	
1.500		7.40		5550	(7443)	6660	(8931)	8880	(11908)
3.944		3.80		2850	(3822)	3420	(4586)	4560	(6115)



## VA 3400 – 3500 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>VA 3451</b>	<b>Continuous Duty</b>		8700	750 rpm		900 rpm		1200 rpm *	
4.095		5.50		4125	(5532)	4950	(6638)	6600	(8851)
5.273		4.06		3047	(4086)	3657	(4904)	4876	(6538)
<b>VA 3462</b>	<b>Continuous Duty</b>		10200	750 rpm		900 rpm		1200 rpm *	
5.286		5.00		3750	(5029)	4500	(6034)	6000	(8046)
5.905		4.45		3338	(4476)	4005	(5371)	5340	(7161)
<b>VA 3541</b>	<b>Continuous Duty</b>		7600	750 rpm		900 rpm		1200 rpm *	
1.514		10.10		7575	(10158)	9090	(12190)	12120	(16253)
4.050		5.26		3945	(5290)	4734	(6348)	6312	(8464)



# VA 4800 – 4900 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>VA 4851</b>	<b>Continuous Duty</b>		12000	750 rpm		900 rpm		1200 rpm *	
<i>3.818</i>		8.40		6300	(8448)	7560	(10138)	10080	(13517)
<i>4.809</i>		6.90		5175	(6940)	6210	(8328)	8280	(11103)
<b>VA 4855</b>	<b>Continuous Duty</b>		12500	750 rpm		900 rpm		1200 rpm *	
<i>3.542</i>		10.97		8228	(11033)	9873	(13240)	13164	(17653)
<i>5.048</i>		8.11		6082	(8157)	7299	(9788)	9732	(13051)
<b>VA 4941</b>	<b>Continuous Duty</b>		9500	750 rpm		900 rpm		1200 rpm *	
<i>2.276</i>		10.67		8002	(10731)	9603	(12878)	12804	(17170)
<i>4.053</i>		7.07		5302	(7111)	6363	(8533)	8484	(11377)
<b>VA 4945</b>	<b>Continuous Duty</b>		10800	750 rpm		900 rpm		1200 rpm *	
<i>1.512</i>		10.14		7605	(10198)	9126	(12238)	12168	(16317)
<i>3.905</i>		7.07		5302	(7111)	6363	(8533)	8484	(11377)



# SVA 700 – 1000 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>SVA 751A</b>	<b>Continuous Duty</b>		-	600 rpm		750 rpm		1000 rpm *	
3.522		6.50		3900	(5230)	4875	(6537)	6500	(8716)
4.895		5.10		3060	(4103)	3825	(5129)	5100	(6839)
<b>SVA 751B</b>	<b>Continuous Duty</b>		-	600 rpm		750 rpm		1000 rpm *	
2.733		11.40		6840	(9172)	8550	(11466)	11400	(15287)
3.522		9.50		5700	(7644)	7125	(9555)	9500	(12740)
<b>SVA 801A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
3.958		6.30		3150	(4224)	4725	(6336)	6300	(8448)
5.263		5.10		2550	(3420)	3825	(5129)	5100	(6839)
<b>SVA 801B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.828		11.90		5950	(7979)	8925	(11968)	11900	(15958)
3.958		8.30		4150	(5565)	6225	(8348)	8300	(11130)
<b>SVA 851A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
3.783		8.80		4400	(5900)	6600	(8851)	8800	(11801)
4.789		7.10		3550	(4761)	5325	(7141)	7100	(9521)
<b>SVA 851B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.793		15.90		7950	(10661)	11925	(15991)	15900	(21322)
3.783		12.50		6250	(8381)	9375	(12572)	12500	(16762)
<b>SVA 901A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
4.044		8.90		4450	(5967)	6675	(8951)	8900	(11935)
5.105		7.20		3600	(4828)	5400	(7241)	7200	(9655)
<b>SVA 901B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.742		16.80		8400	(11264)	12600	(16897)	16800	(22529)
4.044		11.90		5950	(7979)	8925	(11968)	11900	(15958)
<b>SVA 951A</b>	<b>Continuous Duty</b>		-	600 rpm		750 rpm		1000 rpm *	
3.857		11.20		6720	(9012)	8400	(11264)	11200	(15019)
4.750		9.30		5580	(7483)	6975	(9353)	9300	(12471)
<b>SVA 951B</b>	<b>Continuous Duty</b>		-	600 rpm		750 rpm		1000 rpm *	
2.778		21.10		12660	(16977)	15825	(21221)	21100	(28295)
3.857		16.40		9840	(13195)	12300	(16494)	16400	(21992)
<b>SVA 1001A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
4.143		11.10		5550	(7443)	8325	(11164)	11100	(14885)
5.100		9.30		4650	(6236)	6975	(9353)	9300	(12471)



# SVA 1000 Series

		kW/rpm	kg	kW (BHP)	kW (BHP)	kW (BHP)
<b>SVA 1001B</b>	<b>Continuous Duty</b>		-	500 rpm	750 rpm	1000 rpm *
2.724		22.30		11150 (14952)	16725 (22428)	22300 (29904)
4.143		16.20		8100 (10862)	12150 (16293)	16200 (21724)
<b>SVA 1051A</b>	<b>Continuous Duty</b>		-	500 rpm	750 rpm	1000 rpm *
4.136		13.70		6850 (9186)	10275 (13779)	13700 (18372)
4.947		11.50		5750 (7711)	8625 (11566)	11500 (15422)
<b>SVA 1051B</b>	<b>Continuous Duty</b>		-	500 rpm	750 rpm	1000 rpm *
2.767		28.10		14050 (18841)	21075 (28262)	28100 (37682)
4.136		20.90		10450 (14013)	15675 (21020)	20900 (28027)
<b>SVA 1121A</b>	<b>Continuous Duty</b>		-	500 rpm	750 rpm	1000 rpm *
4.450		13.60		6800 (9119)	10200 (13678)	13600 (18238)
5.050		12.00		6000 (8046)	9000 (12069)	12000 (16092)
<b>SVA 1121B</b>	<b>Continuous Duty</b>		-	500 rpm	750 rpm	1000 rpm *
2.781		29.90		14950 (20048)	22425 (30072)	29900 (40096)
4.450		20.70		10350 (13879)	15525 (20819)	20700 (27759)
<b>SVA 1181A</b>	<b>Continuous Duty</b>		-	500 rpm	750 rpm	1000 rpm *
3.792		25.00		12500 (16762)	18750 (25144)	25000 (33525)
4.700		20.60		10300 (13812)	15450 (20718)	20600 (27625)
<b>SVA 1181B</b>	<b>Continuous Duty</b>		-	500 rpm	750 rpm	1000 rpm *
2.852		41.50		20750 (27826)	31125 (41739)	41500 (55652)
3.792		32.90		16450 (22059)	24675 (33089)	32900 (44119)
<b>SVA 1201A</b>	<b>Continuous Duty</b>		-	500 rpm	750 rpm	1000 rpm *
4.048		24.40		12200 (16360)	18300 (24540)	24400 (32720)
4.850		20.60		10300 (13812)	15450 (20718)	20600 (27625)
<b>SVA 1201B</b>	<b>Continuous Duty</b>		-	500 rpm	750 rpm	1000 rpm *
2.742		42.20		21100 (28295)	31650 (42443)	42200 (56590)
4.048		31.50		15750 (21121)	23625 (31681)	31500 (42242)
<b>SVA 1251A</b>	<b>Continuous Duty</b>		-	428 rpm	750 rpm	900 rpm *
4.237		24.40		10443 (14004)	18300 (24540)	21960 (29448)
5.100		20.50		8774 (11766)	15375 (20618)	18450 (24741)
<b>SVA 1251B</b>	<b>Continuous Duty</b>		-	428 rpm	750 rpm	900 rpm *
2.781		44.00		18832 (25254)	33000 (44253)	39600 (53104)
4.237		30.00		12840 (17218)	22500 (30172)	27000 (36207)



# SVAL 700 – 1000 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>SVAL 751A</b>	<b>Continuous Duty</b>		-	600 rpm		750 rpm		1000 rpm *	
3.522		6.50		3900	(5230)	4875	(6537)	6500	(8716)
4.895		5.10		3060	(4103)	3825	(5129)	5100	(6839)
<b>SVAL 751B</b>	<b>Continuous Duty</b>		-	600 rpm		750 rpm		1000 rpm *	
2.733		11.40		6840	(9172)	8550	(11466)	11400	(15287)
3.522		9.50		5700	(7644)	7125	(9555)	9500	(12740)
<b>SVAL 801A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
3.958		6.30		3150	(4224)	4725	(6336)	6300	(8448)
5.263		5.10		2550	(3420)	3825	(5129)	5100	(6839)
<b>SVAL 801B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.828		11.90		5950	(7979)	8925	(11968)	11900	(15958)
3.958		8.30		4150	(5565)	6225	(8348)	8300	(11130)
<b>SVAL 851A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
3.783		8.80		4400	(5900)	6600	(8851)	8800	(11801)
4.789		7.10		3550	(4761)	5325	(7141)	7100	(9521)
<b>SVAL 851B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.793		15.90		7950	(10661)	11925	(15991)	15900	(21322)
3.783		12.50		6250	(8381)	9375	(12572)	12500	(16762)
<b>SVAL 901A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
4.044		8.90		4450	(5967)	6675	(8951)	8900	(11935)
5.105		7.20		3600	(4828)	5400	(7241)	7200	(9655)
<b>SVAL 901B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.742		16.80		8400	(11264)	12600	(16897)	16800	(22529)
4.044		11.90		5950	(7979)	8925	(11968)	11900	(15958)
<b>SVAL 951A</b>	<b>Continuous Duty</b>		-	600 rpm		750 rpm		1000 rpm *	
3.857		11.20		6720	(9012)	8400	(11264)	11200	(15019)
4.750		9.30		5580	(7483)	6975	(9353)	9300	(12471)
<b>SVAL 951B</b>	<b>Continuous Duty</b>		-	600 rpm		750 rpm		1000 rpm *	
2.778		21.10		12660	(16977)	15825	(21221)	21100	(28295)
3.857		16.40		9840	(13195)	12300	(16494)	16400	(21992)
<b>SVAL 1001A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
4.143		11.10		5550	(7443)	8325	(11164)	11100	(14885)



# SVAL 1000 – 1200 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>SVAL 1001A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
5.100		9.30		4650	(6236)	6975	(9353)	9300	(12471)
<b>SVAL 1001B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.724		22.30		11150	(14952)	16725	(22428)	22300	(29904)
4.143		16.20		8100	(10862)	12150	(16293)	16200	(21724)
<b>SVAL 1051A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
4.136		13.70		6850	(9186)	10275	(13779)	13700	(18372)
4.947		11.50		5750	(7711)	8625	(11566)	11500	(15422)
<b>SVAL 1051B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.767		28.10		14050	(18841)	21075	(28262)	28100	(37682)
4.136		20.90		10450	(14013)	15675	(21020)	20900	(28027)
<b>SVAL 1121A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
4.450		13.60		6800	(9119)	10200	(13678)	13600	(18238)
5.050		12.00		6000	(8046)	9000	(12069)	12000	(16092)
<b>SVAL 1121B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.781		29.90		14950	(20048)	22425	(30072)	29900	(40096)
4.450		20.70		10350	(13879)	15525	(20819)	20700	(27759)
<b>SVAL 1181A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
3.792		25.00		12500	(16762)	18750	(25144)	25000	(33525)
4.700		20.60		10300	(13812)	15450	(20718)	20600	(27625)
<b>SVAL 1181B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.852	3.792	31.00		15500	(20786)	23250	(31178)	31000	(41571)
<b>SVAL 1201A</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
4.048		24.40		12200	(16360)	18300	(24540)	24400	(32720)
4.850		20.60		10300	(13812)	15450	(20718)	20600	(27625)
<b>SVAL 1201B</b>	<b>Continuous Duty</b>		-	500 rpm		750 rpm		1000 rpm *	
2.742	4.048	31.00		15500	(20786)	23250	(31178)	31000	(41571)
<b>SVAL 1251A</b>	<b>Continuous Duty</b>		-	428 rpm		750 rpm		900 rpm *	
4.237		24.40		10443	(14004)	18300	(24540)	21960	(29448)
5.100		20.50		8774	(11766)	15375	(20618)	18450	(24741)
<b>SVAL 1251B</b>	<b>Continuous Duty</b>		-	428 rpm		750 rpm		900 rpm *	
2.781	4.237	31.00		13268	(17792)	23250	(31178)	27900	(37414)



## VLJ 430 Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>VLJ 430</b>	<b>Medium Duty</b>				360	<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2200 rpm *</b>	
<b>1.306</b>	<b>2.037</b>	<b>2.458</b>		0.52		832	(1116)	936	(1255)	1144	(1534)
<b>2.905</b>				0.47		752	(1008)	846	(1134)	1034	(1387)
<b>VLJ 430</b>	<b>Light Duty</b>				360	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.306</b>	<b>2.037</b>	<b>2.458</b>		0.58		1044	(1400)	1218	(1633)	1334	(1789)
<b>2.905</b>				0.56		1008	(1352)	1176	(1577)	1288	(1727)
<b>VLJ 430</b>	<b>Pleasure Duty</b>				360	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.306</b>	<b>2.037</b>	<b>2.458</b>		0.60		1080	(1448)	1260	(1690)	1380	(1851)
<b>2.905</b>				0.56		1008	(1352)	1176	(1577)	1288	(1727)



## VLJ 730 Series

				kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)	
<b>VLJ 730/1</b>	<b>Medium Duty</b>				560	<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2200 rpm *</b>		
<i>1.539</i>	<i>2.036</i>	<b>2.269</b>	<b>2.542</b>	0.75		1200	(1609)	1350	(1810)	1650	(2213)	
<b>3.048</b>				0.71		1136	(1523)	1278	(1714)	1562	(2095)	
<b>VLJ 730/1</b>	<b>Light Duty</b>				560	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>		
<i>1.539</i>	<i>2.036</i>	<b>2.269</b>	<b>2.542</b>	0.92		1656	(2221)	1932	(2591)	2116	(2838)	
<b>3.048</b>				0.84		1512	(2028)	1764	(2366)	1932	(2591)	
<b>VLJ 730/1</b>	<b>Pleasure Duty</b>				560	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>		
<i>1.539</i>	<i>2.036</i>	<b>2.269</b>	<b>2.542</b>	<b>3.048</b>	0.95		1710	(2293)	1995	(2675)	2185	(2930)



## VLJ 930 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>VLJ 930/1</b>	<b>Medium Duty</b>					740	<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2200 rpm *</b>	
<b>1.186</b>	<i>1.525</i>	<b>1.725</b>	<b>1.806</b>	<b>1.849</b>	1.10		1760	(2360)	1980	(2655)	2420	(3245)
<i>2.032</i>												
<b>2.357</b>	<i>2.482</i>				1.05		1680	(2253)	1890	(2534)	2310	(3098)
<i>3.044</i>												
<b>VLJ 930/1</b>	<b>Medium Duty</b>					740	<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2200 rpm *</b>	
<i>3.044</i>					0.89		1424	(1910)	1602	(2148)	1958	(2626)
<b>VLJ 930/1</b>	<b>Light Duty</b>					740	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.186</b>	<i>1.525</i>	<b>1.725</b>	<b>1.806</b>	<b>1.849</b>	1.26		2268	(3041)	2646	(3548)	2898	(3886)
<i>2.032</i>												
<b>2.357</b>	<i>2.482</i>				1.22		2196	(2945)	2562	(3436)	2806	(3763)
<i>3.044</i>					1.05		1890	(2534)	2205	(2957)	2415	(3239)
<b>VLJ 930/1</b>	<b>Pleasure Duty</b>					740	<b>1800 rpm</b>		<b>2100 rpm</b>		<b>2300 rpm *</b>	
<b>1.186</b>	<i>1.525</i>	<b>1.725</b>	<b>1.806</b>	<b>1.849</b>	1.29		2322	(3114)	2709	(3633)	2967	(3979)
<i>2.032</i>	<b>2.357</b>	<i>2.482</i>										
<i>3.044</i>					1.22		2196	(2945)	2562	(3436)	2806	(3763)



## VLJ 1540 Series

					kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>VLJ 1540</b>	<b>Medium Duty</b>					1450	<b>1600 rpm</b>		<b>1800 rpm</b>		<b>2100 rpm *</b>	
<i>2.952</i>					1.50		2400	(3218)	2700	(3621)	3150	(4224)
<i>4.632</i>					1.46		2338	(3135)	2630	(3527)	3068	(4114)
<b>VLJ 1540</b>	<b>Light Duty</b>					1450	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2100 rpm *</b>	
<i>2.952</i>					1.50		2700	(3621)	2925	(3922)	3150	(4224)
<i>4.632</i>					1.46		2630	(3527)	2849	(3820)	3068	(4114)
<b>VLJ 1540</b>	<b>Pleasure Duty</b>					1450	<b>1800 rpm</b>		<b>1950 rpm</b>		<b>2100 rpm *</b>	
<i>2.952</i>					1.50		2700	(3621)	2925	(3922)	3150	(4224)
<i>4.632</i>					1.46		2630	(3527)	2849	(3820)	3068	(4114)

## VLJ 1930 Series

>> standard engine operating up to 5000 hours/year

		kW/rpm	kg	kW (BHP)		kW (BHP)		kW (BHP)	
<b>VLJ 1930</b>	<b>Medium Duty</b>		1150	<b>1000 rpm</b>		<b>1200 rpm</b>		<b>1950 rpm *</b>	
<i>1.410</i>	<i>3.368</i>	1.85		1850	(2481)	2220	(2977)	3608	(4838)
<b>VLJ 1930</b>	<b>Light Duty</b>		1150	<b>1000 rpm</b>		<b>1200 rpm</b>		<b>1950 rpm *</b>	
<i>1.410</i>	<i>3.368</i>	1.85		1850	(2481)	2220	(2977)	3608	(4838)
<b>VLJ 1930</b>	<b>Pleasure Duty</b>		1150	<b>1000 rpm</b>		<b>1200 rpm</b>		<b>1950 rpm *</b>	
<i>1.410</i>	<i>3.368</i>	1.85		1850	(2481)	2220	(2977)	3608	(4838)

## VLJ 2230 Series

		kW/rpm	kg	kW (BHP)		kW (BHP)		kW (BHP)	
<b>VLJ 2230</b>	<b>Medium Duty</b>		1600	<b>1000 rpm</b>		<b>1200 rpm</b>		<b>1950 rpm *</b>	
<i>1.513</i>	<i>2.920</i>	2.35		2350	(3151)	2820	(3782)	4582	(6145)
<b>VLJ 2230</b>	<b>Light Duty</b>		1600	<b>1000 rpm</b>		<b>1200 rpm</b>		<b>1950 rpm *</b>	
<i>1.513</i>	<i>2.920</i>	2.45		2450	(3285)	2940	(3943)	4778	(6407)
<b>VLJ 2230</b>	<b>Pleasure Duty</b>		1600	<b>1000 rpm</b>		<b>1200 rpm</b>		<b>1950 rpm *</b>	
<i>1.513</i>	<i>2.920</i>	2.51		2510	(3366)	3012	(4039)	4894	(6564)





# VLJ 4000 – 7000 Series

		kW/rpm	kg	kW	(BHP)	kW	(BHP)	kW	(BHP)
<b>VLJ 4431</b>	<b>Continuous Duty</b>		3600	900 rpm		1100 rpm		1200 rpm *	
1.552		6.20		5580	(7483)	6820	(9146)	7440	(9977)
2.600		4.85		4365	(5853)	5335	(7154)	5820	(7805)
<b>VLJ 6831</b>	<b>Continuous Duty</b>		3900	900 rpm		1100 rpm		1200 rpm *	
1.405		7.20		6480	(8690)	7920	(10621)	8640	(11586)
<b>VLJ 6841</b>	<b>Continuous Duty</b>		4900	900 rpm		1100 rpm		1200 rpm *	
2.097		7.20		6480	(8690)	7920	(10621)	8640	(11586)
2.840		7.00		6300	(8448)	7700	(10326)	8400	(11264)
<b>VLJ 7531</b>	<b>Continuous Duty</b>		4300	900 rpm		1100 rpm		1200 rpm *	
1.541		8.20		7380	(9897)	9020	(12096)	9840	(13195)
2.133		8.00		7200	(9655)	8800	(11801)	9600	(12874)
<b>VLJ 7541</b>	<b>Continuous Duty</b>		4850	900 rpm		1100 rpm		1200 rpm *	
1.486	2.067	9.20		8280	(11103)	10120	(13571)	11040	(14805)

Two-speed reduction gearbox with slide bearings and clutch

- CPP application
- Customised ratios
- Vertical / horizontal offset
- Optimised for all relevant PTO/PTI applications

	$i_1$	$i_2$	p/n [-]	Weight [kg]
ZSVAL 675-22	4.100	5.424	1.12	tbd
ZSVAL 750-22	5.348	7.273	2.91	tbd
ZSVAL 865-22	6.591	8.212	2.16	15000
ZSVAL 950-77 HL/HR	3.731	5.330	6.96	26000
ZSVAL 1000-55	5.522	6.561	6.36	tbd
ZSVAL 1060-77	4.609	6.857	8.33	tbd
ZSVAL 1120-99	4.762	5.930	15.20	26000
ZSVAL 1200-88	4.179	5.419	13.42	tbd
ZSVAL 1250-110	3.880	5.160	28.02	tbd



Project specific gearbox – available on request only!


# DLG/DUG Series

DLG: Twin input / single output reduction gearbox **with** clutch

DUG: Twin input / single output reduction gearbox **without** clutch

- Customised ratios
- Horizontal offset / diagonal offset
- Optional PTO/PTI
- Project specific gearbox - available on request only!

kW	1.500	2.200	3.000	3.800	4.600	5.400	6.200	7.000	7.800	8.600	9.400	10.200	11.000	11.800	12.600	13.400	14.200	15000
BHP	2.011	2.948	4.020	5092	6.164	7.236	8.308	9.380	10.452	11.524	12.596	13.668	14.740	15.812	16.884	17.956	19.028	20.100






# RDG/RDGL Series

## Engine Power

- Reduction gearbox with roller bearing for dredging application
- With or without clutch
- Vertically offset
- High operating reliability

With (RDGL) or without clutch (RDG)




# Main Dimensions

## WF

Small reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset
- Optional SAE housing




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	SAE 1	SAE 0	SAE 00	L6	Oil l	Weight kg
											L4	L4	L4			
<b>350</b>	490	910	365	282	528	-	60	285	69	601	670	670	-	790	30	670
<b>370</b>	490	930	380	346	524	-	60	325	69	587	656	656	-	800	25	730
<b>380</b>	586	1216	470	418	542	-	60	345	69	639	708	708	-	790	28	1180
<b>450</b>	404	1096	413	310	550	-	70	325	80	634	-	755	771	865	30	830
<b>470</b>	404	1096	423	380	550	-	70	345	80	697	-	818	834	681	30	1100
<b>480</b>	716	1286	520	460	549	-	70	420	80	713	-	834	850	815	30	1500
<b>550</b>	654	924	440	339	571	-	75	345	97	755	-	874	890	985	40	1200
<b>570</b>	784	1188	385	415	575	-	75	420	97	768	-	887	903	985	40	1450
<b>580</b>	790	1358	540	500	575	-	75	420	97	773	-	892	908	985	50	1850

## WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset
- Optional SAE housing



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	SAE 1	SAE 0	SAE 00	L6	Oil l	Weight kg
											L4	L4	L4			
<b>164</b>	505	660	315	290	370	-	55	285	70	595	658	658	-	685	26	525
<b>244</b>	530	640	240	215	355	-	55	240	70	560	627	627	-	685	20	455
<b>264</b>	540	670	345	315	365	-	55	285	70	595	658	658	-	685	28	700

All dimensions, weights and oil quantities are not binding and may differ in custom executions.


# Main Dimensions

## WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset
- Optional SAE housing

*table continued*




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	SAE 1	SAE 0	SAE 00	L6	Oil l	Weight kg
											L4	L4	L4			
<b>274</b>	700	830	420	380	365	-	55	325	70	600	666	666	-	690	30	725
<b>444</b>	495	740	285	270	505	-	75	300	97	720	820	820	-	810	30	760
<b>464</b>	575	800	400	375	510	-	75	325	97	725	822	822	-	810	42	940

## WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset
- Optional SAE housing




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	SAE 1	SAE 0	SAE 00	L6	Oil l	Weight kg
											L4	L4	L4			
<b>543</b>	530	840	380	310	540	-	75	325	97	775	-	895	911	935	43	1040
<b>563</b>	570	920	475	410	550	-	75	350	97	820	-	941	957	1060	50	1445

# Main Dimensions

## WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset
- Optional SAE housing




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	SAE			L6	Oil l	Weight kg
											SAE 1 L4	SAE 0 L4	SAE 00 L4			
<b>474</b>	760	1310	510	460	330	600	75	350	97	745	-	844	-	810	54	1830
<b>573</b>	690	1360	575	505	500	645	75	375	97	835	-	955	971	980	65	2365
<b>665</b>	430	1160	490	430	540	560	85	420	101	881	-	1042	1042	1200	65	1950
<b>675</b>	650	1480	610	550	540	680	85	420	101	892	-	1053	1053	1200	90	2600
<b>743</b>	610	1160	490	380	550	510	92	350	107	933	-	-	1158	1190	70	1800
<b>763</b>	680	1300	530	490	550	630	92	375	107	934	-	-	1159	1190	75	2300
<b>773</b>	790	1670	680	620	550	760	92	420	107	951	-	-	-	1190	100	3200

## WVS/WLS/EVS

Light weight reverse-reduction gearbox for propulsion with fixed pitch propeller / Light weight reduction gearbox for propulsion with controllable pitch propeller / Reduction gearbox without clutch for electric drive

- Vertical offset
- Optional SAE housing



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	SAE			L6	Oil l	Weight kg
											SAE 1 L4	SAE 0 L4	SAE 00 L4			
<b>234/1</b>	475	640	200	200	420	-	55	220	69	483	64	-	-	680	20	295
<b>334</b>	530	720	240	215	420	-	62	180	100	564	109	109	-	700	25	340
<b>430/1</b>	400	730	260	235	390	-	75	220	-	675	60	102	-	840	45	490
<b>432</b>	400	730	260	235	390	-	75	220	-	675	60	102	-	840	45	490


All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## EF

Reduction gearbox without clutch for electric drive

- Vertical offset
- Optional SAE housing




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	SAE			L6	Oil l	Weight kg
											1 L4	0 L4	00 L4			
<b>350</b>	490	910	365	282	528	-	60	285	69	601	670	670	-	790	30	670
<b>370</b>	490	930	380	346	524	-	60	325	69	587	656	656	-	800	25	730
<b>380</b>	586	1216	470	418	542	-	60	345	69	639	708	708	-	790	28	1180
<b>450</b>	404	1096	413	310	550	-	70	325	80	634	-	755	771	865	30	830
<b>470</b>	404	1096	423	380	550	-	70	345	80	697	-	818	834	681	30	1100
<b>480</b>	716	1286	520	460	549	-	70	420	80	713	-	834	850	815	30	1500
<b>550</b>	654	924	440	339	571	-	75	345	97	755	-	874	890	985	40	1200
<b>570</b>	784	1188	385	415	575	-	75	420	97	768	-	887	903	985	40	1450
<b>580</b>	790	1358	540	500	575	-	75	420	97	773	-	892	908	985	50	1850

## LF

Reduction gearbox for propulsion with controllable pitch propeller

- Vertical offset
- Optional SAE housing



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	SAE			L6	Oil l	Weight kg
											1 L4	0 L4	00 L4			
<b>350</b>	490	910	365	282	528	-	60	285	69	601	670	670	-	790	30	670
<b>370</b>	490	930	380	346	524	-	60	325	69	587	656	656	-	800	25	730
<b>380</b>	586	1216	470	418	542	-	60	345	69	639	708	708	-	790	28	1180

All dimensions, weights and oil quantities are not binding and may differ in custom executions.


# Main Dimensions

## LF

Reduction gearbox for propulsion with controllable pitch propeller

- Vertical offset
- Optional SAE housing

table continued




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	SAE			L6	Oil l	Weight kg
											SAE 1 L4	SAE 0 L4	SAE 00 L4			
<b>450</b>	404	1096	413	310	550	-	70	325	80	634	-	755	771	865	30	830
<b>470</b>	404	1096	423	380	550	-	70	345	80	697	-	818	834	681	30	1100
<b>480</b>	716	1286	520	460	549	-	70	420	80	713	-	834	850	815	30	1500
<b>550</b>	654	924	440	339	571	-	75	345	97	755	-	874	890	985	40	1200
<b>570</b>	784	1188	385	415	575	-	75	420	97	768	-	887	903	985	40	1450
<b>580</b>	790	1358	540	500	575	-	75	420	97	773	-	892	908	985	50	1850

## LAF

Reduction gearbox for propulsion with controllable pitch propeller

- Vertical offset
- Optional SAE housing



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	SAE			L6	Oil l	Weight kg
											SAE 1 L4	SAE 0 L4	SAE 00 L4			
<b>665</b>	430	1160	490	430	540	560	85	420	101	881	-	1042	1042	1200	65	1800
<b>675</b>	650	1480	610	550	540	680	85	420	101	892	-	1053	1053	1200	90	2450
<b>743</b>	610	1160	490	380	550	510	92	350	107	933	-	-	1158	1190	70	1600
<b>763</b>	680	1300	530	490	550	630	92	375	107	934	-	-	1159	1190	75	2100
<b>773</b>	790	1670	680	620	550	760	92	420	107	951	-	-	-	1190	100	3000


All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>843</b>	680	1300	530	425	550	565	107	375	142	970	1280	90	2300
<b>863</b>	705	1400	590	540	550	690	107	420	142	1000	1280	110	3100
<b>873</b>	860	1650	750	670	550	710	107	480	142	1030	1280	120	4100
<b>1143</b>	705	1400	590	450	650	600	107	420	142	1053	1368	115	2750
<b>1163</b>	855	1520	660	590	650	750	107	480	142	1085	1368	125	3600
<b>1173</b>	1000	1800	810	730	880	890	107	550	142	1008	1400	150	5000
<b>1543</b>	855	1520	660	490	650	650	117	480	154	1133	1413	175	3400
<b>1563</b>	925	1620	675	630	650	790	117	550	154	1163	1413	150	4460
<b>1943</b>	925	1620	675	485	600	645	127	550	162	1261	1556	215	4460
<b>1963</b>	970	1680	720	675	600	845	127	600	162	1281	1556	215	5540
<b>1973</b>	1000	2210	865	820	700	970	127	650	162	1347	1700	290	8500
<b>2346</b>	730	1550	630	560	600	720	162	550	200	1475	1800	140	6000
<b>2355</b>	920	1780	730	660	600	820	162	600	200	1470	1800	260	7000
<b>2365</b>	1050	2120	770	760	600	920	162	600	200	1470	1800	250	8000
<b>2375</b>	900	2120	875	865	700	1085	162	650	200	1480	1800	290	10000
<b>3445</b>	790	1660	660	600	560	760	167	600	200	1540	1870	265	7100
<b>3455</b>	930	1880	770	710	700	870	167	650	200	1550	1870	220	8500
<b>3465</b>	930	2100	850	815	700	975	167	650	200	1550	1870	420	10400
<b>3475</b>	1150	2380	970	925	700	1095	167	670	200	1570	1870	360	11500
<b>4545</b>	930	1880	770	650	600	810	187	650	235	1630	1970	290	8900
<b>4555</b>	960	1980	810	765	600	935	187	670	235	1655	1970	300	10500
<b>4566</b>	1240	2400	935	885	730	1065	187	710	235	1695	2050	430	12600
<b>4575</b>	1480	2750	1055	1010	730	1190	187	710	235	1695	2050	430	14100
<b>5645</b>	1100	1980	810	690	700	860	195	670	250	1725	2090	370	11600
<b>5655</b>	1275	2240	870	815	700	995	195	710	250	1765	2090	410	13200

All dimensions, weights and oil quantities are not binding and may differ in custom executions.


# Main Dimensions

## WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset

table continued




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>5666</b>	1395	2420	980	935	700	1135	195	750	250	1870	2090	500	16000
<b>5675</b>	1600	2700	1110	1055	700	1255	195	800	250	1710	2090	600	18000
<b>6745</b>	1275	2240	870	735	950	915	217	710	265	1870	2220	520	15000
<b>6755</b>	1280	2280	930	880	950	1080	217	750	265	1875	2220	550	17000
<b>6766</b>	1500	2450	1040	1000	1000	1260	217	800	265	1915	2220	600	18000
<b>7740</b>	1280	2280	930	800	900	1000	217	750	305	1985	2390	570	17000
<b>7750</b>	1300	2300	910	900	900	1100	217	800	305	2030	2390	630	19000
<b>7760</b>	1500	2450	1040	1050	1000	1310	217	900	305	2110	2390	800	20500

## WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Horizontal offset



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>2346</b>	1160	1980	600	560	1250	160	162	550	198	1485	1800	260	7200
<b>2355</b>	1000	2180	680	660	1250	160	162	600	198	1470	1800	330	7500
<b>2365</b>	1481	2100	770	760	1290	350	162	600	198	1470	1800	400	9400
<b>3445</b>	1240	2060	660	600	1150	160	167	600	198	1540	1880	265	8200

All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Horizontal offset





table continued

Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>3455</b>	1550	2430	770	710	1200	160	167	650	198	1550	1880	425	9800
<b>4545</b>	1450	1950	710	650	1350	160	187	650	237	1630	1970	360	10500
<b>4555</b>	1600	2470	820	765	1300	170	187	670	237	1655	1970	350	11800
<b>5666</b>	1545	2050	740	690	1350	400	197	670	251	1725	2080	500	13000
<b>6745</b>	1550	2150	780	735	1350	445	217	710	263	1875	2210	600	15200
<b>6755</b>	1810	2590	920	880	1380	445	217	750	263	1875	2210	650	17600

## WVS

Light weight reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>730/1</b>	650	1036	323	310	540	340	92	260	110	795	965	60	725
<b>732</b>	650	1036	323	310	540	340	92	260	110	795	965	60	725
<b>930/1</b>	750	1166	348	340	560	385	102	280	120	845	1024	80	950
<b>932</b>	750	1166	348	340	560	385	102	280	120	845	1024	80	950
<b>1540</b>	650	1300	390	390	700	405	107	330	142	952	1375	88	1450
<b>1930</b>	500	1340	400	390	650	405	117	330	154	1032	1300	80	1550

All dimensions, weights and oil quantities are not binding and may differ in custom executions.


# Main Dimensions

## WVS

Light weight reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset

table continued




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>2230</b>	700	1500	500	460	550	475	127	350	162	1180	1480	140	2150
<b>2240</b>	700	1500	500	460	550	475	127	390	162	1180	1480	150	2185

## WVSA

Light weight reverse-reduction gearbox for propulsion with fixed pitch propeller, Down Angle

- Vertical offset
- 8° between input and output shaft




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>1542</b>	650	1380	860	458	600	370	117	420	142	909	1200	140	1700
<b>1942</b>	650	1420	960	500	640	415	117	330	154	997	1400	170	2050

# Main Dimensions

## WWSA

Light weight reverse-reduction gearbox for propulsion with fixed pitch propeller, Down Angle

- Vertical offset
- 8° between input and output shaft




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>740</b>	560	1180	342	412	300	415	92	345	107	781	1050	-	970
<b>940</b>	640	1300	386	457	300	480	107	390	142	864	1200	-	1300
<b>1540</b>	760	1530	415	509	400	525	117	420	154	970	1250	-	1800

## WWSFA

Light weight reverse-reduction gearbox for propulsion with fixed pitch propeller, Down Angle

- V-drive




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>442</b>	540	1090	880	557	470	425	75	280	97	65	1080	60	900
<b>742</b>	560	1130	810	567	390	510	92	300	107	103	1330	88	1100
<b>942</b>	560	1170	890	629	425	585	102	300	117	132	1420	98	1350

# Main Dimensions

## EVS

Reduction gearbox without clutch for electric drive

- Vertical offset




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>730/1</b>	650	1036	323	310	540	340	92	260	110	795	965	60	575
<b>930/1</b>	750	1166	348	340	560	385	102	280	120	845	1024	80	750
<b>1540</b>	650	1300	390	390	700	405	107	330	142	952	1375	88	1136
<b>1930</b>	500	1340	400	390	650	405	117	330	154	1032	1300	80	1214
<b>2230</b>	700	1500	500	460	550	475	127	350	162	1180	1480	140	1750
<b>2240</b>	700	1500	500	460	550	475	127	390	162	1180	1480	150	1830

## LAF

Reduction gearbox for propulsion with controllable pitch propeller

- Vertical offset



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>843</b>	680	1300	530	425	550	565	107	375	142	970	1280	90	2640
<b>863</b>	705	1400	590	540	550	690	107	420	142	1000	1280	110	2850
<b>873</b>	860	1650	750	670	550	710	107	480	142	1030	1280	120	3850
<b>1143</b>	705	1400	590	450	650	600	107	420	142	1053	1368	115	2450
<b>1163</b>	855	1520	660	590	650	750	107	480	142	1085	1368	125	3300
<b>1173</b>	1000	1800	810	730	880	890	107	550	142	1008	1400	150	4600

All dimensions, weights and oil quantities are not binding and may differ in custom executions.


# Main Dimensions

## LAF

Reduction gearbox for propulsion with controllable pitch propeller

- Vertical offset

table continued




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>1543</b>	855	1520	660	490	650	650	117	480	154	1133	1413	175	3000
<b>1563</b>	925	1620	675	630	650	790	117	550	154	1163	1413	150	4000
<b>1943</b>	925	1620	675	485	600	645	127	550	162	1261	1556	215	4060
<b>1963</b>	970	1680	720	675	600	845	127	600	162	1281	1556	215	4940
<b>1973</b>	1000	2210	865	820	700	970	127	650	162	1347	1700	290	7580
<b>2355</b>	920	1780	730	660	600	820	162	600	200	1470	1800	260	6300
<b>3445</b>	790	1660	660	600	560	760	167	600	200	1540	1870	265	6400
<b>3455</b>	930	1880	770	710	700	870	167	650	200	1550	1870	220	7800
<b>3465</b>	930	2100	850	815	700	975	167	650	200	1550	1870	420	9700
<b>3475</b>	1150	2380	970	925	700	1095	167	670	200	1570	1870	360	10800
<b>4545</b>	930	1880	770	650	750	810	187	650	235	1630	1970	290	8000
<b>4555</b>	960	1980	810	765	750	935	187	670	235	1655	1970	300	9500
<b>4566</b>	1240	2400	935	885	750	1065	187	710	235	1695	2050	430	11100
<b>4575</b>	1480	2750	1055	1010	750	1190	187	710	235	1695	2050	450	13100

# Main Dimensions

## LAF

Reduction gearbox for propulsion with controllable pitch propeller

- Vertical offset




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>2346</b>	730	1550	630	560	600	720	162	550	200	1475	1800	140	5200
<b>2365</b>	1050	2120	770	760	600	920	162	600	200	1470	1800	250	7000
<b>2375</b>	900	2120	875	865	700	1085	162	650	200	1480	1800	290	9200
<b>5645</b>	1100	1980	810	690	900	860	195	670	250	1725	2090	370	9000
<b>5655</b>	1275	2240	870	815	900	995	195	710	250	1765	2090	410	11800
<b>5666</b>	1395	2420	980	935	900	1135	195	750	250	1870	2090	500	13800
<b>5675</b>	1600	2700	1110	1055	900	1255	195	800	250	1710	2090	600	17000
<b>6745</b>	1275	2240	870	735	900	915	217	710	265	1870	2220	420	12000
<b>6755</b>	1280	2280	930	880	900	1080	217	750	265	1875	2220	420	13800
<b>6766</b>	1500	2450	1040	1000	900	1260	217	800	265	1915	2220	580	17000
<b>7740</b>	1280	2280	930	800	900	1000	217	750	305	1985	2390	570	15500
<b>7750</b>	1300	2300	910	900	900	1100	217	800	305	2030	2390	630	16500
<b>7760</b>	1500	2450	1040	1050	900	1310	217	900	305	2110	2390	800	17500

# Main Dimensions

## LAF

Reduction gearbox for propulsion with controllable pitch propeller

- Horizontal offset




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>2346</b>	1160	1980	600	560	1250	160	162	550	198	1485	1800	210	6500
<b>2355</b>	1000	2180	680	660	1250	160	162	600	198	1470	1800	275	6800
<b>2365</b>	1481	2100	770	760	1290	350	162	600	198	1470	1800	400	8600
<b>3445</b>	1240	2060	660	600	1150	160	167	600	198	1540	1880	265	7500
<b>3455</b>	1550	2430	770	710	1200	160	167	650	198	1550	1880	425	9100
<b>4545</b>	1450	1950	710	650	1350	160	187	650	237	1630	1970	350	9600
<b>4555</b>	1600	2470	820	765	1300	170	187	670	237	1655	1970	400	10800
<b>5666</b>	1545	2050	740	690	1350	400	197	670	251	1725	2080	540	12500
<b>6745</b>	1550	2150	780	735	1350	445	217	710	263	1875	2210	420	14200
<b>6755</b>	1810	2590	920	880	1380	445	217	750	263	1875	2210	680	16600

## WLS

Light weight reduction gearbox for propulsion with controllable pitch propeller

- Vertical offset



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>730/1</b>	650	1036	323	310	540	340	92	260	110	795	965	60	575
<b>930/1</b>	750	1166	348	340	560	385	102	280	120	845	1024	80	750


All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## WLS

Light weight reduction gearbox for propulsion with controllable pitch propeller

- Vertical offset




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg
<b>1540</b>	650	1300	390	390	700	405	107	330	142	952	1375	-	1136
<b>1930</b>	500	1340	400	390	650	405	117	330	154	1032	1300	80	1214
<b>2230</b>	700	1500	500	460	550	475	127	350	162	1180	1480	-	1750
<b>2240</b>	700	1500	500	460	550	475	127	390	162	1180	1480	-	1830

## DLG

Twin input/single output reduction gearbox with hydraulically operated clutches

- Horizontal offset
- Quoted power for size orientation only



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg	kW/rpm
<b>1113</b>	2040	3050	1000	2000	1255	350	107	620	142	1240	1430	460	9500	<b>3,26</b>
<b>1116</b>	1900	3000	1000	2000	1350	350	107	560	142	1450	1640	600	12000	<b>3,26</b>
<b>1120</b>	1400	2400	815	1600	1200	380	107	650	142	1235	1450	270	8400	<b>3,26</b>
<b>1513</b>	2040	3050	1000	2000	1250	350	117	510	154	1510	1730	460	9500	<b>4,08</b>
<b>1516</b>	2400	3330	750	2250	1800	400	117	600	154	1398	1650	600	13500	<b>4,08</b>
<b>1525</b>	2200	3250	1090	2200	1550	380	117	650	154	1480	1720	575	13800	<b>4,08</b>
<b>1913</b>	2100	2780	1000	2000	1650	400	127	550	162	1440	1750	850	10500	<b>4,40</b>


All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## DLG

Twin input/single output reduction gearbox with hydraulically operated clutches

- Horizontal offset
- Quoted power for size orientation only




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	L6	Oil l	Weight kg	kW/rpm
<b>1916</b>	2880	3400	1150	2500	1800	360	127	600	162	1450	1750	850	15000	<b>4,40</b>
<b>1925</b>	2700	3500	1310	2500	1800	460	127	670	162	1440	1750	850	16000	<b>4,40</b>
<b>1931</b>	2700	3900	1210	2300	1640	540	127	710	162	1735	2000	900	22500	<b>4,40</b>
<b>2316</b>	2000	2800	1030	2300	1580	390	162	600	198	1620	2000	900	19000	<b>4,90</b>
<b>3325</b>	2250	3060	1250	2500	1500	440	167	770	198	1715	1920	850	19000	<b>6,50</b>
<b>3331</b>	2080	3060	1250	2500	1500	440	167	915	198	1765	1900	600	20000	<b>6,50</b>
<b>4431</b>	2700	3200	1260	2500	1750	450	187	710	237	1920	2210	1000	24000	<b>7,60</b>
<b>4447</b>	2800	3900	1300	2500	1730	500	187	820	237	2090	2300	1200	26000	<b>7,60</b>
<b>5520</b>	2800	3580	1250	2500	1800	500	197	650	251	1870	2115	1400	28000	<b>10,00</b>
<b>5539</b>	2100	3460	1315	2800	1700	640	197	705	251	1995	2115	1800	31000	<b>10,00</b>
<b>5547</b>	2800	3580	1250	2500	1800	640	197	800	251	2030	2400	1300	28000	<b>10,00</b>
<b>5573</b>	3300	4180	1410	2800	2050	800	197	860	251	2300	2400	1500	32000	<b>10,00</b>
<b>6673</b>	2900	4250	1400	2800	1850	675	217	860	263	2540	2350	1800	37000	<b>12,00</b>
<b>7747</b>	3300	4300	1250	2800	1770	550	217	737	306	2255	2560	1850	31000	<b>15,74</b>
<b>7773</b>	3200	4300	1250	2800	1800	550	217	750	306	2255	2560	1850	31500	<b>15,74</b>
<b>8890</b>	3250	4100	1425	2800	1750	500	247	900	321	2370	2700	1500	42000	<b>20,00</b>
<b>9990</b>	3000	5220	1550	3400	2050	750	247	900	321	2800	3000	2500	51000	<b>27,00</b>
<b>110131</b>	3000	5450	1550	3400	2050	750	315	950	405	2435	3600	1500	61000	<b>44,00</b>

# Main Dimensions

## RDG

Reduction gearbox without clutch for dredging pump

- Vertical offset




Size	B1	B2	B3	H1	H2	H3	H4	D1	D2	L1	L2	L3	L4	Oil l	Weight kg
<b>355</b>	700	1060	-	410	355	600	150	-	-	135	975	7	450	55	1300
<b>400</b>	900	1300	-	460	400	600	150	-	-	107	1022	11	570	60	2000
<b>500</b>	1000	1500	-	510	500	600	160	-	-	107	1062	51	680	60	2450

## RDGL

Reduction gearbox with clutch for dredging pump

- Vertical offset



Size	B1	B2	B3	H1	H2	H3	H4	D1	D2	L1	L2	L3	L4	Oil l	Weight kg
<b>200</b>	400	720	-	360	200	440	230	-	-	90	970	168	480	55	550
<b>250</b>	600	1000	-	460	250	550	350	-	-	105	1177	160	600	65	1000
<b>320</b>	800	1150	-	560	320	830	350	-	-	125	1435	173	720	80	1650
<b>355</b>	700	1060	-	410	355	650	150	-	-	135	1335	347	450	85	1800
<b>600</b>	1200	1800	-	660	600	800	200	-	-	175	1625	401	600	140	4500
<b>800</b>	1610	2200	-	740	800	850	160	-	-	162	1462	300	850	200	7000


All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## VA

Reduction gearbox without clutch for propulsion with controllable pitch propeller

- Vertical offset




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	Oil l	Weight kg
<b>2451</b>	1090	1650	660	600	890	820	157	600	183	1487	150	5100
<b>2741</b>	800	1650	720	560	840	760	187	600	237	1407	200	5500
<b>3451</b>	1100	2000	860	720	860	940	187	650	237	1450	300	8700
<b>3462</b>	1720	2150	900	820	1080	1040	187	650	237	1666	360	10200
<b>3541</b>	1000	1780	760	630	840	850	197	650	251	1485	230	7600
<b>4851</b>	1230	2250	900	820	970	1040	197	750	263	1566	360	12000
<b>4855</b>	1220	2000	880	850	970	1130	217	750	306	1626	300	12500

## VA

Reduction gearbox without clutch for propulsion with controllable pitch propeller

- Vertical offset



Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	Oil l	Weight kg
<b>2451</b>	1535	1935	650	560	430	650	220	770	250	1700	350	5100
<b>3451</b>	1470	1890	810	720	455	940	187	650	237	1747	400	8700
<b>3541</b>	1340	1850	760	630	472	828	220	650	251	1600	400	7600
<b>4855</b>	2050	2460	880	900	500	1300	190	690	266	1934	650	12500


All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## VLJ

Light weight reduction gear for water jet propulsion

- Vertical offset




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	Oil l	Weight kg
<b>430</b>	540	-	270	235	185	-	75	220	97	686	28	360
<b>730/1</b>	640	-	325	310	480	-	92	260	110	795	40	560
<b>930/1</b>	720	-	350	340	500	-	102	280	120	870	50	740
<b>1930</b>	800	-	400	390	700	-	117	330	154	1032	100	1150
<b>2230</b>	920	-	460	460	600	-	127	390	162	1150	150	1600

## VLJ

Light weight reduction gear for water jet propulsion

- Horizontal offset




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	Oil l	Weight kg
<b>430</b>	540	550	270	235	185	-	75	220	97	686	28	360
<b>730/1</b>	600	640	325	310	220	-	92	260	110	795	40	560
<b>930/1</b>	680	720	350	340	240	-	102	280	120	870	50	740
<b>1930</b>	800	830	400	390	280	-	117	330	154	1032	100	1150
<b>2230</b>	760	920	460	460	300	-	127	390	162	1150	150	1600

# Main Dimensions

## VLJ

Light weight reduction gear for water jet propulsion

- Horizontal offset




Size	B1	B2	H1	H2	H3	H4	D1	D2	L1	L2	Oil l	Weight kg
<b>4431</b>	1050	1750	550	560	800	180	187	550	237	1600	200	3500
<b>6831</b>	1170	1690	565	600	900	180	187	600	237	1500	230	3600
<b>6841</b>	1005	1945	640	650	1000	55	187	650	237	1635	160	4500
<b>7531</b>	1310	1850	600	630	990	180	197	650	251	1700	180	4300
<b>7541</b>	1320	1975	640	665	1000	60	197	650	251	1700	180	4600

## Hybrid System WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset



1) standard gearbox weight 2) weight with E-motor

Size	Motor ekW	B1	B2	B3	D1	D2	D3	H1	H2	H3	H4	H5	H6	H7	
								L1	L2	L3	L4	kg 1) kg 2)			
<b>344</b>	<b>HS06</b>	570	720	201	60	285	-	265	250	590	249	-	-	-	
		60						80	644	-	1492			-	1160

# Main Dimensions

## Hybrid System WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset




table continued

1) standard gearbox weight 2) weight with E-motor

Size	Motor ekW	B1	B2	B3	D1	D2	D3	H1 L1	H2 L2	H3 L3	H4 L4	H5	H6 kg 1)	H7 kg 2)
<b>344</b>	<b>HS10</b> 100	570	720	201	60	285	-	265 80	250 644	590 -	249 1712	-	- -	- 1280
<b>364</b>	<b>HS06</b> 60	580	750	213	60	325	-	380 80	345 667	590 -	372 1509	-	- -	- 1310
<b>364</b>	<b>HS10</b> 100	580	750	213	60	325	-	380 80	345 667	590 -	372 1729	-	- -	- 1430
<b>374</b>	<b>HS06</b> 60	800	930	216	60	325	-	460 80	410 667	590 -	448 1509	-	- -	- 1570
<b>374</b>	<b>HS10</b> 100	800	930	216	60	325	-	460 80	410 667	590 -	448 1729	-	- -	- 1690
<b>444</b>	<b>HS06</b> 60	493	804	208	75	300	-	285 97	270 721	670 -	272 1630	-	- -	- 1240
<b>444</b>	<b>HS10</b> 100	493	804	208	75	300	-	285 97	270 721	670 -	272 1850	-	- -	- 1360
<b>464</b>	<b>HS06</b> 60	575	800	219	75	325	-	400 97	375 723	670 -	405 1630	-	- -	- 1435
<b>464</b>	<b>HS10</b> 100	575	800	219	75	325	-	400 97	375 723	670 -	405 1850	-	- -	- 1550
<b>474</b>	<b>HS06</b> 60	760	1040	223	75	350	-	510 97	460 745	580 -	503 1630	-	- -	- 1910
<b>474</b>	<b>HS10</b> 100	760	1040	223	75	350	-	510 97	460 745	580 -	503 1850	-	- -	- 2030

All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## Hybrid System WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset




table continued

1) standard gearbox weight 2) weight with E-motor


Size	Motor ekW	B1	B2	B3	D1	D2	D3	H1	H2	H3	H4	H5	H6	H7
								L1	L2	L3	L4		kg 1)	kg 2)
<b>543</b>	<b>HS06</b> 60	535	840	229	75	325	-	380	310	735	309	-	-	-
								97	776	-	1748		-	1560
<b>543</b>	<b>HS10</b> 100	535	840	229	75	325	-	380	310	735	309	-	-	-
								97	776	-	1968		-	1680
<b>563</b>	<b>HS06</b> 60	570	920	238	75	350	-	475	410	700	434	-	-	-
								97	822	-	1748		-	1850
<b>563</b>	<b>HS10</b> 100	570	920	238	75	350	-	475	410	700	434	-	-	-
								97	822	-	1968		-	1970
<b>573</b>	<b>HS06</b> 60	690	1080	242	75	375	-	575	505	590	543	-	-	-
								97	836	-	1748		-	2350
<b>573</b>	<b>HS10</b> 100	690	1080	242	75	375	-	575	505	590	543	-	-	-
								97	836	-	1968		-	2470

# Main Dimensions

## Hybrid System WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset



1) standard gearbox weight 2) weight with E-motor

Size	Motor ekW	B1	B2	B3	D1	D2	D3	H1	H2	H3	H4	H5	H6	H7
								L1	L2	L3	L4	kg 1)		kg 2)
665	HS20	430	1160	-	85	420	80	490	680	250	430	560	315	765
	200							101	979	1085	2390	2400	3600	
665	HS31	430	1160	-	85	420	80	490	680	250	430	560	315	800
	315							101	979	1085	2555	2400	4050	
665	HS40	430	1160	-	85	420	80	490	680	250	430	560	355	990
	400							101	979	1085	2680	2400	4500	
675	HS20	650	1480	-	85	420	80	610	800	250	550	680	315	765
	200							101	990	1085	2390	3000	4200	
675	HS31	650	1480	-	85	420	80	610	800	250	550	680	315	800
	315							101	990	1085	2555	3000	4650	
675	HS40	650	1480	-	85	420	80	610	800	250	550	680	355	990
	400							101	990	1085	2680	3000	5100	
743	HS20	610	1160	-	92	350	100	490	680	300	380	510	315	765
	200							107	1046	1186	2490	2300	3500	
743	HS31	610	1160	-	92	350	100	490	680	300	380	510	315	800
	315							107	1046	1186	2655	2300	3950	
743	HS40	610	1160	-	92	350	100	490	680	300	380	510	355	990
	400							107	1046	1186	2785	2300	4400	
743	HS50	610	1160	-	92	350	100	490	680	300	380	510	355	940
	500							107	1046	1186	2895	2300	4870	
743	HS63	610	1160	-	92	350	100	490	680	300	380	510	400	970
	630							107	1046	1186	3125	2300	5610	

All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## Hybrid System WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset




table continued

1) standard gearbox weight 2) weight with E-motor

Size	Motor ekW	B1	B2	B3	D1	D2	D3	H1	H2	H3	H4	H5	H6	H7
								L1	L2	L3	L4	kg 1)		kg 2)
<b>763</b>	<b>HS20</b> 200	680	1300	-	92	375	100	530	790	300	490	630	315	765
								107	1047	1187	2490	2800	4000	
<b>763</b>	<b>HS31</b> 315	680	1300	-	92	375	100	530	790	300	490	630	315	800
								107	1047	1187	2655	2800	4450	
<b>763</b>	<b>HS40</b> 400	680	1300	-	92	375	100	530	790	300	490	630	355	990
								107	1047	1187	2785	2800	4900	
<b>763</b>	<b>HS50</b> 500	680	1300	-	92	375	100	530	790	300	490	630	355	940
								107	1047	1187	2893	2800	5370	
<b>763</b>	<b>HS63</b> 630	680	1300	-	92	375	100	530	790	300	490	630	400	970
								107	1047	1187	3125	2800	6110	
<b>773</b>	<b>HS20</b> 200	790	1670	-	92	420	100	680	920	300	620	760	315	765
								107	1064	1204	2510	3700	4900	
<b>773</b>	<b>HS31</b> 315	790	1670	-	92	420	100	680	920	300	620	760	315	800
								107	1064	1204	2670	3700	5350	
<b>773</b>	<b>HS40</b> 400	790	1670	-	92	420	100	680	920	300	620	760	355	990
								107	1064	1204	2800	3700	5800	
<b>773</b>	<b>HS50</b> 500	790	1670	-	92	420	100	680	920	300	620	760	355	940
								107	1064	1204	2910	3700	6270	
<b>773</b>	<b>HS63</b> 630	790	1670	-	92	420	100	680	920	300	620	760	400	970
								107	1064	1204	3140	3700	7010	
<b>843</b>	<b>HS20</b> 200	680	1300	-	107	375	100	530	725	350	425	565	315	765
								142	1090	1224	2530	2900	4100	

All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## Hybrid System WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset




table continued

1) standard gearbox weight 2) weight with E-motor

Size	Motor ekW	B1	B2	B3	D1	D2	D3	H1	H2	H3	H4	H5	H6	H7
								L1	L2	L3	L4	kg 1)		kg 2)
<b>843</b>	<b>HS31</b>	680	1300	-	107	375	100	530	725	350	425	565	315	800
	142							1090	1224	2690	2900	4550		
<b>843</b>	<b>HS40</b>	680	1300	-	107	375	100	530	725	350	425	565	355	990
	142							1090	1224	2820	2900	5000		
<b>843</b>	<b>HS50</b>	680	1300	-	107	375	100	530	725	350	425	565	355	940
	142							1090	1224	2930	2900	5470		
<b>843</b>	<b>HS63</b>	680	1300	-	107	375	100	530	725	350	425	565	400	970
	142							1090	1224	3160	2900	6210		
<b>863</b>	<b>HS20</b>	705	1400	-	107	420	100	590	840	350	540	690	315	765
	142							1120	1254	2560	3600	4800		
<b>863</b>	<b>HS31</b>	705	1400	-	107	420	100	590	840	350	540	690	315	800
	142							1120	1254	2720	3600	5250		
<b>863</b>	<b>HS40</b>	705	1400	-	107	420	100	590	840	350	540	690	355	990
	142							1120	1254	2850	3600	5700		
<b>863</b>	<b>HS50</b>	705	1400	-	107	420	100	590	840	350	540	690	355	940
	142							1120	1254	2960	3600	6170		
<b>863</b>	<b>HS63</b>	705	1400	-	107	420	100	590	840	350	540	690	400	970
	142							1120	1254	3190	3600	6910		
<b>873</b>	<b>HS20</b>	860	1650	-	107	480	100	750	970	350	670	710	315	765
	142							1150	1284	2590	4600	5800		
<b>873</b>	<b>HS31</b>	860	1650	-	107	480	100	750	970	350	670	710	315	800
	142							1150	1284	2750	4600	6250		

All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## Hybrid System WAF

Reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset




table continued

1) standard gearbox weight 2) weight with E-motor


Size	Motor ekW	B1	B2	B3	D1	D2	D3	H1	H2	H3	H4	H5	H6	H7
								L1	L2	L3	L4			
												kg 1)	kg 2)	
<b>873</b>	<b>HS40</b>	860	1650	-	107	480	100	750	970	350	670	710	355	990
	400							142	1150	1284	2880	4600	6700	
<b>873</b>	<b>HS50</b>	860	1650	-	107	480	100	750	970	350	670	710	355	940
	500							142	1150	1284	2990	4600	7170	
<b>873</b>	<b>HS63</b>	860	1650	-	107	480	100	750	970	350	670	710	400	970
	630							142	1150	1284	3220	4600	7910	

# Main Dimensions

## Hybrid System WAF

Light weight reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset



1) standard gearbox weight 2) weight with E-motor

Size	Motor ekW	B1	B2	B3	D1	D2	D3	H1	H2	H3	H4	H5	H6	H7
								L1	L2	L3	L4	kg 1)		kg 2)
<b>730</b>	<b>HS20</b>	650	1036	-	92	260	80	373	560	250	310	340	315	765
	200							110	893	1075	2380	1000	2200	
<b>730</b>	<b>HS31</b>	650	1036	-	92	260	80	373	560	250	310	340	315	800
	315							110	893	1075	2545	1000	2650	
<b>730</b>	<b>HS40</b>	650	1036	-	92	260	80	373	560	250	310	340	355	990
	400							110	893	1075	2670	1000	3100	
<b>930</b>	<b>HS20</b>	750	1166	-	102	280	100	398	620	250	340	385	315	765
	200							120	961	1152	2455	1300	2500	
<b>930</b>	<b>HS31</b>	750	1166	-	102	280	100	398	620	250	340	385	315	800
	315							120	961	1152	2620	1300	2950	
<b>930</b>	<b>HS40</b>	750	1166	-	102	280	100	398	620	250	340	385	355	990
	400							120	961	1152	2750	1300	3400	
<b>930</b>	<b>HS50</b>	750	1166	-	102	280	100	398	620	250	340	385	355	940
	500							120	961	1152	2860	1300	3870	
<b>930</b>	<b>HS63</b>	750	1166	-	102	280	100	398	620	250	340	385	400	970
	630							120	961	1152	3090	1300	4610	
<b>1540</b>	<b>HS20</b>	650	1300	-	107	330	100	440	690	300	390	405	315	765
	200							142	1065	1179	2485	1800	3000	
<b>1540</b>	<b>HS31</b>	650	1300	-	107	330	100	440	690	300	390	405	315	800
	315							142	1065	1179	2645	1800	3450	
<b>1540</b>	<b>HS40</b>	650	1300	-	107	330	100	440	690	300	390	405	355	990
	400							142	1065	1179	2775	1800	3900	

All dimensions, weights and oil quantities are not binding and may differ in custom executions.

# Main Dimensions

## Hybrid System WAF

Light weight reverse-reduction gearbox for propulsion with fixed pitch propeller

- Vertical offset




table continued

1) standard gearbox weight 2) weight with E-motor

Size	Motor ekW	B1	B2	B3	D1	D2	D3	H1	H2	H3	H4	H5	H6	H7
								L1	L2	L3	L4	kg 1) kg 2)		
<b>1540</b>	<b>HS50</b>	650	1300	-	107	330	100	440	690	300	390	405	355	940
	500							142	1065	1179	2885	1800	4370	
<b>1540</b>	<b>HS63</b>	650	1300	-	107	330	100	440	690	300	390	405	400	970
	630							142	1065	1179	3115	1800	5110	



# Main Dimensions

## Hybrid Ready Gearboxes

- Hybrid ready gearboxes based on standard gearboxes WAF, WVS
- For available standard types and sizes see table:


	Gearbox type*	
	WAF/LAF	WVS
Gearbox Size	344 - 573	730/1
	665 - 1143	930/1
	-	1540

- Main ratio based on basic gearbox
- For power/speed ratios please refer to basic gearbox
- Additional sizes/types on request
- Related electric motor and frequency converter as a system available on request
- Electrical power >630 ekW available on request
- For PTI or PTI + Boost or PTI/PTO or PTI/PTO + Boost

\* WAF = cast iron  
WVS = aluminium


## Hybrid Systems

- Hybrid system consists of gearbox, electric motor, frequency converter
- System is compatible with various electric grids and configurable for different applications
- PTI – PTO – PTH – Boost mode separately and combinations thereof
- Electric power available from 60 to 630 kW



# Main Dimensions

## Frequency Converter



Hybrid System		Converter 1 (PTI/Booster)				Converter 2 (PTO/PTI/Booster)			
Type	Motor ekW	a mm	b mm	c mm	Weight kg	a mm	b mm	c mm	Weight kg
<b>HS06</b>	60	555	1000	325	100	555	1800	600	180
<b>HS10</b>	100	600	1600	500	190	600	1800	600	320
<b>HS20</b>	200	600	1800	500	260	600	1800	600	470
<b>HS31</b>	315	1000	2000	600	420	1000	2050	600	840
<b>HS40</b>	400	1200	2050	600	800	1200	2050	600	1400
<b>HS50</b>	500	1200	2050	600	830	1200	2050	600	1500
<b>HS63</b>	630	1600	2050	600	1100	1600	2050	600	1750

## Two Speed Gearboxes

- Two speed gearboxes based on standard gearboxes WAF, WVS, SVAL
- For available standard types and sizes see table:

	Gearbox type			
	ZWAF	ZWVS	ZSVAL	ZWVSA U
Gearbox Size	264	440	865-22	440
	364	730/1	950-77	
	563	930/1	1120-99	
	665			
	743			
	763			
	843			
	863			

- Main ratio based on basic gearbox
- Difference between main gear and second gear: max. 15%
- Dimensioning of second gear acc. to customer/ on request
- For power/speed ratios please refer to basic gearbox
- Additional sizes/types on request

## ZWVSA 440 U

### Technical Data:

- Offset: U-drive
- Main gearbox ratio: 3.469 (other ratios available on request)
- Gearbox ratio second gear: 3.083
- Sense of rotation input side: counter-clockwise
- Sense of rotation output: clockwise
- Control valve: electrical
- Engine type: admissible engine rating range (550 to 1,300 kW)
- Admissible power/speed ratio: 0.54 kW/rpm
- Gearbox foundation: rigid/resilient on request



## A LAF Gear with Special Features\* (Example)


\*Available on request for other gears



### Turn Drive

The turn drive allows turning the propeller shaft even when the main engine is standing still, e.g. for maintenance work.

- Operation with a control panel and with a remote control
- Current status can be monitored and visualised with the LOP



### Local Operating Panel (LOP)

The LOP can be used for various purposes including:

- Control of the clutch(es)
- Control of electric oil pumps
- Monitoring alarms, operating conditions, and values such as pressure, speed etc.
- Operation of special equipment such as turn drive, shaft locking device, and oil pre-heater

The LOP control cabinet comes with a TFT display with a customised menu structure.



### Double Helical Tothing




### Resilient Mounting of Gearbox and Accessories



### Oil Pre-Heater

The oil pre-heater heats up the oil to a temperature of > 25 °C.

- Manual and automatic operation are both possible
- Current status can be monitored and visualised with the LOP



### Shaft Locking Device

With the shaft locking device the propeller shaft can be mechanically locked and therefore be secured in its position.

- Spring-loaded
- Easy-to-operate
- Current status can be monitored and visualised with the LOP

### De-Humidifier

Drying of incoming air


- Oil level in gear decrease
- Moist air will be sucked in
- Valves opens at 5 mbar
- Incoming air will be dried
- Silica gel changes color from orange to green
- Incoming air will be cleaned

### Functional Matrix


PTO Type	Primary arrangement	Secondary arrangement	Controllable	PTO speed identical to engine speed	PTO speed different to engine speed (ratio $i \neq 1$ )
K21 A	X	-	-	X	-
K31 A	X	-	-	-	X
K31 B	-	X	-	-	X
K41 A	X	-	-	-	X
K41 B	-	X	-	-	X
K51 A	X	-	X	-	X
K51 B	-	X	X	-	X

All PTOs of bidirectional type (CCW-CW).  
Further PTO arrangements on request.


### K31A




### K21A




### K31B




**K41A**




**K51A**



**K41B**



**K51B**



## Technical Availability

- For standard PTO: refer to pages 20 – 25
- Primary PTO „A“: Aux drive turns, even if propeller not engaged
- Secondary PTO „B“: Aux drive turns only if propeller engaged
- Additional PTO-, PTI-, PTH functions on request
- Two speed PTI/PTH on request
- Additional pump drives on request

PTO Type	WAF 164	WAF 244 – 474	WF 350 – 580	WAF 542 – 573	WAF/LAF 665 – 675	WAF/LAF 743 – 1973		WAF/LAF 2346 – 7770	WVS 234 – 2240	VLJ	DLG	SVA	SVAL	VA
K21 A	X	X	X	X	X	X		-	X	-	-	-	-	-
K31 A	-	-	X	X	X	X		-	X	X	-	-	-	-
K31 B	-	X	X	X	X	-		-	-	-	-	-	-	-
K41 A	-	-	-	-	-	X		X	-	-	X	-	X	-
K41 B	-	-	-	-	X	-		X	-	-	X	X	X	X
K51 A	-	-	-	-	-	X		X	-	-	X	-	X	-
K51 B	-	-	-	-	X	-		X	-	-	X	X	X	X





REINTJES GmbH  
Eugen-Reintjes-Straße 7  
31785 Hameln  
Germany  
Phone +49 5151 104-0  
E-mail [info@reintjes-gears.de](mailto:info@reintjes-gears.de)  
[www.reintjes-gears.com](http://www.reintjes-gears.com)

Please scan  
QR code to locate us



**Service Hotline: + 49 5151 104-104**